

**50cm integrated dark stainless rangehood with powerful 690m<sup>3</sup>/hr extraction rate, 3 fan speed and dishwasher safe filters.**

RRP AUS \$499.00



## Product Details

### FEATURES

---

Powerful 690m3/hr extraction rate	LED lighting	3 speed fan	Dishwasher safe mesh filters
Dark Stainless Steel Finish	Ducted or recirculating options		

---

### BENEFITS

---

<p>Clear the air quickly</p> <p>Our rangehoods offer powerful extraction rates ensuring your kitchen is clear of cooking odours, vapours and excess heat in no time at all.</p>	<p>Low energy, long lasting LED</p> <p>With low energy use and a high illumination performance, long-lasting LED lights make it easy to keep an eye on your delicious cooking.</p>
<p>Easy-clean filters</p> <p>For ease and convenience, our easily removed aluminium micro-mesh filters can simply be washed safely in your dishwasher or hand washed. Keep your rangehood looking great and performing well with next to no effort.</p>	<p>Quiet please, the cook's at work</p> <p>We believe you should be able to cook and hear yourself think, or even have a conversation. That's why we developed a quieter motor that gives you high-speed extraction without the high levels of noise.</p>

---

## Specifications

### PRODUCT PROFILE

Domestic warranty details (yrs)	2
Type of Rangehood	integrated under cupboard
Nominal width	500
Finish of Rangehood	Dark stainless steel

### DIMENSIONS

Total product height (mm)	317
Total product width (mm)	492
Total product depth (mm)	277

### MOTOR/FAN

Number of fans	1
Number of fans speeds	3
Type of motor	tangential
Perimeter extraction	No
Maximum airflow M3/Hr	690
Noise level dB high	68
Noise level dB low	52
Number of motors	1
Wattage of motor	240

### CONTROLS

Control panel	electronic push button
Safety/ display indicators	auto thermal cutout safety switch
Hob2Hood function	No

## DIMENSIONS

Diameter of ducting (mm)	150
Minimum installation height from cooking surface Gas (mm)	650
Minimum installation height from cooking surface Electric (mm)	600
Cut out width (mm)	454
Cut out depth (mm)	254
Cut out height (mm)	313

## FILTERS

Number of filters	2
Type of filter	multilayer aluminum micromesh filters
Dishwasher safe	Yes

## DUCTING / RECIRCULATION

Ducting	optional accessory
Top or rear duct hole	top

## LIGHTS

Number of lights	2
Wattage of light	3.5
Type of light	LED

## SHIPPING

Shipping Volume (m3)	0.089
----------------------	-------



## DUCTING / RECIRCULATION

Recirculation option	Yes
Recirculation kit	optional accessory
Front recirculating option	No
Type of filter	Charcoal
Filter	Optional
Number of optional filters required	two
Ducting diameter (mm)	150

## STUFFING QUANTITIES

20ft	324
40ft	666
40ft HC	775

## SHIPPING

Pack Dimensions Height (mm)	368
Pack Dimension Width (mm)	555
Pack Dimension Depth (mm)	437

## Terms and Conditions

### IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

### PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

### WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

#### ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: [customercare@electrolux.com.au](mailto:customercare@electrolux.com.au)

web: [www.electrolux.com.au](http://www.electrolux.com.au)

#### ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: [customercare@electrolux.co.nz](mailto:customercare@electrolux.co.nz)

web: [www.electrolux.co.nz](http://www.electrolux.co.nz)