

## WWD 120

### Front-loading washing machine



- 8 kg load capacity
- 4.5 star energy rating, 4.5 star WELS water rating 63 l with 40°C Cottons
- CapDosing for special applications
- Pre-ironing to minimise the need for ironing
- Cold water connection

| Model/Sales designation                                        |                                |
|----------------------------------------------------------------|--------------------------------|
| Load capacity in kg                                            | 8                              |
| Max. spin speed                                                | 1,400                          |
| Construction type                                              |                                |
| Can be slotted-under/built-under/stacked                       | •/–/•                          |
| Door hinge/convertible                                         | Right/–                        |
| Design                                                         |                                |
| Rotary selector colour                                         | Lotus White                    |
| Control panel version                                          | 5° incline                     |
| Door design                                                    | Obsidian black with white ring |
| Display                                                        | DirectSensor yellow, 7 segment |
| Cleaning performance                                           |                                |
| TwinDos                                                        | –                              |
| PowerWash                                                      | –                              |
| CapDosing/Stains option                                        | •/–                            |
| Gentle laundry care                                            |                                |
| Honeycomb drum                                                 | •                              |
| User convenience                                               |                                |
| SteamCare/Pre-ironing                                          | –/•                            |
| Delay start up to 24 h/Countdown indicator/Time-of-day display | •/•/–                          |
| AddLoad                                                        | •                              |
| Drum lighting/Choice of language                               | –/–                            |
| Efficiency and sustainability                                  |                                |
| Energy efficiency rating                                       | 4.5                            |
| WELS Water efficiency rating                                   | 4.5                            |
| Energy consumption in kWh/year                                 | 231                            |
| Water consumption in l/wash                                    | 63                             |
| Test program used                                              | Cottons <40°C                  |
| Hot water connection                                           | –                              |
| EcoFeedback function/ProfiEco motor                            | –/•                            |
| Automatic load control/Foam sensing                            | •/•                            |
| Main wash programmes                                           |                                |
| Cottons/Minimum iron/Delicates                                 | •/•/•                          |
| QuickPowerWash/Express/Express 20                              | –/–/•                          |
| Shirts/Silks/Woolens                                           | •/–/•                          |
| Dark garments/Denim/Dark garments and Denim                    | –/–/•                          |
| Proofing/Down duvets/Eco 40–60                                 | •/–/•                          |
| Favourites                                                     | –                              |
| Main wash options                                              |                                |
| Water plus/Extra quiet/Extra gentle/Extra rinse/Rinse hold     | •/–/–/–/–                      |
| SingleWash/Intensive/AllergoWash/Quick/Eco                     | –/–/–/–/–                      |
| Short/Soak/Pre-wash/Pre-ironing/Stains                         | •/–/•/•/–                      |
| Appliance networking                                           |                                |
| Miele@home/MobileControl/WiFi Conn@ct                          | –/–/–                          |
| Quality                                                        |                                |
| Suds container                                                 | Stainless Steel                |
| Cast iron counterweights                                       | •                              |
| Safety                                                         |                                |
| Water control system/Waterproof system/Waterproof metal        | •/–/–                          |
| Safety lock/PIN code                                           | –/•                            |
| Technical data                                                 |                                |
| Appliance dimensions in mm (W x H x D)                         | 596 x 850 x 643                |
| Appliance depth in mm with open door                           | 1077                           |

## WWD 320

### Front-loading washing machine



- 8 kg load capacity
- 4.5 star energy rating, 4.5 star WELS water rating 67 l with 40°C Cottons
- QuickPowerWash for fast laundry results in 49 minutes
- Pre-ironing to minimise the need for ironing
- Cold water connection

| Model/Sales designation                                        |                                                                            |
|----------------------------------------------------------------|----------------------------------------------------------------------------|
| Load capacity in kg                                            | 8                                                                          |
| Max. spin speed                                                | 1,400                                                                      |
| Construction type                                              |                                                                            |
| Can be slotted-under/built-under/stacked                       | •/–/•                                                                      |
| Door hinge/convertible                                         | Right/–                                                                    |
| Design                                                         |                                                                            |
| Rotary selector colour                                         | Lotus White                                                                |
| Control panel version                                          | 5° incline                                                                 |
| Door design                                                    | Obsidian black with white ring                                             |
| Display                                                        | DirectSensor yellow, 7 segment                                             |
| Cleaning performance                                           |                                                                            |
| TwinDos                                                        | –                                                                          |
| PowerWash                                                      | •                                                                          |
| CapDosing/Stains option                                        | •/–                                                                        |
| Gentle laundry care                                            |                                                                            |
| Honeycomb drum                                                 | •                                                                          |
| User convenience                                               |                                                                            |
| SteamCare/Pre-ironing                                          | –/•                                                                        |
| Delay start up to 24 h/Countdown indicator/Time-of-day display | •/•/–                                                                      |
| AddLoad                                                        | •                                                                          |
| Drum lighting/Choice of language                               | –/–                                                                        |
| Efficiency and sustainability                                  |                                                                            |
| Energy efficiency rating                                       | 4.5                                                                        |
| WELS Water efficiency rating                                   | 4.5                                                                        |
| Energy consumption in kWh/year                                 | 227                                                                        |
| Water consumption in l/wash                                    | 67                                                                         |
| Test program used                                              | Cottons <span style="border: 1px solid black; padding: 0 2px;">40°C</span> |
| Hot water connection                                           | –                                                                          |
| EcoFeedback function/ProfiEco motor                            | –/•                                                                        |
| Automatic load control/Foam sensing                            | •/•                                                                        |
| Main wash programmes                                           |                                                                            |
| Cottons/Minimum iron/Delicates                                 | •/•/•                                                                      |
| QuickPowerWash/Express/Express 20                              | •/–/•                                                                      |
| Shirts/Silks/Woolens                                           | •/–/•                                                                      |
| Dark garments/Denim/Dark garments and Denim                    | –/–/–                                                                      |
| Proofing/Down duvets/Eco 40–60                                 | •/–/•                                                                      |
| Favourites                                                     | –                                                                          |
| Main wash options                                              |                                                                            |
| Water plus/Extra quiet/Extra gentle/Extra rinse/Rinse hold     | •/–/–/–/–                                                                  |
| SingleWash/Intensive/AllergoWash/Quick/Eco                     | –/–/–/–/–                                                                  |
| Short/Soak/Pre-wash/Pre-ironing/Stains                         | •/–/•/•/–                                                                  |
| Appliance networking                                           |                                                                            |
| Miele@home/MobileControl/WiFi Conn@ct                          | –/–/–                                                                      |
| Quality                                                        |                                                                            |
| Suds container                                                 | Stainless Steel                                                            |
| Cast iron counterweights                                       | •                                                                          |
| Safety                                                         |                                                                            |
| Water control system/Waterproof system/Waterproof metal        | •/–/–                                                                      |
| Safety lock/PIN code                                           | –/•                                                                        |
| Technical data                                                 |                                                                            |
| Appliance dimensions in mm (W x H x D)                         | 596 x 850 x 643                                                            |
| Appliance depth in mm with open door                           | 1077                                                                       |

## WWG 360

### Front-loading washing machine



- 9 kg load capacity
- 4.5 star energy rating, 4.5 star WELS water rating 76 l with 40°C Cottons
- QuickPowerWash for fast laundry results in 49 minutes
- SingleWash for up to 1 kg of laundry
- Pre-ironing to minimise the need for ironing

| Model/Sales designation                                        |                                 |
|----------------------------------------------------------------|---------------------------------|
| Load capacity in kg                                            | 9                               |
| Max. spin speed                                                | 1,400                           |
| Construction type                                              |                                 |
| Can be slotted-under/built-under/stacked                       | •/–/•                           |
| Door hinge/convertible                                         | Right/–                         |
| Design                                                         |                                 |
| Rotary selector colour                                         | Lotus White/Chrome ring         |
| Control panel version                                          | 5° incline                      |
| Door design                                                    | Obsidian black with chrome ring |
| Display                                                        | DirectSensor white, 1 line      |
| Cleaning performance                                           |                                 |
| TwinDos                                                        | –                               |
| PowerWash                                                      | •                               |
| CapDosing/Stains option                                        | •/–                             |
| Gentle laundry care                                            |                                 |
| Honeycomb drum                                                 | •                               |
| User convenience                                               |                                 |
| SteamCare/Pre-ironing                                          | –/•                             |
| Delay start up to 24 h/Countdown indicator/Time-of-day display | •/•/–                           |
| AddLoad                                                        | •                               |
| Drum lighting/Choice of language                               | –/•                             |
| Efficiency and sustainability                                  |                                 |
| Energy efficiency rating                                       | 4.5                             |
| WELS Water efficiency rating                                   | 4.5                             |
| Energy consumption in kWh/year                                 | 261                             |
| Water consumption in l/wash                                    | 76                              |
| Test program used                                              | Cottons <40°C                   |
| Hot water connection                                           | –                               |
| EcoFeedback function/ProfiEco motor                            | –/•                             |
| Automatic load control/Foam sensing                            | •/•                             |
| Main wash programmes                                           |                                 |
| Cottons/Minimum iron/Delicates                                 | •/•/•                           |
| QuickPowerWash/Express/Express 20                              | •/–/•                           |
| Shirts/Silks/Woolens                                           | •/•/•                           |
| Dark garments/Denim/Dark garments and Denim                    | –/–/•                           |
| Proofing/Down duvets/Eco 40–60                                 | •/–/•                           |
| Favourites                                                     | –                               |
| Main wash options                                              |                                 |
| Water plus/Extra quiet/Extra gentle/Extra rinse/Rinse hold     | •/•/•/–/–                       |
| SingleWash/Intensive/AllergoWash/Quick/Eco                     | •/•/•/–/–                       |
| Short/Soak/Pre-wash/Pre-ironing/Stains                         | –/•/•/•/–                       |
| Appliance networking                                           |                                 |
| Miele@home/MobileControl/WiFi Conn@ct                          | •/•/•                           |
| Quality                                                        |                                 |
| Suds container                                                 | Stainless Steel                 |
| Cast iron counterweights                                       | •                               |
| Safety                                                         |                                 |
| Water control system/Waterproof system/Waterproof metal        | •/–/–                           |
| Safety lock/PIN code                                           | •/•                             |
| Technical data                                                 |                                 |
| Appliance dimensions in mm (W x H x D)                         | 596 x 850 x 643                 |
| Appliance depth in mm with open door                           | 1077                            |

## WWG 660

### Front-loading washing machine



- 9 kg load capacity
- 4.5 star energy rating, 4.5 star WELS water rating 76 l with 40°C Cottons
- TwinDos for automatic detergent dispensing
- CapDosing for special applications
- Pre-ironing to minimise the need for ironing

| Model/Sales designation                                        |                                 |
|----------------------------------------------------------------|---------------------------------|
| Load capacity in kg                                            | 9                               |
| Max. spin speed                                                | 1,400                           |
| Construction type                                              |                                 |
| Can be slotted-under/built-under/stacked                       | •/–/•                           |
| Door hinge/convertible                                         | Right/–                         |
| Design                                                         |                                 |
| Rotary selector colour                                         | Lotus White/Chrome ring         |
| Control panel version                                          | 5° incline                      |
| Door design                                                    | Obsidian black with chrome ring |
| Display                                                        | DirectSensor white, 1 line      |
| Cleaning performance                                           |                                 |
| TwinDos                                                        | •                               |
| PowerWash                                                      | –                               |
| CapDosing/Stains option                                        | •/–                             |
| Gentle laundry care                                            |                                 |
| Honeycomb drum                                                 | •                               |
| User convenience                                               |                                 |
| SteamCare/Pre-ironing                                          | –/•                             |
| Delay start up to 24 h/Countdown indicator/Time-of-day display | •/•/–                           |
| AddLoad                                                        | •                               |
| Drum lighting/Choice of language                               | –/•                             |
| Efficiency and sustainability                                  |                                 |
| Energy efficiency rating                                       | 4.5                             |
| WELS Water efficiency rating                                   | 4.5                             |
| Energy consumption in kWh/year                                 | 261                             |
| Water consumption in l/wash                                    | 76                              |
| Test program used                                              | Cottons <40°C                   |
| Hot water connection                                           | –                               |
| EcoFeedback function/ProfiEco motor                            | –/•                             |
| Automatic load control/Foam sensing                            | •/•                             |
| Main wash programmes                                           |                                 |
| Cottons/Minimum iron/Delicates                                 | •/•/•                           |
| QuickPowerWash/Express/Express 20                              | –/–/•                           |
| Shirts/Silks/Woolens                                           | •/•/•                           |
| Dark garments/Denim/Dark garments and Denim                    | –/–/•                           |
| Proofing/Down duvets/Eco 40–60                                 | •/–/•                           |
| Favourites                                                     | –                               |
| Main wash options                                              |                                 |
| Water plus/Extra quiet/Extra gentle/Extra rinse/Rinse hold     | •/•/•/–/–                       |
| SingleWash/Intensive/AllergoWash/Quick/Eco                     | –/•/•/–/–                       |
| Short/Soak/Pre-wash/Pre-ironing/Stains                         | •/•/•/•/–                       |
| Appliance networking                                           |                                 |
| Miele@home/MobileControl/WiFi Conn@ct                          | •/•/•                           |
| Quality                                                        |                                 |
| Suds container                                                 | Stainless Steel                 |
| Cast iron counterweights                                       | •                               |
| Safety                                                         |                                 |
| Water control system/Waterproof system/Waterproof metal        | •/–/–                           |
| Safety lock/PIN code                                           | •/•                             |
| Technical data                                                 |                                 |
| Appliance dimensions in mm (W x H x D)                         | 596 x 850 x 643                 |
| Appliance depth in mm with open door                           | 1077                            |

## WWI 860

### Front-loading washing machine



- 9 kg load capacity
- 4.5 star energy rating, 4.5 star WELS water rating 76 l with 40°C Cottons
- QuickPowerWash for fast laundry results in 49 minutes
- TwinDos for automatic detergent dispensing
- SingleWash for up to 1 kg of laundry

| Model/Sales designation                                        |                                 |
|----------------------------------------------------------------|---------------------------------|
| Load capacity in kg                                            | 9                               |
| Max. spin speed                                                | 1,600                           |
| Construction type                                              |                                 |
| Can be slotted-under/built-under/stacked                       | •/–/•                           |
| Door hinge/convertible                                         | Right/–                         |
| Design                                                         |                                 |
| Rotary selector colour                                         | Lotus White/Chrome ring         |
| Control panel version                                          | 5° incline                      |
| Door design                                                    | Obsidian black with chrome ring |
| Display                                                        | DirectSensor white, 1 line      |
| Cleaning performance                                           |                                 |
| TwinDos                                                        | •                               |
| PowerWash                                                      | •                               |
| CapDosing/Stains option                                        | •/•                             |
| Gentle laundry care                                            |                                 |
| Honeycomb drum                                                 | •                               |
| User convenience                                               |                                 |
| SteamCare/Pre-ironing                                          | –/•                             |
| Delay start up to 24 h/Countdown indicator/Time-of-day display | •/•/–                           |
| AddLoad                                                        | •                               |
| Drum lighting/Choice of language                               | –/•                             |
| Efficiency and sustainability                                  |                                 |
| Energy efficiency rating                                       | 4.5                             |
| WELS Water efficiency rating                                   | 4.5                             |
| Energy consumption in kWh/year                                 | 261                             |
| Water consumption in l/wash                                    | 76                              |
| Test program used                                              | Cottons <40°C                   |
| Hot water connection                                           | •                               |
| EcoFeedback function/ProfiEco motor                            | •/•                             |
| Automatic load control/Foam sensing                            | •/•                             |
| Main wash programmes                                           |                                 |
| Cottons/Minimum iron/Delicates                                 | •/•/•                           |
| QuickPowerWash/Express/Express 20                              | •/–/–                           |
| Shirts/Silks/Woolens                                           | •/•/•                           |
| Dark garments/Denim/Dark garments and Denim                    | –/–/•                           |
| Proofing/Down duvets/Eco 40–60                                 | •/–/•                           |
| Favourites                                                     | –                               |
| Main wash options                                              |                                 |
| Water plus/Extra quiet/Extra gentle/Extra rinse/Rinse hold     | •/•/•/–/–                       |
| SingleWash/Intensive/AllergoWash/Quick/Eco                     | •/•/•/•/–                       |
| Short/Soak/Pre-wash/Pre-ironing/Stains                         | –/•/•/•/•                       |
| Appliance networking                                           |                                 |
| Miele@home/MobileControl/WiFi Conn@ct                          | •/•/•                           |
| Quality                                                        |                                 |
| Suds container                                                 | Stainless Steel                 |
| Cast iron counterweights                                       | •                               |
| Safety                                                         |                                 |
| Water control system/Waterproof system/Waterproof metal        | •/–/–                           |
| Safety lock/PIN code                                           | •/•                             |
| Technical data                                                 |                                 |
| Appliance dimensions in mm (W x H x D)                         | 596 x 850 x 643                 |
| Appliance depth in mm with open door                           | 1077                            |

## WWR 860 WPS

### Front-loading washing machine



- 9 kg load capacity with M Touch Controls
- 5 star energy rating, 5 star WELS water rating 64 l with 40°C Cottons
- TwinDos for automatic detergent dispensing
- QuickPowerWash for fast laundry results in 49 minutes
- SingleWash for up to 1 kg of laundry

| Model/Sales designation                                        |                              |
|----------------------------------------------------------------|------------------------------|
| Load capacity in kg                                            | 9                            |
| Max. spin speed                                                | 1,600                        |
| Construction type                                              |                              |
| Can be slotted-under/built-under/stacked                       | •/–/•                        |
| Door hinge/convertible                                         | Right/–                      |
| Design                                                         |                              |
| Rotary selector colour                                         | –                            |
| Control panel version                                          | 5° incline                   |
| Door design                                                    | Lotus white with chrome ring |
| Display                                                        | M Touch                      |
| Cleaning performance                                           |                              |
| TwinDos                                                        | •                            |
| PowerWash                                                      | •                            |
| CapDosing/Stains option                                        | •/•                          |
| Gentle laundry care                                            |                              |
| Honeycomb drum                                                 | •                            |
| User convenience                                               |                              |
| SteamCare/Pre-ironing                                          | –/•                          |
| Delay start up to 24 h/Countdown indicator/Time-of-day display | •/•/•                        |
| AddLoad                                                        | •                            |
| Drum lighting/Choice of language                               | LED/•                        |
| Efficiency and sustainability                                  |                              |
| Energy efficiency rating                                       | 5                            |
| WELS Water efficiency rating                                   | 5                            |
| Energy consumption in kWh/year                                 | 219                          |
| Water consumption in l/wash                                    | 64                           |
| Test program used                                              | Cottons <40°C                |
| Hot water connection                                           | •                            |
| EcoFeedback function/ProfiEco motor                            | •/•                          |
| Automatic load control/Foam sensing                            | •/•                          |
| Main wash programmes                                           |                              |
| Cottons/Minimum iron/Delicates                                 | •/•/•                        |
| QuickPowerWash/Express/Express 20                              | •/–/•                        |
| Shirts/Silks/Woolens                                           | •/•/•                        |
| Dark garments/Denim/Dark garments and Denim                    | •/•/–                        |
| Proofing/Down duvets/Eco 40–60                                 | •/•/–                        |
| Favourites                                                     | •                            |
| Main wash options                                              |                              |
| Water plus/Extra quiet/Extra gentle/Extra rinse/Rinse hold     | •/•/•/•/•                    |
| SingleWash/Intensive/AllergoWash/Quick/Eco                     | •/•/•/•/•                    |
| Short/Soak/Pre-wash/Pre-ironing/Stains                         | –/•/•/•/•                    |
| Appliance networking                                           |                              |
| Miele@home/MobileControl/WiFi Conn@ct                          | •/•/•                        |
| Quality                                                        |                              |
| Suds container                                                 | Stainless Steel              |
| Cast iron counterweights                                       | •                            |
| Safety                                                         |                              |
| Water control system/Waterproof system/Waterproof metal        | –/•/–                        |
| Safety lock/PIN code                                           | •/•                          |
| Technical data                                                 |                              |
| Appliance dimensions in mm (W x H x D)                         | 596 x 850 x 643              |
| Appliance depth in mm with open door                           | 1077                         |