

60cm MaxiKlasse™ 10 Function ThermiC°Steam™ Pyroluxe™ Oven with OptiSight™ Control

Product Details

FEATURES

| | | | |
|---|---|--|---------------------------------|
| ThermiCSteam™ steam-assisted cooking Add a touch of steam when baking and roasting | Quarter steam plus heat 25% steam and 75% hot air combined | Core Temperature sensor | ThermiCair™ system |
| OptiSight™ electronic controller | Anti-fingerprint stainless steel | Exceeds European A class energy rating | True fan cooking program |
| MaxiKlasse™ - Extra large internal oven cavity | IsoFront™ cool door | Pyroluxe™ Self Cleaning | Active CleanAir™ Control System |
| MaxiView™ Enlarged Window | FloodLight™ system | OptiFlex™ telescopic runners | |

BENEFITS

Take your dishes to the next level with ThermiCSteam™
Traditional oven heat has been enhanced by the introduction of steam. Now, not only do you get a crisp and golden crust on the outside, but thanks to the gentle flavour preserving nature of steam, your food is full of flavour.

Crispy on the outside, full flavour on the inside
The ThermiCSteam™ oven combines 25% steam and 75% hot air to ensure food is golden brown on the outside and succulent on the inside. Perfect for baking bread or cooking poultry, gratins, lasagna and other pasta-baked dishes.

Always optimal cooking times thanks to the core temperature sensor
Take the guesswork out of cooking. By monitoring the cooking process at the core of the food, our oven automatically turns off when the desired temperature is reached.

Pyroluxe™ Self Cleaning
The advanced self-cleaning function takes all the effort out of keeping your oven clean. By heating the oven to 500C, all food residue is turned to ash, which can then be simply wiped out with a damp cloth.

Active CleanAir™ Control System

By using a maintenance free catalyst to oxidise grease and fumes coming from the oven, the air in your kitchen stays clean and free from unpleasant odours.

IsoFront™ Cooler Door

The multi-layered glass panes, with reflective coating, keep the heat in the oven while the outside of the door remains cooler to touch.

OptiFlex™ telescopic runners

These specially designed shelf runners are shaped to make it easier to select and adjust the cooking level you require.

MaxiView™ Enlarged Window

The enlarged window on the door is 20% larger than previous models, so now you can see exactly whats happening throughout the entire cooking process.

Specifications

PRODUCT PROFILE

| | |
|---------------------------------|----------------------------------|
| Domestic warranty details (yrs) | 5 |
| Type of Oven | ThermiC°Steam™ Pyroluxe™ oven |
| Oven fuel | electric |
| Materials/Colour | anti-fingerprint stainless |
| Controls of Oven | OptiSight control knobs |
| Cooling fan | Yes |

FLUSH FIT CUT OUT

| | |
|-------------------------------|-----|
| Flush fit cut out height (mm) | 600 |
| Flush fit cut out width (mm) | 600 |
| Flush fit cut out depth (mm) | 580 |

DIMENSIONS

PRODUCT DIMENSION

| | |
|-------------------|-----|
| Total height (mm) | 594 |
| Total width (mm) | 594 |
| Total depth (mm) | 568 |

MAIN OVEN

| | |
|-------------------------|---------------|
| Gross capacity litres | 81 |
| Useable capacity litres | 74 |
| Oven function | multifunction |
| Number of functions | 10 |

MAIN OVEN

| | |
|-----------------|--|
| Oven Functions | defrost,pyroluxe,bottom heat,light,true fan cooking,conventional cooking/traditional bake,grilling,turbo grilling,pizza,steam cooking,fast heat up |
| Oven liner | pyrolux high temperature enamel |
| Timer functions | acoustic signal,duration,end,minute minder |

SECOND OVEN OR GRILL

| | |
|-------------------------|---|
| Layers of glass in door | 4 |
|-------------------------|---|

ELECTRICAL CONNECTION

| | |
|-------------------------------|-----------|
| Connected load KW | 3.38 |
| Maximum current rating (amps) | 16 |
| Type of connection | hardwired |


OTHER FEATURES

| | |
|-----------------------------|--|
| Cleaning | pyrolytic |
| Pyrolytic functions | 2 |
| Type of Pyrolytic functions | pyrolytic heavy soil,pyrolytic medium soil |

OTHER FEATURES

| | |
|---------------------------|---|
| Door | IsoFront cool door |
| Lights | 1 |
| Light wattage | 40 |
| Telescopic runners | OptFlex™ shelf runners |
| Number of shelves | 2 |
| Safety features | isofront plus quadruple glazed door |
| Closed door grilling | Yes |
| Included accessories | telescopic runner x 1, meat probe ,2 x chromed wire shelf, dripping pan, trivet |
| Layers of glass in door | 4 |
| Number of shelf positions | 5 |

Dimensions



IMPORTANT

These dimensions are a guide only. All measurements are in millimetres (mm).

For complete installation instructions, refer to the manual provided with product.

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

Electrolux Home Products warrants that for domestic applications the AEG appliances featured are free from defects in materials and workmanship for 5 years (3 months warranty for commercial applications). All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 664

fax: 1800 350 067

email: customercare@aegaustralia.com.au

web: www.aeg.com/au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 0800 10 66 10

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.aeg.com/au