


Made in Holland

PITT
COOKING



Induction

Bely-I

Top Side

TS INDUCTION 2025-9.1

Exploded view



- 1. **Decorative ring small**
COATED ALUMINUM
- 2. **Decorative ring large**
COATED ALUMINUM
- 3. **Induction zone small**
COATED ALUMINUM/ CERAMIC GLASS



- 4. **Induction zone large**
COATED ALUMINUM/ CERAMIC GLASS
- 5. **Control knob**
ALUMINUM/GLASS
- 6. **Cassette**
ALUMINUM

Induction zones

Small zone



Large zone



SMALL ZONE

NOM. POWER
1400 Watt

MAX. POWER
2100 Watt

LARGE ZONE

NOM. POWER
2300 Watt

MAX. POWER
3000 Watt

Control knob

Control knob

3D-visualization of Top Side knob




3D-visualization Front Side knob







Dimensions control knob

Front view




Top view







Bovenaanzicht / Top view



Onderaanzicht / Bottom view




Vooraanzicht / Front view



Zijaanzicht / Side view

Hole pattern




Gatenpatroon
DXF bestand

Technical information



Model	Bely Top Side
Type zones	1x zone small, 1x zone large
Editions	Black (fully black)
Automatic pan detection	✓
Power levels	0 - 10 + Boost
Nominal voltage	220-240 V, 1N~
Maximaal vermogen	3680W
Netto weight	12 kg





Installation and handling instructions



Installation manual induction



User manual induction

Made in Holland

PITT
COOKING




Induction

Bely-I

Front Side

Exploded view




- 1. **Decorative ring small**
COATED ALUMINUM
- 2. **Decorative ring large**
COATED ALUMINUM
- 3. **Induction zone small**
COATED ALUMINUM/ CERAMIC GLASS

- 4. **Induction zone large**
COATED ALUMINUM/ CERAMIC GLASS
- 5. **Control knob**
ALUMINUM/GLASS
- 6. **Cassette**
ALUMINUM

Induction zones

Small zone




SMALL ZONE

NOM. POWER
1400 Watt

MAX. POWER
2100 Watt

Large zone



LARGE ZONE

NOM. POWER
2300 Watt

MAX. POWER
3000 Watt

Control knob

3D-visualization of Top Side knob




3D-visualization Front Side knob




Dimensions control knob



Front view



Top view




Control knob



Technical drawing


Technical drawing



Elektrapunt/
Electrical connection


Elektrapunt/
Electrical connection

Bovenaanzicht / Top view




Connector knop/
Connector knob

Onderaanzicht / Bottom view



Knop kabel/
Knob cable

Vooraanzicht / Front view




*Inclusief ondersteuningsset/
Including support bar


Zijaanzicht / Side view

Hole pattern


Technical information



Hole pattern
DXF file



Model	Bely Front Side
Type zones	1x zone small, 1x zone large
Editions	Black (fully black)
Automatic pan detection	✓
Power levels	0 - 10 + Boost
Nominal voltage	220-240 V, 1N~
Maximum power	3680W
Netto weight	12 kg



$\phi \geq 2.5\text{mm}^2$





Installation and handling instructions



Installation manual induction



User manual induction