

TCA220WP Active

T1 heat-pump dryer:

Outstanding Miele quality at an attractive entry-level price.



- Savings for the life of your tumble dryer – EcoDry technology
- Fragrant laundry just the way you like it – FragranceDos
- Precision drying of all fabrics – PerfectDry
- Perfect room and furniture protection – best condensation effect
- Easy operation via sensor controls – EasyControl

EAN: 4002516732532 / Material number: 12388960 / Old Material Number: 12CA2202AUS

Anniversary promotion	
Anniversary models 125	•
Construction type	
Suitable for stacking	•
Side-by-Side	•
Slot-in	•
Can be built under	•
Door hinge	left
Model	
Product brand	T1 Chrome Edition
Heat-pump dryer	•
Design	
Appliance colour	Lotus white
Control panel colour	Lotus white
Door design	Lotus white
Rotary selector colour	Lotus White
Control panel version	Straight
Control type	Rotary selector
Display	EasyControl yellow
Drying results	
PerfectDry precision drying	•
FragranceDos fragrance system	•
Intelligent drum reversal	•
Gentle laundry care	
Honeycomb drum	•
Load in kg	7.0
User convenience	
Delay start up to 24 hours	•
Time left display	•
Programme sequence indicator	No
Drum lighting	LED
Condensate container	•
Integrated condensed water drainage	•
Efficiency and sustainability	
EcoDry technology	•
Maintenance-free heat exchanger	•
ProfiEco motor	•
Drying programmes	
Cottons (coloureds)	•
Cottons Eco	•
Minimum iron	•
Delicates	•
Shirts	•
Woollens handcare	•
Express	•
Denim	•
Proofing	•
Pre-Ironing	•
Bed linen	•
Warm air/DryFresh	•

TCA220WP Active

T1 heat-pump dryer:

Outstanding Miele quality at an attractive entry-level price.



EAN: 4002516732532 / Material number: 12388960 / Old Material Number: 12CA2202AUS

## Drying extras

Anti-crease

•

Gentle tumble

•

## Quality

Soft ribs

•

## Safety

PIN code

•

Empty out container indicator

•

Optical interface

•

## Technical data

Dimensions in mm (width)

596

Dimensions in mm (height)

850

Dimensions in mm (depth)

640

Appliance depth in mm with opened door

1054

Weight in kg

57

Total rated load in kW

1.10

Voltage in V

230

Fuse rating in A

10

Frequency in Hz

50

Length of supply lead in m

2.0

Hermetically sealed

•

Type of coolant

R290

Refrigerant quantity in kg

0.11

Refrigerant global warming potential in CO<sub>2</sub> e

3

Appliance global warming potential in CO<sub>2</sub> e

0.33

## Accessories supplied

Fragrance flacon

•


Voucher for a second fragrance flacon

•


TCA220WP Active

T1 heat-pump dryer:


Outstanding Miele quality at an attractive entry-level price.




T1 installation drawing, slanted facia or straight facia, measures in mm



T1 drawing, slanted facia or straight facia, measures in mm



T1 drawing, slanted facia or straight facia, without porthole, measures in mm



T1 drawing, slanted facia or straight facia, measures in mm