

## H 7464 BP 60 cm Oven



Built-in oven         •           Design line         VitroLine           Colour         Graphite Grey           Convenience features         •           Taste Control         •           Rapid heat-up         •           Fre-heat         •           Food probe         •           Crisp function         •           Operating modes           Defrost         •           Automatic programmes         •           Country-specific automatic programmes         •           Auto roast         •           Eoc Fan plus         •           Grill         •           Fan plus         •           Intensive bake         •           Moisture plus with Fan plus         •           Moisture plus with Fan plus         •           Moisture plus with Auto roast         •           Conventional heat         •           Moisture plus with Auto roast         •           Conventional heat         •           Bottom heat         •           Fan grill         •           User convenience         •           Display         DirectSensor           SoftCl	Model and design	
Colour Convenience features TasteControl	-	•
Colour Convenience features TasteControl		VitroLine
Convenience features Taste Control Rapid heat-up Pre-heat Food probe Crisp function Operating modes Defrost Automatic programmes Country-specific automatic programmes Auto roast Eco Fan plus Grill Fan plus Intensive bake Moisture plus with Fan plus Moisture plus with nensive bake  Moisture plus with nensive bake  Moisture plus with nensive bake  Moisture plus with nensive bake  Moisture plus with nensive bake  Moisture plus with nensive bake  DirectSensor  DirectSensor  SoftCose  MultiLingual  Timed steam bursts programmable  Programmable end of cooking duration  Programmable start of cooking duration  Programmable end of cooking duration  Programmable end of cooking duration  Programmable start of cooking duration  Programmable end of cooking duration  Programmable end etemperature is reached  Recommended temperature  Liser programmes  Doinct Sensor  20  Individual settings  Efficiency and sustainability	-	Graphite Grey
Repid heat-up Pre-heat Pre-heat Prod probe Prod probe Prod probe Prosp function Persons  Defrost Automatic programmes Production Programmes Programmable end of cooking duration Programmable end of cooking duration Programmes Progra	Convenience features	i i
Pre-heat         •           Food probe         •           Orisp function         •           Operating modes         •           Defrost         •           Automatic programmes         •           Country-specific automatic programmes         •           Auto roast         •           Eco Fan plus         •           Grill         •           Fan plus         •           Intensive bake         •           Moisture plus with Fan plus         •           Moisture plus with Conventional heat         •           Moisture plus with Auto roast         •           Conventional heat         •           Moisture plus with Auto roast         •           Conventional heat         •           Bottom heat         •           Fan grill         •           User convenience         DirectSensor           Display         DirectSensor           SoftClose         •           MultiLingual         •           Time display         •           User porgammable         •           Clock synchronisation         •           Date display         •	TasteControl	•
Pre-heat         •           Food probe         •           Orisp function         •           Operating modes         •           Defrost         •           Automatic programmes         •           Country-specific automatic programmes         •           Auto roast         •           Eco Fan plus         •           Grill         •           Fan plus         •           Intensive bake         •           Moisture plus with Fan plus         •           Moisture plus with Conventional heat         •           Moisture plus with Auto roast         •           Conventional heat         •           Moisture plus with Auto roast         •           Conventional heat         •           Bottom heat         •           Fan grill         •           User convenience         DirectSensor           Display         DirectSensor           SoftClose         •           MultiLingual         •           Time display         •           User porgammable         •           Clock synchronisation         •           Date display         •	Rapid heat-up	•
Crisp function     •       Operating modes     •       Defrost     •       Automatic programmes     •       Country-specific automatic programmes     •       Auto roast     •       Eco Fan plus     •       Grill     •       Fan plus     •       Intensive bake     •       Moisture plus with Fan plus     •       Moisture plus with Fan plus     •       Moisture plus with Conventional heat     •       Moisture plus with Auto roast     •       Corventional heat     •       Bottom heat     •       Fan grill     •       User convenience     •       Usplay     DirectSensor       SoftClose     •       MultiLingual     •       Timed steam bursts programmable     •       Timed steam bursts programmable     •       Clock synchronisation     •       Date display     •       Minute minder     •       Programmable start of cooking duration     •       Programmable cooking duration     •       Programmable cooking duration     •       Programmable cooking duration     •       Programmable cooking duration     •       Actual temperature display     • </td <td></td> <td>•</td>		•
Crisp function     •       Operating modes     •       Defrost     •       Automatic programmes     •       Country-specific automatic programmes     •       Auto roast     •       Eco Fan plus     •       Grill     •       Fan plus     •       Intensive bake     •       Moisture plus with Fan plus     •       Moisture plus with Fan plus     •       Moisture plus with Conventional heat     •       Moisture plus with Auto roast     •       Corventional heat     •       Bottom heat     •       Fan grill     •       User convenience     •       Usplay     DirectSensor       SoftClose     •       MultiLingual     •       Timed steam bursts programmable     •       Timed steam bursts programmable     •       Clock synchronisation     •       Date display     •       Minute minder     •       Programmable start of cooking duration     •       Programmable cooking duration     •       Programmable cooking duration     •       Programmable cooking duration     •       Programmable cooking duration     •       Actual temperature display     • </td <td>Food probe</td> <td>•</td>	Food probe	•
Operating modes         •           Defrost         •           Automatic programmes         •           Country-specific automatic programmes         •           Auto roast         •           Eco Fan plus         •           Grill         •           Fan plus         •           Intensive bake         •           Moisture plus with Fan plus         •           Moisture plus with Conventional heat         •           Moisture plus with Auto roast         •           Conventional heat         •           Bottom heat         •           Ean grill         •           User convenience         •           Display         DirectSensor           SoftCopen         •           SoftCose         •           MultiLingual         •           Time display         •           Uck synchronisation         •           Date display         •           Minute minder         •           Programmable start of cooking duration         •           Programmable end of cooking duration         •           Programmable end of cooking duration         •           Programmable end of cooki		•
Defrost Automatic programmes		
Country-specific automatic programmes  Auto roast  Eco Fan plus  Grill  Fan plus  Intensive bake  Moisture plus  Moisture plus with Fan plus  Moisture plus with Conventional heat  Moisture plus with Intensive bake  Moisture plus with Auto roast  Conventional heat  Bottom heat  Fan grill  User convenience  Display  DirectSensor  SoftOpen  SoftClose  MultiLingual  Time display  Clock synchronisation  Date display  Minute minder  Programmable end of cooking duration  Programmable cooking duration  Programmable signal when desired temperature is reached  Recommended temperature  User programmes  Efficiency and sustainability  Efficiency and sustainability  Editory  Color control of the cooking duration  Programmes  20  Indivicual settings  Efficiency and sustainability		•
Country-specific automatic programmes  Auto roast  Eco Fan plus  Grill  Fan plus  Intensive bake  Moisture plus  Moisture plus with Fan plus  Moisture plus with Conventional heat  Moisture plus with Intensive bake  Moisture plus with Auto roast  Conventional heat  Bottom heat  Fan grill  User convenience  Display  DirectSensor  SoftOpen  SoftClose  MultiLingual  Time display  Clock synchronisation  Date display  Minute minder  Programmable end of cooking duration  Programmable cooking duration  Programmable signal when desired temperature is reached  Recommended temperature  User programmes  Efficiency and sustainability  Efficiency and sustainability  Editory  Color control of the cooking duration  Programmes  20  Indivicual settings  Efficiency and sustainability	Automatic programmes	•
Auto roast  Eco Fan plus  Grill  Fan plus  Intensive bake  Moisture plus  Moisture plus with Fan plus  Moisture plus with Fan plus  Moisture plus with Conventional heat  Moisture plus with Intensive bake  Moisture plus with Intensive bake  Moisture plus with Auto roast  Conventional heat  Bottom heat  Bottom heat  Bottom heat  Bottom heat  Bottom sill  Ser convenience  Display  DirectSensor  SoftOpen  SoftClose  MultiLingual  Timed steam bursts programmable  Timed steam bursts programmable  Clock synchronisation  Date display  Minute minder  Programmable end of cooking duration  Programmable signaly  Audible signal when desired temperature is reached  Recommended temperature  User programmes  20  Individual settings  Efficiency and sustainability		•
Grill         •           Fan plus         •           Intensive bake         •           Moisture plus with Pan plus         •           Moisture plus with Fan plus         •           Moisture plus with Conventional heat         •           Moisture plus with Intensive bake         •           Moisture plus with Auto roast         •           Conventional heat         •           Bottom heat         •           Fan grill         •           User convenience         DirectSensor           SoftOpen         •           SoftCose         •           MultiLingual         •           Timed steam bursts programmable         •           Timed steam bursts programmable         •           Clock synchronisation         •           Date display         •           Olock synchronisation         •           Programmable start of cooking duration         •           Programmable end of cooking duration         •           Programmable end of cooking duration         •           Programmable end of cooking duration         •           Actual temperature display         •           Audible signal when desired temperature is reached		•
Grill         •           Fan plus         •           Intensive bake         •           Moisture plus with Pan plus         •           Moisture plus with Fan plus         •           Moisture plus with Conventional heat         •           Moisture plus with Intensive bake         •           Moisture plus with Auto roast         •           Conventional heat         •           Bottom heat         •           Fan grill         •           User convenience         DirectSensor           SoftOpen         •           SoftCose         •           MultiLingual         •           Timed steam bursts programmable         •           Timed steam bursts programmable         •           Clock synchronisation         •           Date display         •           Olock synchronisation         •           Programmable start of cooking duration         •           Programmable end of cooking duration         •           Programmable end of cooking duration         •           Programmable end of cooking duration         •           Actual temperature display         •           Audible signal when desired temperature is reached	Eco Fan plus	•
Intensive bake  Moisture plus  Moisture plus with Fan plus  Moisture plus with Conventional heat  Moisture plus with Intensive bake  Moisture plus with Auto roast  Conventional heat  Bottom heat  Bottom heat  Fan grill  User convenience  Display  DirectSensor  SoftOpen  SoftClose  MultiLingual  Timed steam bursts programmable  Time display  Clock synchronisation  Date display  Minute minder  Programmable start of cooking duration  Programmable cooking duration  Programmable cooking duration  Programmable cooking duration  Programmable signal when desired temperature is reached  Recommended temperature  User programmes  20  Individual settings  •  Efficiency and sustainability		•
Intensive bake  Moisture plus  Moisture plus with Fan plus  Moisture plus with Conventional heat  Moisture plus with Intensive bake  Moisture plus with Auto roast  Conventional heat  Bottom heat  Bottom heat  Fan grill  User convenience  Display  DirectSensor  SoftOpen  SoftClose  MultiLingual  Timed steam bursts programmable  Time display  Clock synchronisation  Date display  Minute minder  Programmable start of cooking duration  Programmable cooking duration  Programmable cooking duration  Programmable cooking duration  Programmable signal when desired temperature is reached  Recommended temperature  User programmes  20  Individual settings  •  Efficiency and sustainability	Fan plus	•
Moisture plus with Fan plus  Moisture plus with Conventional heat  Moisture plus with Intensive bake  Moisture plus with Auto roast  Conventional heat  Bottom heat  Fan grill  User convenience  Display  DirectSensor  SoftOpen  SoftClose  MultiLingual  Timed steam bursts programmable  Timed display  Clock synchronisation  Date display  Minute minder  Programmable start of cooking duration  Programmable cooking duration  Actual temperature display  Audible signal when desired temperature  User programmes  Lecument of the side of t	•	•
Moisture plus with Fan plus  Moisture plus with Conventional heat  Moisture plus with Intensive bake  Moisture plus with Auto roast  Conventional heat  Bottom heat  Fan grill  User convenience  Display  DirectSensor  SoftOpen  SoftClose  MultiLingual  Timed steam bursts programmable  Timed display  Clock synchronisation  Date display  Minute minder  Programmable start of cooking duration  Programmable cooking duration  Actual temperature display  Audible signal when desired temperature  User programmes  Lecument of the side of t	Moisture plus	•
Moisture plus with Conventional heat       •         Moisture plus with Intensive bake       •         Moisture plus with Auto roast       •         Conventional heat       •         Bottom heat       •         Fan grill       •         User convenience       •         Display       DirectSensor         SoftOpen       •         SoftClose       •         MultiLingual       •         Timed steam bursts programmable       •         Time display       •         Clock synchronisation       •         Date display       •         Minute minder       •         Programmable start of cooking duration       •         Programmable end of cooking duration       •         Programmable cooking duration       •         Programmable cooking duration       •         Actual temperature display       •         Desired temperature display       •         Audible signal when desired temperature is reached       •         Recommended temperature       •         User programmes       20         Individual settings       •		•
Moisture plus with Auto roast  Conventional heat  Bottom heat  Fan grill  User convenience  Display  DirectSensor  SoftOpen  SoftClose  MultiLingual  Timed steam bursts programmable  Clock synchronisation  Date display  Minute minder  Programmable start of cooking duration  Programmable end of cooking duration  Programmable cooking duration  Actual temperature display  Audible signal when desired temperature is reached  Recommended temperature  User programmes  Let Cook and Start of cooking cooking duration  Programmable start of cooking duration  Programmable cooking duration  Actual temperature display  Audible signal when desired temperature is reached  Recommended temperature  User programmes  20  Individual settings  Efficiency and sustainability		•
Moisture plus with Auto roast  Conventional heat  Bottom heat  Fan grill  User convenience  Display  DirectSensor  SoftOpen  SoftClose  MultiLingual  Timed steam bursts programmable  Clock synchronisation  Date display  Minute minder  Programmable start of cooking duration  Programmable end of cooking duration  Programmable cooking duration  Actual temperature display  Audible signal when desired temperature is reached  Recommended temperature  User programmes  Let Cook and Start of cooking cooking duration  Programmable start of cooking duration  Programmable cooking duration  Actual temperature display  Audible signal when desired temperature is reached  Recommended temperature  User programmes  20  Individual settings  Efficiency and sustainability	Moisture plus with Intensive bake	•
Conventional heat       •         Bottom heat       •         Fan grill       •         User convenience       •         Display       DirectSensor         SoftClopen       •         SoftClose       •         MultiLingual       •         Timed steam bursts programmable       •         Time display       •         Clock synchronisation       •         Date display       •         Minute minder       •         Programmable start of cooking duration       •         Programmable end of cooking duration       •         Programmable cooking duration       •         Actual temperature display       •         Actual temperature display       •         Audible signal when desired temperature is reached       •         Recommended temperature       •         User programmes       20         Individual settings       •         Efficiency and sustainability		•
Fan grill  User convenience  Display  DirectSensor  SoftOpen  SoftClose  MultiLingual  Timed steam bursts programmable  Time display  Clock synchronisation  Date display  Minute minder  Programmable start of cooking duration  Programmable end of cooking duration  Programmable cooking duration  Programmable cooking duration  Programmable cooking duration  Programmable end of cooking duration  Programmable end of cooking duration  Programmable start of splay  Actual temperature display  Actual temperature display  Audible signal when desired temperature is reached  Recommended temperature  User programmes  20  Individual settings  Efficiency and sustainability		•
Display DirectSensor  SoftOpen • SoftClose • MultiLingual • Timed steam bursts programmable • Clock synchronisation • Date display • Minute minder • Programmable start of cooking duration • Programmable end of cooking duration • Programmable cooking duration • Programmable cooking duration • Actual temperature display • Audible signal when desired temperature is reached • Recommended temperature User programmass 20 Individual settings •  Efficiency and sustainability	Bottom heat	•
Display DirectSensor  SoftOpen •  SoftClose •  MultiLingual •  Timed steam bursts programmable •  Clock synchronisation •  Date display •  Minute minder •  Programmable start of cooking duration •  Programmable end of cooking duration •  Programmable cooking duration •  Programmable cooking duration •  Actual temperature display •  Audible signal when desired temperature is reached •  Recommended temperature •  User programmass 20  Individual settings •  Efficiency and sustainability	Fan grill	•
SoftOpen SoftClose MultiLingual Fimed steam bursts programmable Time display Clock synchronisation Date display Minute minder Programmable start of cooking duration Programmable end of cooking duration Programmable cooking duration Programmable cooking duration Programmable cooking duration Programmable temperature display Actual temperature display Poesired temperature display Audible signal when desired temperature is reached Recommended temperature User programmes 20 Individual settings  •  Efficiency and sustainability	User convenience	
SoftClose  MultiLingual  Timed steam bursts programmable  Time display  Clock synchronisation  Date display  Minute minder  Programmable start of cooking duration  Programmable end of cooking duration  Programmable cooking duration  Programmable cooking duration  Programmable cooking duration  Actual temperature display  Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  User programmes  20  Individual settings  •  Efficiency and sustainability	Display	DirectSensor
MultiLingual Timed steam bursts programmable  Fime display Clock synchronisation Date display Minute minder Programmable start of cooking duration Programmable end of cooking duration Programmable cooking duration Programmable cooking duration  Programmable cooking duration  Actual temperature display Desired temperature display Audible signal when desired temperature is reached Recommended temperature User programmes 20 Individual settings  Efficiency and sustainability	SoftOpen	•
Timed steam bursts programmable  Time display  Clock synchronisation  Date display  Minute minder  Programmable start of cooking duration  Programmable end of cooking duration  Programmable cooking duration  Programmable cooking duration  Programmable cooking duration  Actual temperature display  Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  User programmes  20  Individual settings  •  Efficiency and sustainability	SoftClose	•
Time display  Clock synchronisation  Date display  Minute minder  Programmable start of cooking duration  Programmable end of cooking duration  Programmable start of cooking duration  Programmable end of cooking duration  Programmable cooking duration  Actual temperature display  Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  User programmes  20  Individual settings  •  Efficiency and sustainability	MultiLingual	•
Clock synchronisation  Date display  Minute minder  Programmable start of cooking duration  Programmable end of cooking duration  Programmable cooking duration  Programmable cooking duration  Programmable cooking duration  Actual temperature display  Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  User programmes  20  Individual settings  Efficiency and sustainability	Timed steam bursts programmable	•
Date display  Minute minder  Programmable start of cooking duration  Programmable end of cooking duration  Programmable cooking duration  Programmable cooking duration  Actual temperature display  Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  User programmes  20  Individual settings  Efficiency and sustainability	Time display	•
Minute minder Programmable start of cooking duration Programmable end of cooking duration Programmable cooking duration Programmable cooking duration  Actual temperature display Desired temperature display Audible signal when desired temperature is reached Recommended temperature User programmes 20 Individual settings Efficiency and sustainability	Clock synchronisation	•
Programmable start of cooking duration Programmable end of cooking duration Programmable cooking duration  Actual temperature display Desired temperature display  Audible signal when desired temperature is reached Recommended temperature User programmes 20 Individual settings  Efficiency and sustainability	Date display	•
Programmable end of cooking duration  Programmable cooking duration  Actual temperature display  Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  User programmes  20  Individual settings  Efficiency and sustainability	Minute minder	•
Programmable cooking duration  Actual temperature display  Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  User programmes  20  Individual settings  Efficiency and sustainability	Programmable start of cooking duration	•
Actual temperature display  Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  User programmes  20  Individual settings  Efficiency and sustainability	Programmable end of cooking duration	•
Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  User programmes  Individual settings  Efficiency and sustainability  •  •  •  •  •  •  •  •  •  •  •  •  •	Programmable cooking duration	•
Audible signal when desired temperature is reached  Recommended temperature  User programmes  20  Individual settings  Efficiency and sustainability	Actual temperature display	•
Recommended temperature  User programmes 20 Individual settings •  Efficiency and sustainability	Desired temperature display	•
User programmes 20 Individual settings •  Efficiency and sustainability	Audible signal when desired temperature is reached	•
Individual settings  •  Efficiency and sustainability		•
Efficiency and sustainability	User programmes	20
	Individual settings	•
Residual heat utilisation •	Efficiency and sustainability	
	B 11 11 1 11 11	•



## H 7464 BP 60 cm Oven



Cleaning and care	
Pyrolytic self-cleaning	•
Unheated catalyser	•
Hinged grill element	•
CleanGlass door	•
Appliance networking	
Miele@home	•
MobileControl	•
WiFiConn@ct	•
Safety	
Appliance cooling system and touch-cool front	•
Safety switch-off	•
System lock	•
Door lock during pyrolytic cleaning	•
Sensor lock	•
Technical data	
Oven compartment volume in I	76
No. of shelf levels	5
Shelf level labelling	•
Oven light	1 LED spot
Temperature regulation in °C	30-300
Niche width in mm	560-568
Niche height in mm	590-595
Niche depth in mm	550
Appliance width in mm	554
Appliance height in mm	579
Appliance depth in mm	547
Accessories supplied	
Baking tray with PerfectClean	1
Universal tray with PerfectClean	1
Grilling and roasting insert	1
Wire rack with PyroFit	2
FlexiClip runners with PyroFit	1 pair
Removable side racks with PyroFit	1 pair
Descaling tablets	2

## Miele

H 7464 BP 60 cm Oven









