

N 70, BUILT-IN WARMING DRAWER, 60 X 29 CM,
FLEX DESIGN
N39HA11Y1B



Preheat plates and cups, so that dishes stay hot longer. Keep warm, for keeping cooked dishes warm.

- ✓ Slow Cook Programme - For tender meats, poultry, and vegetables packed with flavour and vitamins.
- ✓ Warming Drawer - Keep food at the right temperature until you're ready to serve.
- ✓ Warming Drawer - Keep food warm until you're ready to serve, controlling the drawer from anywhere!
- ✓ Plate Warmer - Keep your food at the right temperature from kitchen to table.
- ✓ Cup Warmer - Prepare your cups for coffee and tea, whenever and wherever!

Z9029MY0	FlexDesign MS 29 WD 29
Z990AAY0	SC FlexDesign AG 90 WD 29 + 60
Z990ABY0	SC FlexDesign BB 90 WD 29 + 60
Z990ADY0	SC FlexDesign DB 90 WD 29 + 60
Z990AMY0	SC FlexDesign MS 90 WD 29 + 60
Z9029BY0	FlexDesign BB 29 WD 29
Z9029AY0	FlexDesign AG 29 WD 29
Z9029DY0	FlexDesign DB 29 WD 29

Z9029AY0	FlexDesign AG 29 WD 29
Z9029BY0	FlexDesign BB 29 WD 29
Z9029DY0	FlexDesign DB 29 WD 29
Z9029MY0	FlexDesign MS 29 WD 29
Z990AAY0	SC FlexDesign AG 90 WD 29 + 60
Z990ABY0	SC FlexDesign BB 90 WD 29 + 60
Z990ADY0	SC FlexDesign DB 90 WD 29 + 60
Z990AMY0	SC FlexDesign MS 90 WD 29 + 60

Built-in / Free-standing: Built-in
Dimensions (HxWxD): 290 x 594 x 518 mm
Dimensions of the packed product (HxWxD): . 400 x 650 x 700 mm
Min. required niche size for installation (HxWxD): . 290 x 560 x 550 mm
Maximum number of plates: 40
Maximum number of espresso cups: 192
Net weight: 23.7 kg
Gross weight: 25.7 kg
EAN code: 4242004265405
Fuse protection: 10 A
Voltage: 220-240 V
Frequency: 50; 60 Hz



*N 70, BUILT-IN WARMING DRAWER, 60 X 29 CM,
FLEX DESIGN
N39HA11Y1B*

- Multifunctional warming drawer with the heating functions: Low temperature cooking, Keep warm, plate warming, cup warming

Design

- Flex Design (available in four colours)
- Touch Control illuminated
- Touch key operation
- Heating plate made of toughened glass

Convenience

- User-friendly electronics: extremely easy and comfortable operation
- Cavity volume: 54 l usable litres
- Max weight up to 25 kg
- Max. loading espresso cups: 192 PC or Max. loading plates: 40 PC
- Temperature control with 4 levels: 30 °C - 80 °C (glass surface temperature)
- Push&Pull opening mechanism
- Favourites button - manage via Home Connect app
- HomeConnect

Technical Info


- Length of mains cable: 175 cm
- Total connected load electric: 0.82 KW
- Nominal voltage: 220 - 240 V

Dimensions

- Appliance dimensions (HxWxD): 290 mm x 594 mm x 518 mm
- Installation dimensions (HxWxD): 290 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing


N 70, BUILT-IN WARMING DRAWER, 60 X 29 CM,
FLEX DESIGN
N39HA11Y1B

Measurements in mm



A: 287.5 mm
Ovens with appliance height of 595 mm can be installed above the warming drawer without an intermediate floor

Measurements in mm



A: 287.5 mm