

52cm integrated rangehood in dark stainless steel with baffle filter, Hob2Hood, and maximum airflow of 680 m3/hr.

RRP AUS \$1,349.00





Product Details

FEATURES

Fingerprint resistant dark stainless steel finish	Baffle filter	Hob2Hood technology	Operation noise as low as 53dB(A)
Max airflow of 680m3/h	Electronic pushbutton controls	Dishwasher safe filters	3 speed fan + Boost Function
LED lighting			

BENEFITS

The hands free hood

While you concentrate on the flavours, the innovative Hob2Hood feature will take care of keeping your kitchen fresh. The rangehood automatically turns on as soon as you start cooking, and intuitively adjusts the fan speed with your cooking.

Maximise your airflow

Remove odours and vapours quickly and efficiently with a high airflow rate of 680m3/h

Keep the noise down

With noise levels as low as 53dB(A), keep the conversation going smoothly when entertaining guests.



Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Type of Rangehood	integrated
Nominal width	600
Finish of Rangehood	Dark stainless steel
	•

MOTOR/FAN

Number of fans	2
Number of fans speeds	3
Variable speed control	Yes
Type of motor	tangential
Maximum airflow M3/Hr	680
Noise level dB high	70
Noise level dB low	53

DIMENSIONS

Total product height (mm)	329
Total product width (mm)	520
Total product depth (mm)	300
Diameter of ducting (mm)	150
Minimum installation height from cooking surface Gas (mm)	650

CONTROLS

Control panel	electronic push button
Safety/ display indicators	clean filter indicator,automatic safety cut off,auto thermal cutout safety switch
Hob2Hood function	Yes



DIMENSIONS

Minimum installation height from cooking surface Electric (mm) 600

FILTERS

Number of filters	2
Type of filter	stainless steel baffle
Dishwasher safe	Yes

LIGHTS

Number of lights	2
Wattage of light	2
Type of light	LED

DUCTING / RECIRCULATION

Ducting	optional accessory
Top or rear duct hole	top
Recirculation option	Yes
Front recirculating option	No
Ducting diameter (mm)	150


SHIPPING

Shipping Volume (m3)	0.095
Shipping Weight (Kg)	10
Pack Dimensions Height (mm)	430
Pack Dimension Width (mm)	605
Pack Dimension Depth (mm)	365



Dimensions

Model: ERI635DSE



 $^{^\}star \text{Unless}$ specified in rangehood installation details.



Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous productdevelopment, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products PtyLtd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640 fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230 fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz