

Serie | 2

SMU50E05AU
Stainless steel finish
Built-under 60 cm Dishwasher



Optional accessories
 SGZ1010 : inlet and outlet hose extention
 SMZ5002 : Silver polishing cassette

ActiveWater - 3.5 Star WELS and 3 Star Energy.

- 3.5 WELS & 3 Star Energy for low water and energy consumption.
- **AquaStopPlus:** 24/7 anti-flood protection. Guaranteed.
- **Child door lock:** Prevents accidental opening of the dishwasher.
- **EcoSilence Drive:** 2 BLDC motors provide powerful, durable, quiet and efficient wash performance.
- 10 year anti rust warranty guarantees against rusting of the inner tub.

Technical Data

Water consumption (l) :	13.5
Built-in / Free-standing :	Built-in
Height of removable worktop (mm) :	815
Required niche size for installation (HxWxD) :	815-875 x 600 x 550
Depth with open door 90 degree (mm) :	1150
Adjustable feet :	Yes - front only
Maximum adjustability feet (mm) :	60
Net weight (kg) :	36.0
Gross weight (kg) :	38.0
Connection Rating (W) :	2400
Current (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	50; 60
Length electrical supply cord (cm) :	175
Plug type :	AU plug
Length inlet hose (cm) :	140
Length outlet hose (cm) :	190
EAN code :	4242002647616
Number of place settings :	13
Energy consumption (kWh) :	0.73
Reference programme :	Normal
Total cycle time of reference programme (min) :	140
Noise level (dB) :	50
Installation typology :	Built-under



Serie | 2 Dishwashers

SMU50E05AU

Stainless steel finish

Built-under 60 cm Dishwasher

ActiveWater - 3.5 Star WELS and 3 Star Energy.

Capacity

- 13 international place settings

Consumption rates

- 3 Star energy rating, 3.5 Star WELS water rating
- 13.5 litres water consumption per wash and 268kWh energy consumption, based on Normal 45°C program

Design

- Built-under Dishwasher - 60 cm wide
- Stainless steel finish
- Polinox inner tub
- Effortless door closing
- Front facing control display
- Programme selector with integrated start button

Wash Programs and Options

- 5 programs:
 - Pots and Pans 70°C
 - Intensive 65°C
 - Normal 45°C
 - Quick wash 45°C
 - Pre-Rinse
- 1 special option:
 - HalfLoad Plus: For half loads, reduces energy, water & time

Performance

- ActiveWater™: Automatic load adjustment recognises the load condition in three steps and ensures that only the amount of electricity and water required for that load is used
- DosageAssist™: Maximises the effectiveness of detergent tablets. The tablet is dropped into a specially engineered tray and is completely dissolved. For superior cleaning performance and a quieter wash.
- EcoSilence Drive® quiet and energy-efficient brushless motor (BLDC)
 - BLDC Main Pump: Variable water & spray pressure to achieve optimum cleaning results
 - BLDC Drain Pump: Fast and extra quiet draining of water, no gargling sounds
- LoadSensor technology: Provides for optimal water usage even for half loads or partial loads, saving water and electricity
- AutoBrilliance™: Automatic detergent and rinse aid sensor
- 3 stage self-cleaning filter system
- Alternating spray-arm washing
- 5 Spray levels

Flexibility

-
- 2 folding plate racks in bottom basket
- 2 foldable cup shelves in top basket
- Cutlery basket in bottom basket

Convenience

- Quiet: Operates at a noise level of 50dB
- LED wash status indicator lights
- Electronic rinse aid indicator

Safety

- AquaStop™ Plus: Water supply device with lifetime anti-flood protection
- Child door lock
- 2 year warranty

Dimensions


- 815-875 mm mm x 598 mm mm x 573 mm

Serie | 2 Dishwashers

SMU50E05AU

Stainless steel finish

Built-under 60 cm Dishwasher



measurements in mm