

PLATINUM SMART-HEAT™ GAS

The Platinum Smart-Heat™ Gas heater series spreads heat and comfort evenly in all areas, with a soft and soothing red glow. Built with pure premium materials and designed with elegance, there is no compromise on performance, reliability and beauty.




500 SERIES



300 SERIES





PREMIUM CONSTRUCTION

long lasting and durable use





PLATINUM **SMART-HEAT™ GAS**


MODEL NUMBER	300 SERIES	500 SERIES
PRODUCT CODE	2620130-1 2620131-1	2620140-1 2620141-1
FUEL TYPE	LPG NG	LPG NG
COLOR	BLACK STAINLESS	BLACK STAINLESS
HEAT AREA	12M ²	20M²
RATED CURRENT	110 V/2A	110 V/2A
OUTPUT	25MJ	42MJ
MINIMUM FLOOR CLEARANCE	2000MM	2000MM
MOUNTING OPTIONS		
CEILING MOUNT	✓	✓
WALL MOUNT	✓	✓
RECESSED FLUSH MOUNT	-	-
CEILING POLE MOUNT	✓	✓
FREESTANDING	-	-
CONTROL OPTIONS		
ON OFF	✓	✓
ON OFF PRODUCT CODE	2620275	2620275
DIMMER	-	-
MASTER REMOTE	-	-

Measurements displayed within this catalogue are minimum requirements for installation. Bromic takes no responsibility for incorrect or non-compliant installations. All measurements in this catalogue are displayed in mm.


PRODUCT MEASUREMENTS










PRODUCT MEASUREMENTS WITH HEAT DEFLECTOR









CEILING & WALL MOUNT CLEARANCE






WALL BRACKET




HEAT AREA

500 SERIES



HEATING APPROXIMATELY 20M² 42MJ HEATING POWER

300 SERIES



*HEAT AREA DEPENDENT ON AMBIENT TEMPERATURE AND WIND. OPTIMUM CONDITIONS EXPERIENCED AT APPROX 15.5°C AND IN A LOW WIND COVERED ENVIRONMENT.

EXPLORE THE POSSIBILITIES

With the Bromic Smart-Heat[™] complimentary design service, designing a solution to optimise heating for your outdoor spaces is simple.

BROMIC.COM

ASIA PACIFIC | NORTH AMERICA | EUROPE

Bromic pursues a policy of continuing improvement in design and performal The right is therefore reserved to vary specifications without notice.