


Made in Holland


PITT
COOKING



Induction
Cusin-I
Top Side

TS INDUCTION 2025-9.1


Exploded view



- 1. **Decorative ring small**
COATED ALUMINUM
- 2. **Decorative ring large**
COATED ALUMINUM
- 3. **Induction zone small**
COATED ALUMINUM/ CERAMIC GLASS

- 4. **Induction zone large**
COATED ALUMINUM/ CERAMIC GLASS
- 5. **Control knob**
ALUMINUM/GLASS
- 6. **Cassette**
ALUMINUM

Induction zones



SMALL ZONE	
NOM. POWER	MAX. POWER
1400 Watt	2100 Watt

LARGE ZONE	
NOM. POWER	MAX. POWER
2300 Watt	3000 Watt

Control knob

3D-visualization of Top Side knob




3D-visualization Front Side knob




Dimensions control knob

Front view




Top view




Control knob







Bovenaanzicht / Top view



Vooraanzicht / Front view




Onderaanzicht / Bottom view



Zijaanzicht / Side view

Technical information





Installation and handling instructions



Installation manual induction



User manual induction

Made in Holland


PITT
COOKING



Induction

*Cusin-I
Front Side*


Exploded view



- 1. **Decorative ring small**
COATED ALUMINUM
- 2. **Decorative ring large**
COATED ALUMINUM
- 3. **Induction zone small**
COATED ALUMINUM/ CERAMIC GLASS

- 4. **Induction zone large**
COATED ALUMINUM/ CERAMIC GLASS
- 5. **Control knob**
ALUMINUM/GLASS
- 6. **Cassette**
ALUMINUM

Induction zones



SMALL ZONE	
NOM. POWER	MAX. POWER
1400 Watt	2100 Watt

LARGE ZONE	
NOM. POWER	MAX. POWER
2300 Watt	3000 Watt

Control knob

3D-visualization of Top Side knob




3D-visualization Front Side knob




Dimensions control knob

Front view




Top view




Control knob



Technical drawing




Bovenaanzicht / Top view




Vooraanzicht / Front view

Technical drawing




Onderaanzicht / Bottom view




Zijaanzicht / Side view

Hole pattern





Hole pattern
DXF file

Technical information



Model	Cusin Front Side
Type zones	2x large zones, 1x small zone
Editions	Black (fully black)
Automatic pan detection	✓
Power levels	0 - 10 + Boost
Nominal voltage 1	220-240 V, 2N~
Nominal voltage 2	380-415 V, 2N~
Maximum power	6680 W
Netto weight	16 kg





Installation and handling instructions



Installation manual induction



User manual induction