

iQ700 Single oven with pulseSteam HR676G8S2A



The oven with an innovative pulseSteam function for optimum preparation of a variety of dishes.

- ✓ pulseSteam
- ✓ TFT Touchdisplay: user-friendly menu navigation with good display features.
- ✓ roastingSensor Plus: simply reliable roasting.
- ✓ activeClean: the automatic system for effortless cleaning.

Features

Technical Data

Color / Material Front : Stainless steel
 Built-in / Free-standing : Built-in
 Integrated Cleaning system : Pyrolytic
 Required niche size for installation (HxWxD) : 585 x 560 x 550
 Dimensions of the product (mm) : 595 x 595 x 548
 Control Panel Material : Stainless steel
 Door Material : Glass
 Net weight (kg) : 46.0
 Usable volume of cavity (l) : 71
 Cooking method : , 4D hot air, Bottom heat, Conventional heat, Deep-frozen food special, Full width grill, Half width grill, Hot Air-Eco, Hot air grilling, low temperature cooking, Pizza setting, pre-heating, warming
 First cavity material : Enamelled
 Temperature control : electronic
 Number of interior lights : 1
 Approval certificates : CE, VDE
 Length electrical supply cord (cm) : 120
 EAN code : 4242003740736
 Number of cavities (2010/30/EC) : 1
 Energy efficiency class (2010/30/EC) : A
 Energy consumption per cycle conventional (2010/30/EC) : 0.90
 Energy consumption per cycle forced air convection (2010/30/EC) : 0.74
 Energy efficiency index (2010/30/EC) : 87.1
 Electrical connection rating (W) : 3600
 Current (A) : 16
 Voltage (V) : 220-240
 Frequency (Hz) : 50; 60
 Plug type : no plug

Included accessories



Optional accessories

HZ86S000 : Asseccoiry , HZ636000 : Glass pan , HZ633070 : Professional pan, enamelled , HZ633001 : Lid for professional pan , HZ632070 : Universal pan , HZ631070 : Enamelled baking tray , HZ625071 : Grill tray, enamelled , HZ617000 : Pizza tray , HZ327000 : Baking stone

iQ700

Single oven with pulseSteam

HR676G8S2A

Features

Design

- Cavity volume: 71 net usable litres
- Outside cavity
- Rotary Control
- Anthracite enamel cavity with 5 shelf levels
- LED lighting
- SoftMove oven door with soft open and soft close, SoftOpen

Heating Functions

- Temperature range 30 °C - 300 °C
- Oven with 13 heating methods:
 - 4D HotAir
 - 4D HotAir Eco
 - Top/ bottom heating
 - Top/bottom heating Eco
 - Hot air grilling
 - Full width grill
 - Half width grill
 - Pizza setting
 - coolStart (deep-frozen food special)
 - Bottom heating
 - Low temperature cooking
 - Plate warming setting
 - Warming
- Rapid heating-up
- Additional heating methods with steam: Reheating, Dough Proving

Convenience

- 3.7" TFT TouchDisplay
- Temperature proposal
 - Actual temperature display
 - Actual temperature display
 - Sabbath setting
- Meals (automatic programs)
- roastingSensor with three measuring points
- Electronic clock and timer
- Large 1 litre water tank
- Water tank empty indicator
- Stainless-steel fan
- Info button
- Bar handle

Cleaning

- activeClean® – automatic self-cleaning function with automatic safety door lock
- Pyrolytic proof enamel trays
- Additional functions:
 - Descaling program
 - Drying function
- Full glass inner door

Hook-in racks / rails

- 3 level telescopic shelf rails, 3 level telescopic shelf rails full extension, safety stop function, pyrolytic proof

Safety and Environment

- Maximum door temperature 30° C
- Child lock for settings
 - Residual heat indicator
 - Automatic safety switch-off function
- Integrated cooling fan

Technical Info

- Appliance dimensions (HxWxD): 595 mm x 595 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Total connected load electric: 3.6 KW
- Length of mains cable: 120 cm
- Please reference the built-in dimensions provided in the installation drawing

Accessories

- 2 x enamel baking tray, 2 x combination grid, 1 x universal pan

Single oven with pulseSteam
HR676G8S2A

Installation with a hob.

