


Ideal Workstation® 7S

IWS-7-S-WA



American Black Walnut

IWS-7-S-GT



Graphite Wood Composite

IWS-7-S-BA



Natural Golden Bamboo

IWS-7-S-GR




Exclusive Gray Resin*

IWS-7-S-WH



Designer White Resin*


Culinary Tools included (CKT-17)



† The Upper Deck requires a 1/4" clearance below the surface of the countertop. If the countertop thickness is 3/4" or less, Walnut or Bamboo Upper Deck sections will not have the clearance to function above the Upper Tier Culinary Tools.

Upper Deck.

Cover set UD-7-4P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin



Sections Walnut, Graphite, Bamboo, Gray or White Resin





Specifications

Single bowl
Users: 1-3
Culinary Tools included: Eight
Galley Taps recommended: Two
Outside dimensions: 81 1/2" x 19 1/2" x 10 5/16"
Interior dimensions: 80" x 17" x 10"
Countertop cutout: 80 1/2" x 18"
Basin area: 80" x 16"
Minimum cabinet size: 84" or 210cm

Basin (KSO-7-S-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Reversible side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified




Customize Your Galley


Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock
Apron front
9" depth
Center drain
WorkTop™
*Color coded labels available

Recommended Basin Accessories & citrine.

Bottom Grate set BG-7-S-3-SS Stainless Steel



CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel



Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



Ideal Workstation® 6S

IWS-6-S-WA



American Black Walnut

IWS-6-S-GT



Graphite Wood Composite

IWS-6-S-BA



Natural Golden Bamboo

IWS-6-S-GR




Exclusive Gray Resin*

IWS-6-S-WH



Designer White Resin*


Culinary Tools included (CKT-17)



* The Upper Deck requires a 1/4" clearance below the surface of the countertop. If the countertop thickness is 3/4" or less, Walnut or Bamboo Upper Deck sections will not have the clearance to function above the Upper Tier Culinary Tools.

Upper Deck.

Cover set UD-6-3P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin



Sections Walnut, Graphite, Bamboo, Gray or White Resin





Specifications

Single bowl
Users: 1-2
Culinary Tools included: Eight
Galley Taps recommended: Two
Outside dimensions: 69 1/2" x 19 1/2" x 10 5/16"
Interior dimensions: 68" x 17" x 10"
Countertop cutout: 68 1/2" x 18"
Basin area: 68" x 16"
Minimum cabinet size: 72" or 180cm

Basin (KSO-6-S-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Reversible side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified




Customize Your Galley

Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock
Apron front


9" depth
Center drain
WorkTop™
*Color coded labels available

Recommended Basin Accessories & citrine.

Bottom Grate set BG-6-S-3-SS Stainless Steel



CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel



Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



Ideal Workstation® 5S

IWS-5-S-WA



American Black Walnut

IWS-5-S-GT



Graphite Wood Composite

IWS-5-S-BA



Natural Golden Bamboo

IWS-5-S-GR




Exclusive Gray Resin*

IWS-5-S-WH



Designer White Resin*


Culinary Tools included (CKT-17)



*The Upper Deck requires a 1/4" clearance below the surface of the countertop. If the countertop thickness is 3/4" or less, Walnut or Bamboo Upper Deck sections will not have the clearance to function above the Upper Tier Culinary Tools.

Upper Deck.

Cover set UD-5-3P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin



Sections Walnut, Graphite, Bamboo, Gray or White Resin





Specifications

Single bowl
Users: 1-2
Culinary Tools included: Eight
Galley Taps recommended: Two
Outside dimensions: 57 1/2" x 19 1/2" x 10 5/16"
Interior dimensions: 56" x 17" x 10"
Countertop cutout: 56 1/2" x 18"
Basin area: 56" x 16"
Minimum cabinet size: 60" or 150cm

Basin (KSO-5-S-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Reversible side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified




Customize Your Galley


Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock
Apron front
9" depth
Center drain
WorkTop™
*Color coded labels available

Recommended Basin Accessories & citrine.

Bottom Grate set BG-5-S-2-SS Stainless Steel



CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel



Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



Ideal Workstation® 4S

IWS-4-S-WA



American Black Walnut

IWS-4-S-GT



Graphite Wood Composite

IWS-4-S-BA



Natural Golden Bamboo

IWS-4-S-GR




Exclusive Gray Resin*

IWS-4-S-WH



Designer White Resin*

Culinary Tools included (CKT-12)



*The Upper Deck requires a 1/4" clearance below the surface of the countertop. If the countertop thickness is 3/4" or less, Walnut or Bamboo Upper Deck sections will not have the clearance to function above the Upper Tier Culinary Tools.

Upper Deck.

Cover set UD-4-2P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin



Sections Walnut, Graphite, Bamboo, Gray or White Resin





Specifications

Single bowl
Users: 1
Culinary Tools included: Five
Galley Tap recommended: One
Outside dimensions: 45 1/2" x 19 1/2" x 10 5/16"
Interior dimensions: 44" x 17" x 10"
Countertop cutout: 44 1/2" x 18"
Basin area: 44" x 16"
Minimum cabinet size: 48" or 120cm

Basin (KSO-4-S-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Reversible side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified




Customize Your Galley


Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock
Apron front
9" depth
Center drain
WorkTop™
*Color coded labels available

Recommended Basin Accessories & citrine.


Bottom Grate set BG-4-S-2-SS Stainless Steel



CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel



Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



Ideal Workstation® 3S

IWS-3-S-WA



American Black Walnut

IWS-3-S-GT



Graphite Wood Composite

IWS-3-S-BA



Natural Golden Bamboo

IWS-3-S-GR



Exclusive Gray Resin*

IWS-3-S-WH



Designer White Resin*

Culinary Tools included (CKT-12)

					
(1) Upper Deck Section† 12" x 19" UD-12-L-xx	(1) Upper Tier Drying Rack 12 1/4" x 18" DR-12-U-xx	(1) Upper Tier Cutting Board 12 1/4" x 18" CB-12-U-xx	(2) Lower Tier Platforms 12 1/4" x 17" P1-12-L-xx	(1) SS Colander 11" 7.2-qt C1-11-O-ST	(1) SS Mixing Bowl 11" 7.2-qt B1-11-O-ST

† The Upper Deck requires a 1/4" clearance below the surface of the countertop. If the countertop thickness is 3/4" or less, Walnut or Bamboo Upper Deck sections will not have the clearance to function above the Upper Tier Culinary Tools.

Upper Deck.

Cover set **UD-3-2P-WA/GT/BA/GR/WH** Walnut, Graphite, Bamboo, Gray or White Resin



Sections Walnut, Graphite, Bamboo, Gray or White Resin





Specifications

Single bowl
Users: 1
Culinary Tools included: Five
Galley Tap recommended: One
Outside dimensions: 33 1/2" x 19 1/2" x 10 5/16"
Interior dimensions: 32" x 17" x 10"
Countertop cutout: 32 1/2" x 18"
Basin area: 32" x 16"
Minimum cabinet size: 36" or 90cm

Basin (KSO-3-S-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Reversible side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified




Customize Your Galley

Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock
Apron front

9" depth
Center drain
WorkTop™
*Color coded labels available

Recommended Basin Accessories & citrine.

Bottom Grate set **BG-3-S-1-SS** Stainless Steel



Strainer **M-DRN-MSS**
Angel Finish 304 Stainless Steel




Disposal Strainer **G-DRN-MSS**
Angel Finish 304 Stainless Steel




Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B



Ideal Workstation® 30S

IWS-30-S-WA



American Black Walnut

IWS-30-S-GT



Graphite Wood Composite

IWS-30-S-BA



Natural Golden Bamboo

IWS-30-S-GR



Exclusive Gray Resin*

IWS-30-S-WH



Designer White Resin*

Culinary Tools included (CKT-12)

(1) Upper Deck Section† 12" x 19" UD-12-I-xx	(1) Upper Tier Drying Rack 12 1/4" x 18" DR-12-U-xx	(1) Upper Tier Cutting Board 12 1/4" x 18" CB-12-U-xx	(2) Lower Tier Platforms 12 1/4" x 17" P1-12-L-xx	(1) SS Colander 11" 7.2-qt C1-11-O-ST	(1) SS Mixing Bowl 11" 7.2-qt B1-11-O-ST

† The Upper Deck requires a 1/4" clearance below the surface of the countertop. If the countertop thickness is 3/4" or less, Walnut or Bamboo Upper Deck sections will not have the clearance to function above the Upper Tier Culinary Tools.

Upper Deck.

Cover set UD-30-2P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin



(1) 12"
Included in CKT

Sections Walnut, Graphite, Bamboo, Gray or White Resin




Specifications

Single bowl
Users: 1
Culinary Tools included: Five
Galley BarTap® recommended: One
Outside dimensions: 27 1/2" x 19 1/2" x 10 5/16"
Interior dimensions: 26" x 17" x 10"
Countertop cutout: 26 1/2" x 18"
Basin area: 26" x 16"
Minimum cabinet size: 30" or 76cm

Basin (KSO-30-S-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Reversible side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified




Customize Your Galley

Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock
Apron front

9" depth
Center drain
WorkTop™
*Color coded labels available

Recommended Basin Accessories & citrine.

Bottom Grate set BG-30-S-1-SS Stainless Steel



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel




Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B




Ideal Workstation® 2C

IWS-2-C-WA



American Black Walnut

IWS-2-C-GT



Graphite Wood Composite

IWS-2-C-BA



Natural Golden Bamboo

IWS-2-C-GR



Exclusive Gray Resin*

IWS-2-C-WH



Designer White Resin*

Culinary Tools included (CKT-12)



(1) Upper Deck
Section†
12" x 19"
UD-12-I-xx



(1) Upper Tier
Drying Rack
12 1/4" x 18"
DR-12-U-xx



(1) Upper Tier
Cutting Board
12 1/4" x 18"
CB-12-U-xx



(2) Lower Tier
Platforms
12 1/4" x 17"
P1-12-L-xx



(1) SS
Colander
11" 7.2-qt
C1-11-O-ST



(1) SS
Mixing Bowl
11" 7.2-qt
B1-11-O-ST

† The Upper Deck requires a 1/4" clearance below the surface of the countertop. If the countertop thickness is 3/4" or less, Walnut or Bamboo Upper Deck sections will not have the clearance to function above the Upper Tier Culinary Tools.

Upper Deck.

Cover set UD-2-2P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin



12" 12"



(1) 12"
Included in CKT

Sections Walnut, Graphite, Bamboo, Gray or White Resin



UD-12-I





UD-06-I

Specifications

Single bowl
Users: 1
Culinary Tools included: Five
Galley BarTap® recommended: One
Outside dimensions: 22" x 19 1/2" x 10 5/16"
Interior dimensions: 20 1/2" x 17" x 10"
Countertop cutout: 21" x 18"
Basin area: 20 1/2" x 16"
Minimum cabinet size: 24" or 60cm

Basin (KSO-2-C-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Center drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified



Customize Your Galley

Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock

Apron front
9" depth
WorkTop™
*Color coded labels available

Recommended Basin Accessories & citrine.

Bottom Grate set BG-2-C-1-SS Stainless Steel



20"

Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel



Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



A-DRN-PSS
A-DRN-MSS
A-DRN-MSS shown

CIT-09-SS-C

Stainless Steel
Clean + Polish 9 oz

CIT-09-WD-C

Wood Condition
+ Protect 9 oz

CIT-04-WD-B

Wood Finishing
Balm 4 oz

Ideal Corner Workstation 4X4C

IWS-4X4-C-WA



American Black Walnut

IWS-4X4-C-GT



Graphite Wood Composite

IWS-4X4-C-BA



Natural Golden Bamboo

IWS-4X4-C-GR



Exclusive Gray Resin*

IWS-4X4-C-WH





Designer White Resin*

Specifications


Single bowl
Users: 2 (Outside Corner), 1 (Inside Corner)
Culinary Tools included: Five
Galley Tap(s) recommended:
Two (Outside Corner), One (Inside Corner)
Outside dimensions: 44" x 44" x 19 1/2" x 10 5/16"
Interior dimensions: 42" x 42" x 17" x 10"
Countertop cutout: 42 3/4" x 42 3/4" x 18"
Basin area: 42" x 42" x 16"
Min. cabinet size: 48" x 48" or 120cm x 120cm

Basin (KSO-4X4-C-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified




Culinary Tools included (CKT-12)




*† The Upper Deck requires a 1/4" clearance below the surface of the countertop. If the countertop thickness is 3/4" or less, Walnut or Bamboo Upper Deck sections will not have the clearance to function above the Upper Tier Culinary Tools.

Upper Deck.

Cover set UD-4X4-3P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin



Sections Walnut, Graphite, Bamboo, Gray or White Resin




Customize Your Galley

Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock


9" depth
WorkTop™
*Color coded labels available

Recommended Basin Accessories & citrine.

Bottom Grate set BG-4X4-C-3-SS Stainless Steel



CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel



Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



Ideal Corner Workstation 4X3C

IWS-4X3-C-WA



American Black Walnut

IWS-4X3-C-GT



Graphite Wood Composite

IWS-4X3-C-BA



Natural Golden Bamboo

IWS-4X3-C-GR



Exclusive Gray Resin*

IWS-4X3-C-WH





Designer White Resin*

Specifications


Single bowl
Users: 2 (Outside Corner), 1 (Inside Corner)
Culinary Tools included: Five
Galley Tap recommended: One
Outside dimensions: 44" x 32" x 19 1/2" x 10 5/16"
Interior dimensions: 42" x 30" x 17" x 10"
Countertop cutout: 42 3/4" x 30 3/4" x 18"
Basin area: 42" x 30" x 16"
Min. cabinet size: 48" x 36" or 120cm x 90cm

Basin (KSO-4X3-C-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified




Culinary Tools included (CKT-12)



† The Upper Deck requires a 1/4" clearance below the surface of the countertop. If the countertop thickness is 3/4" or less, Walnut or Bamboo Upper Deck sections will not have the clearance to function above the Upper Tier Culinary Tools.

Upper Deck.

Cover set UD-4X3-3P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin



Sections Walnut, Graphite, Bamboo, Gray or White Resin




Customize Your Galley

Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock


9" depth
WorkTop™
*Color coded labels available

Recommended Basin Accessories & citrine.

Bottom Grate set BG-4X3-C-3-SS Stainless Steel



CIT-09-SS-C



CIT-09-WD-C



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel



Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



CIT-04-WD-B



Ideal Corner Workstation 3X4C

IWS-3X4-C-WA



American Black Walnut

IWS-3X4-C-GT



Graphite Wood Composite

IWS-3X4-C-BA



Natural Golden Bamboo

IWS-3X4-C-GR



Exclusive Gray Resin*

IWS-3X4-C-WH





Designer White Resin*

Specifications

Single bowl
Users: 2 (Outside Corner), 1 (Inside Corner)
Culinary Tools included: Five
Galley Tap recommended: One
Outside dimensions: 32" x 44" x 19 1/2" x 10 5/16"
Interior dimensions: 30" x 42" x 17" x 10"
Countertop cutout: 30 3/4" x 42 3/4" x 18"
Basin area: 30" x 42" x 16"
Min. cabinet size: 36" x 48" or 90cm x 120cm

Basin (KSO-3X4-C-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified




Culinary Tools included (CKT-12)

(1) Upper Deck Section† 12" x 19" UD-12-L-xx	(1) Upper Tier Drying Rack 12 1/4" x 18" DR-12-U-xx	(1) Upper Tier Cutting Board 12 1/4" x 18" CB-12-U-xx	(2) Lower Tier Platforms 12 1/4" x 17" P1-12-L-xx	(1) SS Colander 11" 7.2-qt C1-11-O-ST	(1) SS Mixing Bowl 11" 7.2-qt B1-11-O-ST

*† The Upper Deck requires a 1/4" clearance below the surface of the countertop. If the countertop thickness is 3/4" or less, Walnut or Bamboo Upper Deck sections will not have the clearance to function above the Upper Tier Culinary Tools.

Upper Deck.

Cover set UD-4X3-3P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin



Sections Walnut, Graphite, Bamboo, Gray or White Resin




Customize Your Galley


Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock
9" depth
WorkTop™
*Color coded labels available

Recommended Basin Accessories & citrine.

Bottom Grate set BG-4X3-C-3-SS Stainless Steel



CIT-09-SS-C



CIT-09-WD-C



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel



Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



CIT-04-WD-B



Ideal WashStation™ 4D

IWA-4-D-WA



American Black Walnut / Graphite Resin+

IWA-4-D-GT



Graphite Wood Composite / Graphite Resin+

IWA-4-D-BA



Natural Golden Bamboo / Exclusive Gray Resin+

IWA-4-D-GR



Exclusive Gray Resin+ / Resin+

IWA-4-D-WH



Designer White Resin+ / Resin+

Wash Tools included (WKT-4T)





- | | | | |
|--|---|---|--|
| (1) Upper Tier Drying Rack
9 1/4" x 18"
DR-09-U-xx | (1) Lower Tier Wash Caddy
6" x 17"
WC-06-L-xx | (1) Lower Tier Wash Bowl
12" x 17"
WB-12-L-xx | (1) Upper Tier Utensil Caddy
6" x 18"
UC-06-U-xx |
|--|---|---|--|

Specifications

Double bowl
Users: 1
Wash Tools included: Four
Galley Tap recommended: One
Outside dimensions: 45 1/2" x 19 1/2" x 10 5/16"
Interior dimensions: 44" x 17" x 10"
Countertop cutout: 44 1/2" x 18"
Basin area: 21 7/8", 21 7/8" x 16"
Minimum cabinet size: 48" or 120cm

Basin (KSO-4-D-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Center drains
Drain covers included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified




Customize Your Galley

- | | |
|------------------|-------------------------------|
| Add 7-12" length | Apron front |
| Add 1-6" length | 9" depth |
| Add 18" DryDock | WorkTop™ |
| Add 12" DryDock | *Color coded labels available |

Upper Deck.

Cover set **UD-4-2P-WA/GT/BA/GR/WH** Walnut, Graphite, Bamboo, Gray or White Resin




Sections Walnut, Graphite, Bamboo, Gray or White Resin




Recommended Basin Accessories & citrine.


Bottom Grate set **BG-4-D-2-SS** Stainless Steel



CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel



Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



Ideal WashStation™ 4S

IWA-4-S-WA



American Black Walnut / Graphite Resin+

IWA-4-S-GT



Graphite Wood Composite / Graphite Resin+

IWA-4-S-BA



Natural Golden Bamboo / Exclusive Gray Resin+

IWA-4-S-GR



Exclusive Gray Resin+ / Resin+

IWA-4-S-WH



Designer White Resin+ / Resin+

Wash Tools included (WKT-4T)



(1) Upper Tier Drying Rack
9 1/4" x 18"
DR-09-U-xx

(1) Lower Tier Wash Caddy
6" x 17"
WC-06-L-xx

(1) Lower Tier Wash Bowl
12" x 17"
WB-12-L-xx



(1) Upper Tier Utensil Caddy
6" x 18"
UC-06-U-xx

Specifications

Single bowl
Users: 1
Wash Tools included: Four
Galley Tap recommended: One
Outside dimensions: 45 1/2" x 19 1/2" x 10 5/16"
Interior dimensions: 44" x 17" x 10"
Countertop cutout: 44 1/2" x 18"
Basin area: 44" x 16"
Minimum cabinet size: 48" or 120cm

Basin (KSO-4-S-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Reversible side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified




Customize Your Galley

Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock
Apron front
9" depth
Center drain
WorkTop™
*Color coded labels available

Upper Deck.

Cover set UD-4-2P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin



Sections Walnut, Graphite, Bamboo, Gray or White Resin




UD-24-I

UD-12-I

Recommended Basin Accessories & citrine.

Bottom Grate set BG-4-S-2-SS Stainless Steel



11 1/2" 31 1/2"

Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel




Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob




A-DRN-MSS shown

CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B




Ideal WashStation™ 3S

IWA-3-S-WA




American Black Walnut / Graphite Resin+

IWA-3-S-GT




Graphite Wood Composite / Graphite Resin+

IWA-3-S-BA



Natural Golden Bamboo / Exclusive Gray Resin+

IWA-3-S-GR



Exclusive Gray Resin+ / Resin+

IWA-3-S-WH



Designer White Resin+ / Resin+

Wash Tools included (WKT-4T)



(1) Upper Tier
Drying Rack
9 1/4" x 18"
DR-09-U-xx



(1) Lower Tier
Wash Caddy
6" x 17"
WC-06-L-xx



(1) Lower Tier
Wash Bowl
12" x 17"
WB-12-L-xx



(1) Upper Tier
Utensil Caddy
6" x 18"
UC-06-U-xx

Specifications

Single bowl

Users: 1

Wash Tools included: Four

Galley Tap recommended: One

Outside dimensions: 33 1/2" x 19 1/2" x 10 5/16"

Interior dimensions: 32" x 17" x 10"

Countertop cutout: 32 1/2" x 18"

Basin area: 32" x 16"

Minimum cabinet size: 36" or 90cm

Basin (KSO-3-S-SS)

16GA 316L stainless steel indoor/outdoor

SilentArmor™ sound reduction technology

Angel finish

Three tier design

Star™ groove pattern

Reversible side drain



Drain cover included

Limited Lifetime Warranty

Made in the USA

ASME A112.19.3/CSA B45.4 certified

cUPC™ certified




Customize Your Galley

Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock
Apron front

9" depth
Center drain
WorkTop™
*Color coded labels available

Upper Deck.

Cover set UD-3-2P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin



Sections Walnut, Graphite, Bamboo, Gray or White Resin



UD-18-I



UD-09-I



Recommended Basin Accessories & citrine.

Bottom Grate set BG-3-S-1-SS Stainless Steel



31 1/2"

Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel



Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



A-DRN-PSS
A-DRN-MSS
A-DRN-MSS shown

CIT-09-SS-C



Stainless Steel
Clean + Polish 9 oz

CIT-09-WD-C



Wood Condition
+ Protect 9 oz

CIT-04-WD-B



Wood Finishing
Balm 4 oz

Ideal WashStation™ 30S

IWA-30-S-WA




American Black Walnut / Graphite Resin+

IWA-30-S-GT




Graphite Wood Composite / Graphite Resin+

IWA-30-S-BA



Natural Golden Bamboo / Gray Resin+

IWA-30-S-GR



Exclusive Gray Resin+ / Resin+

IWA-30-S-WH



Designer White Resin+ / Resin+

Wash Tools included (WKT-4T)



(1) Upper Tier
Drying Rack
9 1/4" x 18"
DR-09-U-xx



(1) Lower Tier
Wash Caddy
6" x 17"
WC-06-L-xx



(1) Lower Tier
Wash Bowl
12" x 17"
WB-12-L-xx




(1) Upper Tier
Utensil Caddy
6" x 18"
UC-06-U-xx

Specifications

Single bowl
Users: 1
Wash Tools included: Four
Galley BarTap® recommended: One
Outside dimensions: 27 1/2" x 19 1/2" x 10 5/16"
Interior dimensions: 26" x 17" x 10"
Countertop cutout: 26 1/2" x 18"
Basin area: 26" x 16"
Minimum cabinet size: 30" or 76cm

Basin (KSO-30-S-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Reversible side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified




Customize Your Galley

Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock
Apron front

9" depth
Center drain
WorkTop™
*Color coded labels available

Upper Deck.

Cover set UD-30-2P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin



Sections Walnut, Graphite, Bamboo, Gray or White Resin



UD-18-I



UD-12-I



UD-09-I



UD-06-I



Recommended Basin Accessories & citrine.

Bottom Grate set BG-30-S-1-SS Stainless Steel



25 1/2"

Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel



Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



A-DRN-PSS
A-DRN-MSS
A-DRN-MSS shown

CIT-09-SS-C



Stainless Steel
Clean + Polish 9 oz

CIT-09-WD-C



Wood Condition
+ Protect 9 oz


CIT-04-WD-B



Wood Finishing
Balm 4 oz


Ideal WashStation™ 2C

IWA-2-C-WA




Black Walnut / Graphite Resin+

IWA-2-C-GT




Graphite Wood / Resin+

IWA-2-C-BA




Golden Bamboo / Gray Resin+

IWA-2-C-GR



Exclusive Gray Resin+ / Resin+

IWA-2-C-WH



Designer White Resin+ / Resin+

Wash Tools included (WKT-4T)



(1) Upper Tier
Drying Rack
9 1/4" x 18"
DR-09-U-xx



(1) Lower Tier
Wash Caddy
6" x 17"
WC-06-L-xx



(1) Lower Tier
Wash Bowl
12" x 17"
WB-12-L-xx





(1) Upper Tier
Utensil Caddy
6" x 18"
UC-06-U-xx

Specifications

Single bowl
Users: 1
Wash Tools included: Four
Galley BarTap® recommended: One
Outside dimensions: 22" x 19 1/2" x 10 5/16"
Interior dimensions: 20 1/2" x 17" x 10"
Countertop cutout: 21" x 18"
Basin area: 20 1/2" x 16"
Minimum cabinet size: 24" or 60cm

Basin (KSO-2-C-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Center drain
Drain covers included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified



Customize Your Galley

Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock


Apron front
9" depth
WorkTop™
*Color coded labels available

Upper Deck.

Cover set UD-2-2P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin



Sections Walnut, Graphite, Bamboo, Gray or White Resin



Recommended Basin Accessories & citrine.

Bottom Grate set BG-2-C-1-SS Stainless Steel



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel




Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob




CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B



Ideal Corner WashStation™ 4X4C

IWA-4X4-C-WA



American Black Walnut / Graphite Resin+

IWA-4X4-C-GT



Graphite Wood Composite / Graphite Resin+

IWA-4X4-C-BA



Natural Golden Bamboo / Exclusive Gray Resin+

IWA-4X4-C-GR



Exclusive Gray Resin+ / Resin+

IWA-4X4-C-WH





Designer White Resin+ / Resin+

Specifications

Single bowl
Users: 2 (Outside Corner), 1 (Inside Corner)
Wash Tools included: Four
Galley Tap(s) recommended:
Two (Outside Corner), One (Inside Corner)
Outside dimensions: 44" x 44" x 19 1/2" x 10 5/16"
Interior dimensions: 42" x 42" x 17" x 10"
Countertop cutout: 42 3/4" x 42 3/4" x 18"
Basin area: 42" x 42" x 16"
Min. cabinet size: 48" x 48" or 120cm x 120cm

Basin (KSO-4X4-C-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified



Wash Tools included (WKT-4T)




Customize Your Galley

Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock

9" depth
WorkTop™
*Color coded labels available

Upper Deck.

Cover set UD-4X4-3P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin




Sections Walnut, Graphite, Bamboo, Gray or White Resin



Recommended Basin Accessories & citrine.


Bottom Grate set BG-4X4-C-3-SS Stainless Steel



CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel



Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



Ideal Corner WashStation™ 4X3C

IWA-4X3-C-WA



American Black Walnut / Graphite Resin+

IWA-4X3-C-GT



Graphite Wood Composite / Graphite Resin+

IWA-4X3-C-BA



Natural Golden Bamboo / Exclusive Gray Resin+

IWA-4X3-C-GR



Exclusive Gray Resin+ / Resin+

IWA-4X3-C-WH





Designer White Resin+ / Resin+

Specifications

Single bowl
Users: 2 (Outside Corner), 1 (Inside Corner)
Wash Tools included: Four
Galley Tap recommended: One
Outside dimensions: 44" x 32" x 19 1/2" x 10 5/16"
Interior dimensions: 42" x 30" x 17" x 10"
Countertop cutout: 42 3/4" x 30 3/4" x 18"
Basin area: 42" x 30" x 16"
Min. cabinet size: 48" x 36" or 120cm x 90cm

Basin (KSO-4X3-C-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified



Wash Tools included (WKT-4T)




Customize Your Galley

Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock

9" depth
WorkTop™
*Color coded labels available

Upper Deck.

Cover set UD-4X3-3P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin




Sections Walnut, Graphite, Bamboo, Gray or White Resin




Recommended Basin Accessories & citrine.


Bottom Grate set BG-4X3-C-3-SS Stainless Steel



CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel



Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



Ideal Work&WashStation™ 7D

IWW-7-D-WA



American Black Walnut / Graphite Resin+

IWW-7-D-GT



Graphite Wood Composite / Graphite Resin+

IWW-7-D-BA



Natural Golden Bamboo / Exclusive Gray Resin+

IWW-7-D-GR




Exclusive Gray Resin+ / Resin+

IWW-7-D-WH



Designer White Resin+ / Resin+


Culinary Tools included (CKT-17)



† The Upper Deck requires a 1/4" clearance below the surface of the countertop. If the countertop thickness is 3/4" or less, Walnut or Bamboo Upper Deck sections will not have the clearance to function above the Upper Tier Culinary Tools.

Upper Deck.

Cover set UD-7-4P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin



Sections Walnut, Graphite, Bamboo, Gray or White Resin





Specifications

Double bowl
Users: 1-3
Culinary/Wash Tools included: Twelve
Galley Taps recommended: Two
Outside dimensions: 81 1/2" x 19 1/2" x 10 5/16"
Interior dimensions: 80" x 17" x 10"
Countertop cutout: 80 1/2" x 18"
Basin area: 57 7/8", 21 7/8" x 16"
Minimum cabinet size: 84" or 210cm

Basin (KSO-7-D-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Reversible center/side drain
Drain covers included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified



Customize Your Galley

Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock
Apron front


9" depth
Center drain
WorkTop™
*Color coded labels available

Wash Tools included (WKT-4T)




Recommended Basin Accessories & citrine.

Bottom Grate set BG-7-D-3-SS Stainless Steel



CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel



Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



Ideal Work&WashStation™ 5D

IWW-5-D-WA



American Black Walnut / Graphite Resin+

IWW-5-D-GT



Graphite Wood Composite / Graphite Resin+

IWW-5-D-BA



Natural Golden Bamboo / Exclusive Gray Resin+

IWW-5-D-GR




Exclusive Gray Resin+ / Resin+

IWW-5-D-WH



Designer White Resin+ / Resin+


Culinary Tools included (CKT-12)



† The Upper Deck requires a 1/4" clearance below the surface of the countertop. If the countertop thickness is 3/4" or less, Walnut or Bamboo Upper Deck sections will not have the clearance to function above the Upper Tier Culinary Tools.

Upper Deck.

Cover set UD-5-3P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin



Sections Walnut, Graphite, Bamboo, Gray or White Resin





Specifications

Double bowl
Users: 1-2
Culinary/Wash Tools included: Nine
Galley Taps recommended: Two
Outside dimensions: 57 1/2" x 19 1/2" x 10 5/16"
Interior dimensions: 56" x 17" x 10"
Countertop cutout: 56 1/2" x 18"
Basin area: 33 7/8", 21 7/8" x 16"
Minimum cabinet size: 60" or 150cm

Basin (KSO-5-D-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Reversible center/side drain
Drain covers included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified



Customize Your Galley

Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock
Apron front


9" depth
Center drain
WorkTop™
*Color coded labels available

Wash Tools included (WKT-4T)




Recommended Basin Accessories & citrine.

Bottom Grate set BG-5-D-2-SS Stainless Steel



CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel



Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



Ideal Work&WashStation™ 4D

IWW-4-D-WA



American Black Walnut / Graphite Resin+

IWW-4-D-GT



Graphite Wood Composite / Graphite Resin+

IWW-4-D-BA



Natural Golden Bamboo / Exclusive Gray Resin+

IWW-4-D-GR




Exclusive Gray Resin+ / Resin+

IWW-4-D-WH



Designer White Resin+ / Resin+

Culinary Tools included (CKT-12)




† The Upper Deck requires a 1/4" clearance below the surface of the countertop. If the countertop thickness is 3/4" or less, Walnut or Bamboo Upper Deck sections will not have the clearance to function above the Upper Tier Culinary Tools.

Upper Deck.

Cover set UD-4-2P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin



Sections Walnut, Graphite, Bamboo, Gray or White Resin





Specifications

Double bowl
Users: 1
Culinary/Wash Tools included: Nine
Galley Tap recommended: One
Outside dimensions: 45 1/2" x 19 1/2" x 10 5/16"
Interior dimensions: 44" x 17" x 10"
Countertop cutout: 44 1/2" x 18"
Basin area: 21 7/8", 21 7/8" x 16"
Minimum cabinet size: 48" or 120cm

Basin (KSO-4-D-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Center drains
Drain covers included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified



Customize Your Galley


Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock
Apron front
9" depth
WorkTop™
*Color coded labels available

Wash Tools included (WKT-4T)




Recommended Basin Accessories & citrine.

Bottom Grate set BG-4-D-2-SS Stainless Steel



CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel



Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob




Ideal BarStation® 2

IBS-2-C-WA




American Black Walnut

IBS-2-C-GT



Graphite Wood Composite

IBS-2-C-BA




Natural Golden Bamboo

IBS-2-C-GR



Exclusive Gray Resin

IBS-2-C-WH



Designer White Resin


Bar Tools included (BKT-3T)



† The Upper Deck requires a 1/4" clearance below the surface of the countertop. If the countertop thickness is 3/4" or less, Walnut or Bamboo Upper Deck sections will not have the clearance to function above the Upper Tier Culinary Tools.

Upper Deck.

Cover set UD-2-2P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin




12" 12"



(1) 6"
Included in BKT

Sections Walnut, Graphite, Bamboo, Gray or White Resin





UD-12-I UD-06-I

Specifications

Single bowl
Users: 1
Bar Tools included: Three
Galley BarTap® recommended: One
Outside dimensions: 22" x 19 1/2" x 10 5/16"
Interior dimensions: 20 1/2" x 17" x 10"
Countertop cutout: 21" x 18"
Basin area: 20 1/2" x 16"
Minimum cabinet size: 24" or 60cm

Basin (KSO-2-C-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Center drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified



Customize Your Galley

Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock

Apron front
9" depth
WorkTop™
*Color coded labels available

Recommended Basin Accessories & citrine.

Bottom Grate set BG-2-C-1-SS Stainless Steel



20"

Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel




Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob




A-DRN-MSS shown

CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B



Ideal BarStation® 18

IBS-18-C-WA



American Black Walnut

IBS-18-C-GT



Graphite Wood Composite

IBS-18-C-BA



Natural Golden Bamboo

IBS-18-C-GR



Exclusive Gray Resin

IBS-18-C-WH



Designer White Resin


Bar Tools included (BKT-3T)



† The Upper Deck requires a 1/4" clearance below the surface of the countertop. If the countertop thickness is 3/4" or less, Walnut or Bamboo Upper Deck sections will not have the clearance to function above the Upper Tier Culinary Tools.

Upper Deck

Cover set **UD-18-2P-WA/GT/BA/GR/WH** Walnut, Graphite, Bamboo, Gray or White Resin



(1) 6"
Included in BKT

Sections Walnut, Graphite, Bamboo, Gray or White Resin





Specifications

Single bowl
Users: 1
Bar Tools included: Three
Galley BarTap® recommended: One
Outside dimensions: 15 1/2" x 19 1/2" x 10 5/16"
Interior dimensions: 14" x 17" x 10"
Countertop cutout: 14 1/2" x 18"
Basin area: 14" x 16"
Minimum cabinet size: 18" or 40cm

Basin (KSO-18-C-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Center drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified



Customize Your Galley

Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock

Apron front
9" depth
WorkTop™
*Color coded labels available


Recommended Basin Accessories & citrine.

Bottom Grate set **BG-18-C-1-SS** Stainless Steel




13 1/2"

CIT-09-SS-C



CIT-09-WD-C



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel



Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



CIT-04-WD-B



Ideal HydroStation™

IHS-1-V-WA



American Black Walnut

IHS-1-V-GT



Graphite Wood Composite

IHS-1-V-BA



Natural Golden Bamboo

IHS-1-V-GR



Exclusive Gray Resin

IHS-1-V-WH



Designer White Resin

Hydro Tool included (HP-7X7)





(1) HydroPlate
7" x 7"
HP-7X7-xx

Specifications

Single bowl
Users: 1
Hydro Tool included: One
Galley Hot & Cold Tap recommended: One
Outside dimensions: 9" x 13 1/2" x 1 15/16"
Interior dimensions: 6 1/2" x 12" x 1 5/8"
Countertop cutout: 7 1/2" x 12"
Basin drain opening: 2"
Basin area: 6 1/2" x 12"

Basin (HSO-1-V-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
One tier design
Star™ groove pattern
Drain included
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified



Customize Your Galley

WorkTop™

Basin Accessories & citrine.

Hydro Drain H-DRN-MSS Angel Finish 304 Stainless Steel



Included with HydroStation

CIT-09-SS-C

Stainless Steel
Clean + Polish 9 oz



CIT-09-WD-C

Wood Condition
+ Protect 9 oz



CIT-04-WD-B

Wood Finishing
Balm 4 oz



DryDock® 18

Add to any Workstation. Over 138 possibilities.

DD-18-S



Specifications

DryDock Tool included: One
 Outside dimensions: 18" x 19 1/2" x 2 1/16"
 Countertop cutout: Add 18" to IWS width
 Minimum cabinet size: Add 18" to IWS width
 Minimum clearance required below countertop: 2"
 Location: Drain side (S) and/or non-drain side (N)
 and/or center drain (C)

Basin (DS-18)

16GA 316L stainless steel indoor/outdoor
 SilentArmor™ sound reduction technology
 Angel finish
 Three tier design
 Star™ groove pattern
 Limited Lifetime Warranty
 Made in the USA
 ASME A112.19.3/CSA B45.4 certified

DryDock Tool included (DR-18)



(1) Dual Tier
 Drying Rack
 18" x 17"
 DR-18-D-WA



(1) Dual Tier
 Drying Rack
 18" x 17"
 DR-18-D-GT



(1) Dual Tier
 Drying Rack
 18" x 17"
 DR-18-D-BA




(1) Dual Tier
 Drying Rack
 18" x 17"
 DR-18-D-GR




(1) Dual Tier
 Drying Rack
 18" x 17"
 DR-18-D-WH

EXAMPLE 1




Suggested maximum inside corner radius of countertop cutout 3/8"




Important Installation Note: DryDock requires 2" minimum clearance below countertop

IWS-3-S-DD-18-N-DD-18-S-xx

EXAMPLE 2



Suggested maximum inside corner radius of countertop cutout 3/8"



Important Installation Note: DryDock requires 2" minimum clearance below countertop

IWS-5-S-DD-18-S-xx

DryDock® 12

Add to any Workstation. Over 138 possibilities.

DD-12-S



Specifications

DryDock Tool included: One
Outside dimensions: 12" x 19 1/2" x 2 1/16"
Countertop cutout: Add 12" to IWS width
Minimum cabinet size: Add 12" to IWS width
Minimum clearance required below countertop: 2"
Location: Drain side (S) and/or non-drain side (N)
and/or center drain (C)

Basin (DS-12)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified

DryDock Tool included (DR-12)



(1) Lower Tier
Drying Rack
12 1/4" x 17"
DR-12-L-WA



(1) Lower Tier
Drying Rack
12 1/4" x 17"
DR-12-L-GT



(1) Lower Tier
Drying Rack
12 1/4" x 17"
DR-12-L-BA




(1) Lower Tier
Drying Rack
12 1/4" x 17"
DR-12-L-GR




(1) Lower Tier
Drying Rack
12 1/4" x 17"
DR-12-L-WH

EXAMPLE 3




Suggested maximum inside corner radius of countertop cutout 3/8"




IWW-6-D-DD-12-C-xx

EXAMPLE 4



Suggested maximum inside corner radius of countertop cutout 3/8"



IWS-4-S-DD-12-N-DD-18-S-xx

Ideal Workstation® 4S + DryDock® 18

IWS-4-S-DD-18-S-WA




American Black Walnut

IWS-4-S-DD-18-S-GT



Graphite Wood Composite

IWS-4-S-DD-18-S-BA



Natural Golden Bamboo

IWS-4-S-DD-18-S-GR




Exclusive Gray Resin*

IWS-4-S-DD-18-S-WH



Designer White Resin*


Culinary Tools included (CKT-12)



*The Upper Deck requires a 1/4" clearance below the surface of the countertop. If the countertop thickness is 3/4" or less, Walnut or Bamboo Upper Deck sections will not have the clearance to function above the Upper Tier Culinary Tools.

Upper Deck.

Cover set UD-4-18-3P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin



Sections Walnut, Graphite, Bamboo, Gray or White Resin





Specifications

Single bowl
Users: 1
Culinary Tools included: Five
DryDock Tool included: One
Galley Tap recommended: One
Outside dimensions: 63 1/2" x 19 1/2" x 2 1/16"
Interior dimensions: 62" x 17" x 2"
Countertop cutout: 62 1/2" x 18"
Minimum cabinet size: 66" or 165cm
Minimum clearance required for DryDock below countertop: 2"
DryDock location: Drain side (S)

Basin (KSO-4-S-DS-18-S-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Reversible side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified



Important Installation Note: DryDock requires 2" minimum clearance below countertop

Customize Your Galley


Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock Apron front
9" depth
Center drain
WorkTop™
*Color coded labels available

DryDock Tool included (DR-18)



Recommended Basin Accessories & citrine.

Bottom Grate set BG-4-S-2-SS Stainless Steel



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel




Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel




Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B



Ideal Workstation® 4S + DryDock® 12

IWS-4-S-DD-12-S-WA




American Black Walnut

IWS-4-S-DD-12-S-GT



Graphite Wood Composite

IWS-4-S-DD-12-S-BA



Natural Golden Bamboo

IWS-4-S-DD-12-S-GR




Exclusive Gray Resin*

IWS-4-S-DD-12-S-WH



Designer White Resin*


Culinary Tools included (CKT-12)



* The Upper Deck requires a 1/4" clearance below the surface of the countertop. If the countertop thickness is 3/4" or less, Walnut or Bamboo Upper Deck sections will not have the clearance to function above the Upper Tier Culinary Tools.

Upper Deck.

Cover set UD-4-12-3P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin



Sections Walnut, Graphite, Bamboo, Gray or White Resin





Specifications

Single bowl
Users: 1
Culinary Tools included: Five
DryDock Tool included: One
Galley Tap recommended: One
Outside dimensions: 57 1/2" x 19 1/2" x 2 1/16"
Interior dimensions: 56" x 17" x 2"
Countertop cutout: 56 1/2" x 18"
Minimum cabinet size: 60" or 150cm
Minimum clearance required for DryDock below countertop: 2"
DryDock location: Drain side (S)

Basin (KSO-4-S-DS-12-S-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Reversible side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified



Important Installation Note: DryDock requires 2" minimum clearance below countertop

Customize Your Galley


Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock
Apron front
9" depth
Center drain
WorkTop™
*Color coded labels available

DryDock Tool included (DR-12)



Recommended Basin Accessories & citrine.

Bottom Grate set BG-4-S-2-SS Stainless Steel



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel




Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel




Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B



Ideal Workstation® 3S + DryDock® 18

IWS-3-S-DD-18-S-WA



American Black Walnut

IWS-3-S-DD-18-S-GT



Graphite Wood Composite

IWS-3-S-DD-18-S-BA



Natural Golden Bamboo

IWS-3-S-DD-18-S-GR




Exclusive Gray Resin*

IWS-3-S-DD-18-S-WH



Designer White Resin*

Culinary Tools included (CKT-12)



*The Upper Deck requires a 1/4" clearance below the surface of the countertop. If the countertop thickness is 3/4" or less, Walnut or Bamboo Upper Deck sections will not have the clearance to function above the Upper Tier Culinary Tools.

Upper Deck

Cover set UD-3-18-3P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin



Sections Walnut, Graphite, Bamboo, Gray or White Resin





Specifications

Single bowl
Users: 1
Culinary Tools included: Five
DryDock Tool included: One
Galley Tap recommended: One
Outside dimensions: 51 1/2" x 19 1/2" x 2 1/16"
Interior dimensions: 50" x 17" x 2"
Countertop cutout: 50 1/2" x 18"
Minimum cabinet size: 54" or 135cm
Minimum clearance required for DryDock below countertop: 2"
DryDock location: Drain side (S)

Basin (KSO-3-S-DS-18-S-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Reversible side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified



Important Installation Note: DryDock requires 2" minimum clearance below countertop

Customize Your Galley

Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock
Apron front


9" depth
Center drain
WorkTop™
*Color coded labels available

DryDock Tool included (DR-18)



Recommended Basin Accessories & citrine.

Bottom Grate set BG-3-S-1-SS Stainless Steel



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel




Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel




Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B



Ideal Workstation® 3S + DryDock® 12

IWS-3-S-DD-12-S-WA



American Black Walnut

IWS-3-S-DD-12-S-GT



Graphite Wood Composite

IWS-3-S-DD-12-S-BA



Natural Golden Bamboo

IWS-3-S-DD-12-S-GR




Exclusive Gray Resin*

IWS-3-S-DD-12-S-WH



Designer White Resin*

Culinary Tools included (CKT-12)



*The Upper Deck requires a 1/4" clearance below the surface of the countertop. If the countertop thickness is 3/4" or less, Walnut or Bamboo Upper Deck sections will not have the clearance to function above the Upper Tier Culinary Tools.

Upper Deck.

Cover set UD-3-12-3P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin



Sections Walnut, Graphite, Bamboo, Gray or White Resin





Specifications

Single bowl
Users: 1
Culinary Tools included: Five
DryDock Tool included: One
Galley Tap recommended: One
Outside dimensions: 45 1/2" x 19 1/2" x 2 1/16"
Interior dimensions: 44" x 17" x 2"
Countertop cutout: 44 1/2" x 18"
Minimum cabinet size: 48" or 120cm
Minimum clearance required for DryDock below countertop: 2"
DryDock location: Drain side (S)

Basin (KSO-3-S-DS-12-S-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Reversible side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified



Important Installation Note: DryDock requires 2" minimum clearance below countertop

Customize Your Galley

Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock
Apron front


9" depth
Center drain
WorkTop™
*Color coded labels available

DryDock Tool included (DR-12)



Recommended Basin Accessories & citrine.

Bottom Grate set BG-3-S-1-SS Stainless Steel



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel




Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel




Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



CIT-09-SS-C



CIT-09-WD-C




CIT-04-WD-B



Ideal Workstation® 30S + DryDock® 18

IWS-30-S-DD-18-S-WA



American Black Walnut

IWS-30-S-DD-18-S-GT



Graphite Wood Composite

IWS-30-S-DD-18-S-BA



Natural Golden Bamboo

IWS-30-S-DD-18-S-GR




Exclusive Gray Resin*

IWS-30-S-DD-18-S-WH



Designer White Resin*

Culinary Tools included (CKT-12)



*† The Upper Deck requires a 1/4" clearance below the surface of the countertop. If the countertop thickness is 3/4" or less, Walnut or Bamboo Upper Deck sections will not have the clearance to function above the Upper Tier Culinary Tools.

Upper Deck.

Cover set UD-30-18-3P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin



Sections Walnut, Graphite, Bamboo, Gray or White Resin





Specifications

Single bowl
Users: 1
Culinary Tools included: Five
DryDock Tool included: One
Galley BarTap®, recommended: One
Outside dimensions: 45 1/2" x 19 1/2" x 2 1/16"
Interior dimensions: 44" x 17" x 2"
Countertop cutout: 44 1/2" x 18"
Minimum cabinet size: 48" or 120cm
Minimum clearance required for DryDock below countertop: 2"
DryDock location: Drain side (S)

Basin (KSO-30-S-DS-18-S-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Reversible side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified



Important Installation Note: DryDock requires 2" minimum clearance below countertop

Customize Your Galley

Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock
Apron front


9" depth
Center drain
WorkTop™
*Color coded labels available

DryDock Tool included (DR-18)



Recommended Basin Accessories & citrine.

Bottom Grate set BG-30-S-1-SS Stainless Steel



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel




Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel




Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B



Ideal Workstation. 30S + DryDock. 12

IWS-30-S-DD-12-S-WA



American Black Walnut

IWS-30-S-DD-12-S-GT



Graphite Wood Composite

IWS-30-S-DD-12-S-BA



Natural Golden Bamboo

IWS-30-S-DD-12-S-GR




Exclusive Gray Resin*

IWS-30-S-DD-12-S-WH



Designer White Resin*

Culinary Tools included (CKT-12)



*† The Upper Deck requires a 1/4" clearance below the surface of the countertop. If the countertop thickness is 3/4" or less, Walnut or Bamboo Upper Deck sections will not have the clearance to function above the Upper Tier Culinary Tools.

Upper Deck.

Cover set UD-30-12-3P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin



Sections Walnut, Graphite, Bamboo, Gray or White Resin





Specifications

Single bowl
Users: 1
Culinary Tools included: Five
DryDock Tool included: One
Galley BarTap, recommended: One
Outside dimensions: 39 1/2" x 19 1/2" x 2 1/16"
Interior dimensions: 38" x 17" x 2"
Countertop cutout: 38 1/2" x 18"
Minimum cabinet size: 42" or 107cm
Minimum clearance required for DryDock below countertop: 2"
DryDock location: Drain side (S)

Basin (KSO-30-S-DS-12-S-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Reversible side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified



Important Installation Note: DryDock requires 2" minimum clearance below countertop

Customize Your Galley

Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock
Apron front


9" depth
Center drain
WorkTop™
*Color coded labels available

DryDock Tool included (DR-12)



Recommended Basin Accessories & citrine.

Bottom Grate set BG-30-S-1-SS Stainless Steel



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel




Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B



Ideal WashStation™ 4S + DryDock® 18

IWA-4-S-DD-18-S-WA



American Black Walnut / Graphite Resin+

IWA-4-S-DD-18-S-GT



Graphite Wood Composite / Graphite Resin+

IWA-4-S-DD-18-S-BA



Natural Golden Bamboo / Exclusive Gray Resin+

IWA-4-S-DD-18-S-GR



Exclusive Gray Resin+ / Resin+

IWA-4-S-DD-18-S-WH



Designer White Resin+ / Resin+

Wash Tools included (WKT-4T)





- | | | | |
|---|--|--|---|
| (1) Upper Tier
Drying Rack
9 1/4" x 18"
DR-09-U-xx | (1) Lower Tier
Wash Caddy
6" x 17"
WC-06-L-xx | (1) Lower Tier
Wash Bowl
12" x 17"
WB-12-L-xx | (1) Upper Tier
Utensil Caddy
6" x 18"
UC-06-U-xx |
|---|--|--|---|

Specifications

Single bowl
Users: 1
Wash Tools included: Four
DryDock Tool included: One
Galley Tap recommended: One
Outside dimensions: 63 1/2" x 19 1/2" x 2 1/16"
Interior dimensions: 62" x 17" x 2"
Countertop cutout: 62 1/2" x 18"
Minimum cabinet size: 66" or 165cm
Minimum clearance required for DryDock below countertop: 2"
DryDock location: Drain side (S)

Basin (KSO-4-S-DS-18-S-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Reversible side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified



Important Installation Note: DryDock requires 2" minimum clearance below countertop

Customize Your Galley

- | | |
|------------------|-------------------------------|
| Add 7-12" length | 9" depth |
| Add 1-6" length | Center drain |
| Add 18" DryDock | WorkTop™ |
| Add 12" DryDock | *Color coded labels available |
| Apron front | |


DryDock Tool included (DR-18)



- (1) Dual Tier
Drying Rack
18" x 17"
DR-18-D-xx

Upper Deck.

Cover set UD-4-18-3P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin




Sections Walnut, Graphite, Bamboo, Gray or White Resin




Recommended Basin Accessories & citrine.


Bottom Grate set BG-4-S-2-SS Stainless Steel



CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel



Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



Ideal WashStation™ 4S + DryDock® 12

IWA-4-S-DD-12-S-WA



American Black Walnut / Graphite Resin+

IWA-4-S-DD-12-S-GT



Graphite Wood Composite / Graphite Resin+

IWA-4-S-DD-12-S-BA



Natural Golden Bamboo / Exclusive Gray Resin+

IWA-4-S-DD-12-S-GR



Exclusive Gray Resin+ / Resin+

IWA-4-S-DD-12-S-WH



Designer White Resin+ / Resin+

Wash Tools included (WKT-4T)



(1) Upper Tier
Drying Rack
9 1/4" x 18"
DR-09-U-xx

(1) Lower Tier
Wash Caddy
6" x 17"
WC-06-L-xx

(1) Lower Tier
Wash Bowl
12" x 17"
WB-12-L-xx



(1) Upper Tier
Utensil Caddy
6" x 18"
UC-06-U-xx

Specifications

Single bowl
Users: 1
Wash Tools included: Four
DryDock Tool included: One
Galley Tap recommended: One
Outside dimensions: 57 1/2" x 19 1/2" x 2 1/16"
Interior dimensions: 56" x 17" x 2"
Countertop cutout: 56 1/2" x 18"
Minimum cabinet size: 60" or 150cm
Minimum clearance required for DryDock below countertop: 2"
DryDock location: Drain side (S)

Basin (KSO-4-S-DS-12-S-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Reversible side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified



Important Installation Note: DryDock requires 2" minimum clearance below countertop

Customize Your Galley

Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock
Apron front

9" depth
Center drain
WorkTop™
*Color coded labels available


DryDock Tool included (DR-12)




(1) Lower Tier
Drying Rack
12 1/4" x 17"
DR-12-L-xx

Upper Deck.

Cover set UD-4-12-3P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin



Sections Walnut, Graphite, Bamboo, Gray or White Resin




UD-24-I

UD-12-I

Recommended Basin Accessories & citrine.

Bottom Grate set BG-4-S-2-SS Stainless Steel



11 1/2" 31 1/2"

Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel



Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob




A-DRN-MSS shown

CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B



Ideal WashStation™ 3S + DryDock® 18

IWA-3-S-DD-18-S-WA




American Black Walnut / Graphite Resin+

IWA-3-S-DD-18-S-GT



Graphite Wood Composite / Graphite Resin+

IWA-3-S-DD-18-S-BA



Natural Golden Bamboo / Exclusive Gray Resin+

IWA-3-S-DD-18-S-GR



Exclusive Gray Resin+ / Resin+

IWA-3-S-DD-18-S-WH



Designer White Resin+ / Resin+

Wash Tools included (WKT-4T)





- | | | | |
|--|---|---|--|
| (1) Upper Tier Drying Rack
9 1/4" x 18"
DR-09-U-xx | (1) Lower Tier Wash Caddy
6" x 17"
WC-06-L-xx | (1) Lower Tier Wash Bowl
12" x 17"
WB-12-L-xx | (1) Upper Tier Utensil Caddy
6" x 18"
UC-06-U-xx |
|--|---|---|--|

Specifications

Single bowl
Users: 1
Wash Tools included: Four
DryDock Tool included: One
Galley Tap recommended: One
Outside dimensions: 51 1/2" x 19 1/2" x 2 1/16"
Interior dimensions: 50" x 17" x 2"
Countertop cutout: 50 1/2" x 18"
Minimum cabinet size: 54" or 135cm
Minimum clearance required for DryDock below countertop: 2"
DryDock location: Drain side (S)

Basin (KSO-3-S-DS-18-S-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Reversible side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified



Important Installation Note: DryDock requires 2" minimum clearance below countertop

Customize Your Galley

- | | |
|-----------------------------|-------------------------------|
| Add 7-12" length | 9" depth |
| Add 1-6" length | Center drain |
| Add 18" DryDock | WorkTop™ |
| Add 12" DryDock Apron front | *Color coded labels available |


DryDock Tool included (DR-18)



- (1) Dual Tier Drying Rack
18" x 17"
DR-18-D-xx

Upper Deck.

Cover set UD-3-18-3P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin




Sections Walnut, Graphite, Bamboo, Gray or White Resin



UD-18-I
UD-09-I

Recommended Basin Accessories & citrine.

Bottom Grate set BG-3-S-1-SS Stainless Steel



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel




Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob




A-DRN-MSS shown


CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B



Ideal WashStation™ 3S + DryDock® 12

IWA-3-S-DD-12-S-WA




American Black Walnut / Graphite Resin+

IWA-3-S-DD-12-S-GT



Graphite Wood Composite / Graphite Resin+

IWA-3-S-DD-12-S-BA



Natural Golden Bamboo / Exclusive Gray Resin+

IWA-3-S-DD-12-S-GR



Exclusive Gray Resin+ / Resin+

IWA-3-S-DD-12-S-WH



Designer White Resin+ / Resin+

Wash Tools included (WKT-4T)



(1) Upper Tier
Drying Rack
9 1/4" x 18"
DR-09-U-xx

(1) Lower Tier
Wash Caddy
6" x 17"
WC-06-L-xx

(1) Lower Tier
Wash Bowl
12" x 17"
WB-12-L-xx



(1) Upper Tier
Utensil Caddy
6" x 18"
UC-06-U-xx

Specifications

Single bowl
Users: 1
Wash Tools included: Four
DryDock Tool included: One
Galley Tap recommended: One
Outside dimensions: 45 1/2" x 19 1/2" x 2 1/16"
Interior dimensions: 44" x 17" x 2"
Countertop cutout: 44 1/2" x 18"
Minimum cabinet size: 48" or 120cm
Minimum clearance required for DryDock below countertop: 2"
DryDock location: Drain side (S)

Basin (KSO-3-S-DS-12-S-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Reversible side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified



Important Installation Note: DryDock requires 2" minimum clearance below countertop

Customize Your Galley

Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock
Apron front

9" depth
Center drain
WorkTop™
*Color coded labels available

DryDock Tool included (DR-12)



(1) Lower Tier
Drying Rack
12 1/4" x 17"
DR-12-L-xx

Upper Deck.

Cover set UD-3-12-3P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin



18" 18" 12"


Sections Walnut, Graphite, Bamboo, Gray or White Resin



UD-18-I UD-12-I UD-09-I UD-06-I

Recommended Basin Accessories & citrine.

Bottom Grate set BG-3-S-1-SS Stainless Steel



31 1/2"

Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel



Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel



Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



A-DRN-MSS shown

CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B




Ideal WashStation™ 30S + DryDock® 18

IWA-30-S-DD-18-S-WA




American Black Walnut / Graphite Resin+

IWA-30-S-DD-18-S-GT



Graphite Wood Composite / Graphite Resin+

IWA-30-S-DD-18-S-BA



Natural Golden Bamboo / Exclusive Gray Resin+

IWA-30-S-DD-18-S-GR



Exclusive Gray Resin+ / Resin+

IWA-30-S-DD-18-S-WH



Designer White Resin+ / Resin+

Wash Tools included (WKT-4T)





- | | | | |
|---|--|--|---|
| (1) Upper Tier
Drying Rack
9 1/4" x 18"
DR-09-U-xx | (1) Lower Tier
Wash Caddy
6" x 17"
WC-06-L-xx | (1) Lower Tier
Wash Bowl
12" x 17"
WB-12-L-xx | (1) Upper Tier
Utensil Caddy
6" x 18"
UC-06-U-xx |
|---|--|--|---|

Specifications

Single bowl
Users: 1
Wash Tools included: Four
DryDock Tool included: One
Galley BarTap, recommended: One
Outside dimensions: 45 1/2" x 19 1/2" x 2 1/16"
Interior dimensions: 44" x 17" x 2"
Countertop cutout: 44 1/2" x 18"
Minimum cabinet size: 48" or 120cm
Minimum clearance required for DryDock below countertop: 2"
DryDock location: Drain side (S)

Basin (KSO-30-S-DS-18-S-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Reversible side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified



Important Installation Note: DryDock requires 2" minimum clearance below countertop

Customize Your Galley

- | | |
|------------------|-------------------------------|
| Add 7-12" length | 9" depth |
| Add 1-6" length | Center drain |
| Add 18" DryDock | WorkTop™ |
| Add 12" DryDock | *Color coded labels available |
| Apron front | |


DryDock Tool included (DR-18)



- (1) Dual Tier
Drying Rack
18" x 17"
DR-18-D-xx

Upper Deck.

Cover set UD-30-18-3P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin




Sections Walnut, Graphite, Bamboo, Gray or White Resin



Recommended Basin Accessories & citrine.

Bottom Grate set BG-30-S-1-SS Stainless Steel



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel




Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel




Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob




CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B




Ideal WashStation™ 30S + DryDock® 12

IWA-30-S-DD-12-S-WA




American Black Walnut / Graphite Resin+

IWA-30-S-DD-12-S-GT



Graphite Wood Composite / Graphite Resin+

IWA-30-S-DD-12-S-BA



Natural Golden Bamboo / Exclusive Gray Resin+

IWA-30-S-DD-12-S-GR



Exclusive Gray Resin+ / Resin+

IWA-30-S-DD-12-S-WH



Designer White Resin+ / Resin+

Wash Tools included (WKT-4T)



(1) Upper Tier
Drying Rack
9 1/4" x 18"
DR-09-U-xx

(1) Lower Tier
Wash Caddy
6" x 17"
WC-06-L-xx

(1) Lower Tier
Bowl
12" x 17"
WB-12-L-xx



(1) Upper Tier
Utensil Caddy
6" x 18"
UC-06-U-xx

Specifications

Single bowl
Users: 1
Wash Tools included: Four
DryDock Tool included: One
Galley BarTap, recommended: One
Outside dimensions: 39 1/2" x 19 1/2" x 2 1/16"
Interior dimensions: 38" x 17" x 2"
Countertop cutout: 38 1/2" x 18"
Minimum cabinet size: 42" or 107cm
Minimum clearance required for DryDock below countertop: 2"
DryDock location: Drain side (S)

Basin (KSO-30-S-DS-12-S-SS)

16GA 316L stainless steel indoor/outdoor
SilentArmor™ sound reduction technology
Angel finish
Three tier design
Star™ groove pattern
Reversible side drain
Drain cover included
Limited Lifetime Warranty
Made in the USA
ASME A112.19.3/CSA B45.4 certified
cUPC™ certified



Important Installation Note: DryDock requires 2" minimum clearance below countertop

Customize Your Galley

Add 7-12" length
Add 1-6" length
Add 18" DryDock
Add 12" DryDock
Apron front

9" depth
Center drain
WorkTop™
*Color coded labels available


DryDock Tool included (DR-12)



(1) Lower Tier
Drying Rack
12 1/4" x 17"
DR-12-L-xx

Upper Deck.

Cover set UD-30-12-3P-WA/GT/BA/GR/WH Walnut, Graphite, Bamboo, Gray or White Resin




Sections Walnut, Graphite, Bamboo, Gray or White Resin



Recommended Basin Accessories & citrine.

Bottom Grate set BG-30-S-1-SS Stainless Steel



Strainer M-DRN-MSS
Angel Finish 304 Stainless Steel




Disposal Strainer G-DRN-MSS
Angel Finish 304 Stainless Steel




Auto Strainer Angel Finish 304 Stainless Steel with Polished or Matte knob



CIT-09-SS-C



CIT-09-WD-C



CIT-04-WD-B



Upper Deck®


Sections

UD-24-I-WA/GT/BA/GR/WH



24"

UD-12-I-WA/GT/BA/GR/WH




12"

UD-20-C-I-WA/GT/BA/GR/WH *Note: Corner Workstation Only*



20"

UD-09-I-WA/GT/BA/GR/WH



9"

UD-18-I-WA/GT/BA/GR/WH



18"

UD-06-I-WA/GT/BA/GR/WH



6"

Specifications

Available in sections or complete sets
24", 20" (Corner only), 18", 12", 9", 6" sections 19" deep
Cover system and third tier work surface
Sits in 18" deep and 5/16" above countertop cutout
Requires 1/4" clearance below countertop surface


Upper Deck Materials

Prestige	Premium	Standard
American Black Walnut (WA)	Graphite Wood Composite (GT)	Natural Golden Bamboo (BA)
		Exclusive Gray Resin (GR)
		Designer White Resin (WH)

Complete Sets

UD-7-4P-WA/GT/BA/GR/WH

For IWS-7-S & IWW-7-D



18"

24"

24"

18"

UD-5-3P-WA/GT/BA/GR/WH

For IWS-5-S & IWW-5-D




18"

24"

18"

UD-2-2P-WA/GT/BA/GR/WH

For IWS/IWA/IBS-2-C




12"

12"

UD-6-3P-WA/GT/BA/GR/WH

For IWS-6-S & IWW-6-D




24"

24"

24"

UD-4-2P-WA/GT/BA/GR/WH

For IWS/IWA-4-S & IWA/IWW-4-D




24"

24"

UD-18-2P-WA/GT/BA/GR/WH

For IBS-18-C




9"

9"

UD-4X4-3P-WA/GT/BA/GR/WH

For IWS/IWA-4X4-C



24"

20"

24"

UD-4X3-3P-WA/GT/BA/GR/WH

For IWS/IWA-3X4-C & 4X3-C




12"

20"

24"

UD-4-18-3P-WA/GT/BA/GR/WH

For IWS/IWA-4-S-DD-18-S




24"

24"

18"

UD-3-18-3P-WA/GT/BA/GR/WH

For IWS/IWA-3-S-DD-18-S




18"

18"

18"

UD-4-12-3P-WA/GT/BA/GR/WH

For IWS/IWA-4-S-DD-12-S




24"

24"

12"

UD-3-12-3P-WA/GT/BA/GR/WH

For IWS/IWA-3-S-DD-12-S




18"

18"

12"

UD-30-18-3P-WA/GT/BA/GR/WH

For IWS/IWA-30-S-DD-18-S




18"

12"

18"

UD-30-12-3P-WA/GT/BA/GR/WH

For IWS/IWA-30-S-DD-12-S



18"

12"

12"

Optional Culinary Tools

Dual Tier

2" Chef's Block

CH-17-D-WA



American Black Walnut

CH-17-D-BA



Natural Golden Bamboo

Specifications

2" thick
Sits proud of countertop less than 2" thick
Juice groove on one side
Height adjustable
17" x 18"

Wash & Serve Set

WM-17-D-WA



3/4" American Black Walnut

WM-17-D-GT



1/2" Graphite Wood Composite

WM-17-D-BA



3/4" Natural Golden Bamboo

WM-17-D-GR



5/8" Exclusive Gray Resin*

WM-17-D-WH



5/8" Designer White Resin*

Specifications

Brushed stainless steel wash basin with drain & stopper 15 1/2" x 6 5/8"
Satin/mirrored stainless steel large serving bowl 14 7/8" x 5 1/2" 10.5 qt.
Height adjustable
Platform 17" x 18"

Condiment Serving Board

SB-17-D-WA



3/4" American Black Walnut

SB-17-D-GT



1/2" Graphite Wood Composite

SB-17-D-BA



3/4" Natural Golden Bamboo

SB-17-D-GR



5/8" Exclusive Gray Resin

SB-17-D-WH



5/8" Designer White Resin

Specifications

6 stainless steel containers, 3 deep, 3 shallow, 6 lids
Height adjustable
Platform 17" x 18"

Upper Tier

2" Chef's Block

CH-12-U-WA



American Black Walnut

CH-12-U-BA



Natural Golden Bamboo

Specifications

2" thick
Sits proud of countertop less than 2" thick
Juice groove on one side
12 1/4" x 18"

Garnish Board

SB-06-U-WA



3/4" American Black Walnut

SB-06-U-GT



1/2" Graphite Wood Composite

SB-06-U-BA



3/4" Natural Golden Bamboo

SB-06-U-GR



5/8" Exclusive Gray Resin*

SB-06-U-WH



5/8" Designer White Resin*

Specifications

4 small stainless steel bowls 4"
Platform 6" x 18"

Condiment Serving Board

SB-09-U-WA



3/4" American Black Walnut

SB-09-U-GT



1/2" Graphite Wood Composite

SB-09-U-BA



3/4" Natural Golden Bamboo

SB-09-U-GR



5/8" Exclusive Gray Resin

SB-09-U-WH



5/8" Designer White Resin

Specifications

3 stainless steel containers, 1 deep, 2 shallow, 3 lids
Platform 8 3/4" x 18"

Lower Tier & Countertop


Mini Drying Rack

DR-06-L-WA



3/4" American Black Walnut

DR-06-L-GT



1/2" Graphite Wood Composite

DR-06-L-BA



3/4" Natural Golden Bamboo

DR-06-L-GR



5/8" Exclusive Gray Resin*

DR-06-L-WH



5/8" Designer White Resin*

Specifications

Stainless Steel rods**
6" x 17"

Recessed Knife Block

KB-03-C-WA



3/4" American Black Walnut

KB-03-C-GT



1/2" Graphite Wood Composite

KB-03-C-BA



3/4" Natural Golden Bamboo

Specifications

Linear opening with a magnet to hold knives in place
Semi recessed (2 7/16" x 10 9/16" C.O.) or flush mounted (2 15/16" x 11 1/16" C.O. 3/16" radius)
2 7/8" x 11"


Utensil Caddy

UC-06-U-WA



3/4" American Black Walnut

UC-06-U-GT




1/2" Graphite Wood Composite

UC-06-U-BA




3/4" Natural Golden Bamboo

UC-06-U-GR



5/8" Exclusive Gray Resin*

UC-06-U-WH



5/8" Designer White Resin*

Specifications

2 stainless steel perforated cylinders
1 stainless steel grate
Platform 6" x 18"

Half Sheet Pan

HS-13-U-AL



Aluminized Steel

Specifications

Oven safe to 450°F
Non-stick coating
Fluted design that facilitates air circulation and resists warping
Made in the USA
13" x 18"

Color Coded Labels

-G, -B, -R



Green, Blue or Red

Specifications

Add to one side of any Resin Cutting Board or Platform. Add -G or -B or -R at the end of product code. Ex: CB-17-D-WH-B
Note: Label on Cutting Board will be located on side without Juice Groove

**Stainless Steel rod diameter: WA & BA: 3/8", GT: 1/4", GR & WH: 5/16"

***Upper Deck section sits above countertop: WA & BA: 1/2", GT: 1/4", GR & WH: 3/8"

Optional Culinary Tools

Specialty Kits

Entertain Kit Dual Tier Wash & Serve Set, Dual Tier Condiment Board, Upper Tier Garnish Board

EKT-4T-WA



American Black Walnut

EKT-4T-GT



Graphite Wood Composite

EKT-4T-BA



Natural Golden Bamboo

EKT-4T-GR



Exclusive Gray Resin*


EKT-4T-WH



Designer White Resin*


Outdoor Kit Dual Tier Wash & Serve Set, Upper Tier Condiment Serving Board, Utensil Caddy, Half Sheet Pan

OKT-5T-GT



Graphite Wood Composite

OKT-5T-GR



Exclusive Gray Resin*

OKT-5T-WH



Designer White Resin*

Corner Upper & Lower Tier

2" Upper Tier Corner Chef's Block

CH-18-C-WA



American Black Walnut

CH-18-C-BA



Natural Golden Bamboo

Specifications

2" thick
Sits proud of countertop
less than 2" thick
Juice groove on one side
18 1/4" x 18 1/4"


Upper Tier Corner Cutting Board

CB-18-C-WA



3/4" American Black Walnut

CB-18-C-GT




1/2" Graphite Wood Composite

CB-18-C-BA



3/4" Natural Golden Bamboo

CB-18-C-GR



5/8" Exclusive Gray Resin*

CB-18-C-WH



5/8" Designer White Resin*

Specifications

Juice groove on one side
18 1/4" x 18 1/4"

Lower Tier Corner Wash & Serve Set

WM-17-C-WA



3/4" American Black Walnut

WM-17-C-GT



1/2" Graphite Wood Composite

WM-17-C-BA



3/4" Natural Golden Bamboo

WM-17-C-GR



5/8" Exclusive Gray Resin*

WM-17-C-WH



5/8" Designer White Resin*


Specifications

Brushed stainless steel wash basin with drain & stopper 15 1/2" x 6 5/8"
Satin/mirrored stainless steel large serving bowl 14 7/8" x 5 1/2" 10.5 qt.
Platform 17 1/2" x 17 1/2"

Corner Specialty Kit


Corner Kit Upper Tier Corner Cutting Board, Lower Tier Corner Wash & Serve Set

LKT-3T-WA



American Black Walnut

LKT-3T-GT



Graphite Wood Composite

LKT-3T-BA



Natural Golden Bamboo

LKT-3T-GR



Exclusive Gray Resin*

LKT-3T-WH



Designer White Resin*

**Stainless Steel rod diameter: WA & BA: 3/8", GT: 1/4", GR & WH: 5/16"

***Upper Deck section sits above countertop: WA & BA: 1/2", GT: 1/4", GR & WH: 3/8"

Optional Culinary Tools

Included with Large Culinary Kits

18" Upper Deck.



Specifications

18" Upper Deck section
19" deep
Cover system and third tier work surface
Sits in 18" deep***
Requires 1/4" clearance below countertop surface


Dual Tier Drying Rack



Specifications

Stainless Steel rods**
Height adjustable
17" x 18"

Dual Tier Colander & Mixing Bowl



Specifications

Satin/mirrored stainless steel
Colander & Mixing Bowl w/ lid 11" x 6 5/16"
7.2 qt.
Height adjustable
17" x 18"

Dual Tier Cutting Board



Specifications

Juice groove on one side
Height adjustable
17" x 18"

Included with Small Culinary Kits

12" Upper Deck.



Specifications

12" Upper Deck section
19" deep
Cover system and third tier work surface
Sits in 18" deep***
Requires 1/4" clearance below countertop surface

Upper Tier Drying Rack



Specifications

Stainless Steel rods**
12 1/4" x 18"

Lower Tier Colander & Mixing Bowl



Specifications

Satin/mirrored stainless steel
Colander & Mixing Bowl w/ lid 11" x 6 5/16"
7.2 qt.
12 1/4" x 17"

Upper Tier Cutting Board



Specifications

Juice groove on one side
12 1/4" x 18"

**Stainless Steel rod diameter: WA & BA: 3/8", GT: 1/4", GR & WH: 5/16"

***Upper Deck section sits above countertop: WA & BA: 1/2", GT: 1/4", GR & WH: 3/8"

Optional Culinary Tools

Included with Wash Kits

Upper Tier Drying Rack



Specifications

Stainless Steel rods**
9 1/4" x 18"

Upper Tier Utensil Caddy



Specifications

2 stainless steel perforated cylinders
1 stainless steel grate
Platform 6" x 18"

Lower Tier Wash Caddy



Specifications

Removeable drip tray
Polypropylene
6" x 17"

Lower Tier Wash Bowl



Specifications

Removeable pop-up drain
Polypropylene
12" x 17"

Included with Bar Kits

6" Upper Deck



Specifications

6" Upper Deck section
19" deep
Cover system and third tier work surface
Sits in 18" deep***
Requires 1/4" clearance below countertop surface

Upper Tier Garnish Board



Specifications

4 small stainless steel bowls 4"
Platform 6" x 18"

Lower Tier Mini Drying Rack



Specifications

Stainless Steel rods**
6" x 17"

**Stainless Steel rod diameter: WA & BA: 3/8", GT: 1/4", GR & WH: 5/16"

***Upper Deck section sits above countertop: WA & BA: 1/2", GT: 1/4", GR & WH: 3/8"