

iQ700, Built-in oven, 60 x 60 cm,
Black
HB976GMB1B



HZ327000	Baking stone
HZ629070	Air Fry & Grill tray
HZ631070	Baking tray, enamelled
HZ638070	Full ext rails, level independent, pyro

The intelligent oven with Cooking Assistant for intuitive programme setting, activeClean for less effort in oven cleaning and roastingSensor Plus for excellent results.

- ✓ Cooking Assistant – Intuitively set the right programme via the Home Connect app.
- ✓ fastPreheat – Heat the oven quickly. coolStart – Eliminate preheating for frozen foods.
- ✓ activeClean® – The automatic, self-cleaning oven system for less efforts in oven cleaning.
- ✓ roastingSensor Plus – The intelligent sensor provides live updates for flawless roasting results.
- ✓ varioClip rails Plus – Flexible cooking, baking and steam cooking on every level.

Color / Material Front:	Black
Built-in / Free-standing:	Built-in
Door opening:	Drop down
Cleaning system:	Pyrolytic + humidClean
Control Panel Material:	Glass
Door Material:	Glass
Dimensions (HxWxD):	595x594x548 mm
Dimensions of the packed product:	670x670x680 mm
Required niche size for installation (HxWxD):	..585-595 x 560-568 x 550 mm
Cavity dimensions:	357.0 x 480 x 415.0 mm
Usable volume of cavity:	71 l
Net weight:	37.8 kg
Gross weight:	40.4 kg
EAN code:	4242003902110
Power supply:	3600 W
Fuse protection:	16 A
Voltage:	220-240 V
Frequency:	50; 60 Hz
Length electrical supply cord:	120 cm



iQ700, Built-in oven, 60 x 60 cm, Black HB976GMB1B

Heating Functions

- Oven with 14 cooking functions: 4D hotAir, Top/ bottom heating, Hot air grilling, Full width grill, Half width grill, Pizza setting, coolStart (deep-frozen food special), Bottom heating, Low temperature cooking, Plate warming setting, Keep Warm, hotAir gentle, Conventional heat gentle, Air fry
- Heating methods only via Home Connect App: let rest, preheating
- Temperature range 30 °C - 300 °C
- Cavity volume: 71 net usable litres

Racks and Rails

- Number of shelf levels: 5
- varioClip rails Plus, pyrolytic proof, full extension, with Stop function

Design

- studioLine Black Steel Design
- Touch control
- studioLine Glass handle
- Cavity inner surface: enamel

Cleaning

- activeClean® – automatic pyrolytic self-cleaning function with automatic safety door lock
- humidClean Plus program - easy cleaning of a lightly soiled cooking cavity
- Full glass inner door

Convenience

- Cooking Assistant
- TFT-Touchdisplay Plus
- Electronic clock and timer
- Temperature proposal, Residual heat indicator, Actual temperature display, Meat probe function
- Bottom hinged door
- Oven door with SoftOpen and SoftClose door
- cookControl Pro
- roastingSensor with three measuring points
- roastingSensor Plus multipoint meat probe
- Automatic rapid heat up
- coolStart - eliminates preheating for frozen foods
- LED light
- Integrated cooling fan
- HomeConnect
- 4D hotAir: even heat distribution on any level, also simultaneously

Accessories

- 2 x combination grid, 1 x universal pan, 1 x air fry & grill tray

Safety Features

- Maximum door temperature 30° C
- Low door temperature during pyrolytic cleaning
- Quadruple glazed door with heat reflective glass
- Automatic door lock during pyrolysis, Child lock , Automatic safety

switch-off function, Residual heat indicator, Start button, Door contact switch

Technical Information

- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW


Dimensions

- Appliance dimensions (HxWxD): 595 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing


**iQ700, Built-in oven, 60 x 60 cm,
Black
HB976GMB1B**

Installing two appliances on top of each other


Air exchange



A: Air inlet $\geq 200 \text{ cm}^2$



measurements in mm



Measurements in mm
Worktop thickness when installing underneath a hob
(incl. substructure, if required)

Hob type	raised	flush
Induction hob	≥ 37	≥ 38
Full surface induction hob	≥ 47	≥ 48
Gas hob	≥ 30	≥ 38
Electric hob	≥ 27	≥ 30

