


Serie | 6

HBT578FS2A **Built-in Oven**





Included accessories

1 x grill tray, suit. pyrol. clean., 2 x combination grid, 1 x universal pan, 2 x Universal pan, slim size

Optional accessories

HEZ317000 Pizza pan, grey enamelled, HEZ327000 Pizza stone, HEZ333001 Lid for professional pan, HEZ530000 Half tray, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ538000 1fold telescopic rail, level independent, HEZ538200 2 level telescopic shelf rails, HEZ625071 Grill tray, anthracite enamelled, HEZ633070 Professional pan, anthracite enamelled, HEZ634000 Baking and roasting grid (standard), HEZ636000 Glass pan, HEZ638300 3 level telescopic rails, full ext, HEZ660050 Cover Strip, HEZ915003 Glass roasting dish, 5,4 L

The built-in oven with meat probe and AutoPilot: automatically prepares your dishes to perfection.

- Meat probe: measures the optimal core temperature of your roast.
- AutoPilot 30: every dish is a perfect success thanks to 30 preset automatic programmes.
- Pyrolytic self-cleaning: no cleaning effort thanks to automatic self-cleaning.
- 1-level telescopic rail: for safe, easy insertion and removal of baking trays.
- Slim Universal Pans (half trays): 2 universal pans, slim size; optimised for smaller dishes
- 3D Hotair: perfect results thanks to optimal distribution of heat on up to 3 levels simultaneously.
- White LCD display control: easy-to-use thanks to direct access to additional functions, temperature recommendation and temperature indication.
- Drop down door with SoftClose mechanism

Technical Data

Color / Material Front : Stainless steel Built-in / Free-standing: Built-in Integrated Cleaning system: **Pyrolytic** Required niche size for installation (HxWxD):

585-595 x 560-568 x 550

Dimensions of the product (mm): 595 x 594 x 548

Dimensions of the packed product (HxWxD) (mm):

675 x 690 x 660

Control Panel Material: Stainless steel Door Material: Glass Net weight (kg): 40.120 Usable volume of cavity (I): 71

Cooking method: Bottom heat, Conventional heat, Defrost, Full width grill, Hot Air, Hotair gentle, Hot

air grilling, low temperature cooking, Pizza setting, warming

First cavity material: Temperature control: No control of the temperature

Number of interior lights: CE, VDE Approval certificates:

Length electrical supply cord (cm): 120 4242005138012 EAN code:

Number of cavities (2010/30/EC): 1 Energy efficiency class: Α

Energy consumption per cycle conventional (2010/30/EC):

0.99 Energy consumption per cycle forced air convection (2010/30/

0.81 Energy efficiency index (2010/30/EC): 95.3 3600 Electrical connection rating (W): Current (A) : 16 Voltage (V): 220-240 Frequency (Hz): 50; 60

Plug type: no plug





Serie | 6 Ovens

HBT578FS2A Built-in Oven

The built-in oven with meat probe and AutoPilot: automatically prepares your dishes to perfection.

Heating Functions

- Oven with 10 heating methods: 3D Hotair

Top/bottom heating

Hot air grilling

Full width grill

Pizza setting

Bottom heating

Slow cooking

Defrost

Keep warm

Hotair gentle

- Temperature range 30 °C 275 °C
- Rapid heating-up

Hook-in racks / rails

- 1 level telescopic rail, safety stop function

Design

- Rotary control knobs, Retractable control knobs
- Enamel grey with 5 shelf positions
- Cavity volume: 71 net usable litres

Cleaning

- 3 Stage pyrolytic cleaning
- Full glass inner door

Convenience

- LCD-display control (white)
- Electronic clock/timer with end time programming
- Single-point meat probe
- 30 automatic programs
- Halogen lighting
- Cooling fan
- Bar handle
- Electronic functions: Automatic temperature proposal, Actual temperature display, automatic start, AutoPilot, Sabbath mode

Safety and Environment

- Quadruple glazed CoolTouch door
- Electronic door lock Child lock function Automatic safety switch off function Residual heat indicator

Accessories

- 1 x grill tray, suit. pyrol. clean., 2 x combination grid, 1 x universal pan, 2 x Universal pan, slim size

2 year warranty

Technical Info

- Length of mains cable: 120 cm
- Nominal voltage: 220 240 V
- Total connected load electric: 3.6 KW


Dimensions

- Appliance dimensions (HxWxD): 595 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm 595 mm x 560 mm - 568 mm x 550 mm




Serie | 6 Ovens


HBT578FS2A Built-in Oven



measurements in mm



Installation with a hob.



measurements in mm