Westinghouse

Built-in Cooking Range

Westinghouse is thrilled to welcome Julia Morris as our brand ambassador.

Julia is an Australian icon who is really clever, really talented and has great style and substance. Like Westinghouse, Julia is a straight-talker; genuine, honest and warm.

As a busy mum, Julia relies on Westinghouse to ensure her kitchen is organised and armed with functions that make sure she is always a superstar - at home and in her professional life.

Westinghouse has been helping Australian families for over 60 years. We've always put our energy and thinking into great features that will actually be useful, not 'bells and whistles' that you just don't need. That's why our new cooking range is loaded with practical features...

There's a pause button on cooktops so dinner needn't be ruined if there are interruptions, and cool touch doors that ensure a safe exterior on even the hottest oven. The steam assist oven offers a Steam Reheat function to help families get more mileage out of leftovers without compromising on taste, while the PyroClean ovens clean themselves without harsh chemicals, saving time and effort. Experience the incredible temperature control of induction cooking – it's so clever, chocolate can be melted right in the pan with no double boiler required! They are cool to the touch, easy to keep clean and so responsive.

If you want a reliable brand with good solid appliances and features that will actually be used, choose Westinghouse.

60cm cooking range

Cooking for the entire family can be stressful at the best of times. From fussy eaters to meal time distractions, sometimes you just want to get dinner on the table without all the fuss.

That is why Westinghouse has developed an even wider range of perfectly practical cooking solutions designed to ensure meal time runs as smoothly as possible. Our range includes 60cm ovens with a spacious 80 litre gross capacity. When it comes to cooking for the entire family, you'll be happy you chose a Westinghouse.

Model shown: Steam assist electric oven WVE617S.

Introducing the Ultimate Family Roast

Our large capacity oven features steam assisted cooking, which offers the unique combination of hot air with just the right amount of steam. (WVE617S/W only).

FamilySafe™ cool doors

We've developed multi-layer glazed oven doors with an even cooler exterior that's easy on little hands. The full-width inner glass door also ensures a better oven seal, optimal temperature control and easier cleaning.

Fingerprint resistant stainless steel

Fingerprints have met their match. Enjoy a family-friendly oven with stainless steel that really is stainless. Keep your oven looking like new with our easy-to-clean, fingerprint resistant stainless steel.

Steam Reheat

Our new Steam Assist oven offers a Steam Reheat option that effectively heats the food in a moist environment to deliver top quality results with a minimum of fuss.

Room for everything with FamilySize™ ovens

Our huge 80-litre gross capacity ovens have room for everything. Low heat emissions and super quiet operation are the ingredients for the perfect oven.

No-fuss PyroClean oven

The Westinghouse PyroClean ovens offer the latest in cleaning technology. Two pyrolytic functions safely heat the oven to a high temperature to turn different levels of grease and grime into ash. Then just quickly wipe the residue away. (Selected models only).

Ovens made in Australia

Proudly designed and created for Australians by Australians, you can trust our new built-in oven range to cook all your favourite meals just the way you like them.

AUSTRALIAN MADE®

Steam assisted cooking

The results of cooking with steam are a taste sensation. You'll enjoy succulent roasting perfection that's crisp and caramelised on the outside and moistly tender on the inside. No wonder we call it the Ultimate Family Roast.

Model shown: Steam assist electric oven WVE617S.

Steam assist range

Features[†]

Model	WVE617S	WVE617W
type	single, steam assist	single, steam assist
available finishes	stainless steel	white
main oven		
oven functions	multifunction 13	multifunction 13
capacity		
– gross (litres)	80	80
– usable (litres)	72	72
oven cleaning	easy clean door, removable door	easy clean door, removable door
timer	programmable	programmable
lights	1	1
glass layers in door	3	3
general features		
australian made	✓	✓
controls	electronic touch control	electronic touch control
number of shelves	2	2
oven/grill dish	✓	✓
anti-spatter grill insert	✓	✓
oven tray	✓	✓
connection	hardwired	hardwired
maximum power rating	12.9	12.9
telescopic runners	2 sets	2 sets
dimensions^		
overall HxWxD (mm)	595 x 596 x 572	595 x 596 x 572
flush mount cut-out HxWxD (mm)	600 x 600 x 581	600 x 600 x 581
proud mount cut-out HxWxD (mm)	590 x 565 x 560	590 x 565 x 560

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

† Refer to the product information on the back page of this brochure.

Pyrolytic range

Features†

Model	WVEP615S/W	WVEP618S/W
type	single, pyrolytic	single, pyrolytic
available finishes	stainless steel/white	stainless steel/white
main oven		
oven functions	multifunction 10	multifunction 11
capacity		
– gross (litres)	80	80
– usable (litres)	68	72
pyrolytic functions	light, normal	light, normal
oven cleaning	Pyrolytic, easy clean door, removable door	Pyrolytic, easy clean door, removable door
timer	programmable	programmable
lights	1	1
glass layers in door	4	4
general features		
australian made	✓	✓
controls	knob	electronic touch control
number of shelves	2	2
oven/grill dish	✓	✓
anti-spatter grill insert		✓
oven tray		✓
connection	hardwired	hardwired
maximum power rating (amps)	12.7	12.9
telescopic runners⁺		available
dimensions^		
overall HxWxD (mm)	595 x 596 x 572	595 x 596 x 572
flush mount cut-out HxWxD (mm)	600 x 600 x 581	600 x 600 x 581

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements,
  you must refer to the information provided with the product or visit westinghouse.com.au

† Refer to the product information on the back page of this brochure.

⁺ Telescopic runners are available within our accessory range. Please see page 44 for details.

No-fuss PyroClean oven

Easily clean the oven using minimal effort and without harsh chemicals. Safely heat the oven to a high temperature to turn different levels of grease and grime into ash. Then just quickly wipe the residue away.

Models shown: Pyrolytic electric oven WVEP618S,
induction cooktop WHI634BA, slide-out rangehood WRH605IS.

Electric ovens

Features†

Model	WVE613S/W
type	single
available finishes	stainless steel/white
main oven	
oven functions	3 function
capacity	
– gross (litres)	80
– usable (litres)	72
oven cleaning	easy clean/removable door
catalytic liners˙	available
timer	auto off timer
lights	1
glass layers in door	2
general features	
australian made	✓
controls	knob
number of shelves	2
oven/grill dish	✓
anti-spatter grill insert	
oven tray	✓
connection	hardwired
maximum power rating (amps)	9.6
telescopic runners˙	available
dimensions^	
overall oven HxWxD (mm)	595 x 596 x 568
flush mount oven cut-out HxWxD (mm)	600 x 600 x 581
proud mount oven cut-out HxWxD (mm)	590 x 565 x 560
cooktop cut-out WxD (mm)	

	WVE615S/W	WVE615S/WH	WVE616S/W
	single	single	single
	stainless steel/white	stainless steel	stainless steel
	multifunction 5	multifunction 5	multifunction 8
	80	80	80
	72	72	72
	easy clean/removable door	easy clean/removable door	easy clean/removable door
	available	available	✓
	programmable	programmable	programmable
	1	1	1
	2	2	3
	✓	✓	✓
	knob	knob	knob
	2	2	2
	✓	✓	✓
			✓
	✓	✓	✓
	hardwired	hardwired	hardwired
	12.7	12.7	12.7
	available	1 set	available
	595 x 596 x 568	595 x 596 x 568	595 x 596 x 568
	600 x 600 x 581	600 x 600 x 581	600 x 600 x 581
	590 x 565 x 560	590 x 565 x 560	590 x 565 x 560

NOTE: A minimum gap of 40mm must be maintained between the top of the underbench oven and the bottom of the cooktop to ensure adequate ventilation and space for the interconnection lead.

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

† Refer to the product information on the back page of this brochure.

˙ Catalytic liners and telescopic runners are available within our accessory range. Please see page 44 for details.

Electric ovens

Features[†]

Model	Combination WVE645S
type	combination oven
available finishes	stainless steel
main oven	
oven functions	3 function
capacity	
– gross (litres)	80
– usable (litres)	72
oven cleaning	easy clean/removable door
catalytic liners[♦]	available
timer	auto off timer
lights	1
glass layers in door	2
general features	
australian made	✓
controls	knob
number of shelves	2
oven/grill dish	✓
anti-spatter grill insert	✓
oven tray	✓
connection	hardwired
maximum power rating (amps)	36.3
telescopic runners[♦]	available
dimensions^	
overall oven HxWxD (mm)	595 x 596 x 568
flush mount oven cut-out HxWxD (mm)	600 x 600 x 581
proud mount oven cut-out HxWxD (mm)	590 x 565 x 560
overall cooktop WxDxH below bench (mm)	610 x 515 x 45
cooktop cut-out WxD (mm)	560 x 490
connected cooktop	
type	ceramic
elements	4
left front	2200
left rear	1200
right front	1200
right rear	1800

NOTE: A minimum gap of 40mm must be maintained between the top of the underbench oven and the bottom of the cooktop to ensure adequate ventilation and space for the interconnection lead.

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

† Refer to the product information on the back page of this brochure.

♦ Catalytic liners and telescopic runners are available within our accessory range. Please see page 44 for details.

Side opening door electric ovens

Features[†]

Model	WVES613S	WVES613W
type	single oven	single oven
available finishes	stainless steel	white
main oven		
oven functions	3 function	3 function
capacity		
– gross (litres)	80	80
– usable (litres)	72	72
catalytic liners[♦]	available	available
timer	auto off timer	auto off timer
lights	1	1
glass layers in door	2	2
side opening door*	✓	✓
general features		
australian made	✓	✓
controls	knob	knob
number of shelves	2	2
oven/grill dish	✓	✓
anti-spatter grill insert		
oven tray	✓	✓
connection	hardwired	hardwired
maximum power rating (amps)	9.6	9.6
telescopic runners[♦]	available	available
dimensions^		
overall HxWxD (mm)	595 x 596 x 568	595 x 596 x 568
flush mount cut-out HxWxD (mm)	600 x 600 x 581	600 x 600 x 581
proud mount cut-out HxWxD (mm)	590 x 565 x 560	590 x 565 x 560

NOTE: These doors are not reversible.

* Ovens are available as left or right hand doors and are not reversible once built please ensure when ordering of correct requirements.

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

† Refer to the product information on the back page of this brochure.

Double cavity electric ovens

Features†

Model	WVE655S/W	WVE665S/W	WVE626S/W	WVE636S/W
type	single, separate grill	single, separate grill	double, duo	double
available finishes	stainless steel/white	stainless steel/white	stainless steel/white	stainless steel/white
main oven				
oven functions	multifunction 5	multifunction 5	multifunction 8	multifunction 8
capacity				
– gross (litres)	80	80	80	80
– usable (litres)	72	72	72	72
catalytic liners♦	available	available	sides and rear	sides and rear
timer	programmable	programmable	programmable	programmable
lights	1	1	3	3
glass layers in door	3	2	3	3
second oven or separate grill				
oven function	electric grill	electric grill	multifunction 5	multifunction 8
capacity				
– gross (litres)		46	46	80
– usable (litres)		38	38	72
catalytic liners			side and rear	side and rear
lights			1	3
glass layers in door	1	2	3	3
general features				
australian made	✓	✓	✓	✓
controls	knob	knob	knob	knob
number of shelves	2	2	3	4
oven/grill dish	✓	✓	✓	✓
grill dish	✓	✓	✓	✓
anti-spatter grill insert	✓	✓	✓	✓
oven tray	✓	✓	✓	✓
connection	hardwired	hardwired	hardwired	hardwired
maximum power rating (amps)	9.6	12.7	23.9	24.1
telescopic runners♦	available	available	available	available
dimensions^				
overall HxWxD (mm)	725 x 596 x 572	888 x 596 x 568	888 x 596 x 568	1081 x 596 x 572
flush mount cut-out HxWxD (mm)	731 x 600 x 581	893 x 600 x 581	893 x 600 x 581	1086 x 600 x 581
proud mount cut-out HxWxD (mm)	723 x 565 x 560	885 x 565 x 560	885 x 565 x 560	1078 x 565 x 560

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

† Refer to the product information on the back page of this brochure.

♦ Catalytic liners and telescopic runners are available within our accessory range. Please see page 44 for details.

Model shown: Double cavity electric oven WVE626S.

Gas ovens

Features[†]

Model	WVG613S/W	WVG615S/W	WVG655S/W	WVG665S/W
type	single	single	single, separate grill	single, separate grill
available finishes	stainless steel/white	stainless steel/white	stainless steel/white	stainless steel/white
main oven				
oven functions	3 function	multifunction 5	3 function	3 function
capacity				
– gross (litres)	80	80	80	80
– usable (litres)	72	72	72	72
oven burner output (NG)	10.5 MJ/h	10.5 MJ/h	10.5 MJ/h	10.5 MJ/h
in oven grill	electric	electric		
catalytic liners[♦]	available	available	available	available
timer	auto off timer	programmable	programmable	programmable
lights	1	1	1	1
glass layers in door	2	2	2	2
second oven or separate grill				
oven function			electric grill	electric grill
capacity				
– gross (litres)				
– usable (litres)				
general features				
australian made	✓	✓	✓	✓
controls	knob	knob	knob	knob
number of shelves	2	2	2	2
oven/grill dish	✓	✓	✓	✓
grill dish	✓	✓	✓	✓
anti-spatter grill insert			✓	✓
oven tray	✓	✓	✓	✓
connection	10A service cord	10A service cord	10A service cord	10A service cord
maximum gas rating (NG)[#]	10.5 MJ/h	10.5 MJ/h	10.5 MJ/h	10.5 MJ/h
maximum power rating (amps)	9.6	9.6	7.7	9.6
telescopic runners[♦]	available	available	available	available
dimensions^				
overall HxWxD (mm)	595 x 596 x 568	595 x 596 x 568	725 x 596 x 572	888 x 596 x 568
flush mount cut-out HxWxD (mm)	600 x 600 x 581	600 x 600 x 581	731 x 600 x 581	893 x 600 x 581
proud mount cut-out HxWxD (mm)	590 x 565 x 560	590 x 565 x 560	723 x 565 x 560	885 x 565 x 560

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

For WVG613S/W, WVG615S/W, WVG655S/W and WVG665S/W models, it must be specified at time of purchase if LP gas is required as these models can not be converted. Gas rating for LP models is 9.0MJ/h.

NOTE: These gas products are only suitable for use on normal 240V AC mains supply. The use of inverters, UPS or generators must be checked to ensure the waveform is a pure sinusoidal output to confirm it is compatible with the electronics within this product. Connection to any power supply that does not meet the above requirements may result in failure of the product to operate and or permanent damage to electronics within the product and may void the product warranty. No flue is required for Westinghouse gas ovens.

† Refer to the product information on the back page of this brochure.

♦ Catalytic liners and telescopic runners are available within our accessory range. Please see page 44 for details.

Model shown: Separate grill gas oven WVG665S.

90cm built-in oven

Preparing large family feasts and entertaining friends has just become a whole lot easier thanks to our 90cm built-in oven.

With its hugely practical 125L gross capacity and super-quick heat up time, you'll enjoy perfect results no matter what you cook. Beautifully designed and made right here in Australia, this large, easy to clean oven is set to become the new family favourite.

Large oven capacity
With a spacious 125L gross capacity*, you can cook large meals with minimum fuss and maximum results. Our ovens have been tested to evenly bake up to 72 mini cupcakes in one go, so they're perfect for those last-minute school fundraisers!

* Based on International Standard IEC 60350-1

Twin fan system for even cooking
Cook each dish to perfection with the Twin Fan System. Fans rotate in opposite directions, distributing heat evenly throughout the oven, so you enjoy great results every time.

Fast heat-up time
Every moment counts at meal times, so while your oven heats up fast you can save time and get on with cooking the dishes you and your family love.

FamilySafe™ cool doors
For added safety and confidence in the kitchen, our cool touch door is beautifully designed with a large window, so you can keep a close eye on your cooking.

90cm built-in oven

Features†

Model	WVE916SA
type	electric underbench oven
fingerprint-resistant stainless steel finish	✓
Main oven	
type	electric
oven functions	multifunction 10
twin fan system	✓
capacity*	
– gross (litres)	125
– usable (litres)	116
timer	fully programmable touch control
lights	2 x 25W halogen
glass layers in door	3
catalytic liners	side and rear
grill in oven	✓
removable side racks	✓
shelf positions	7
General features	
australian made	✓
removable stainless steel splashback	
wire shelves	2
grill dish	2 x half-width
grill insert	2 x half-width
grill rack	1 x full-width
Connection	
type	hardwire
maximum power rating (kW)	3.1
Dimensions	
overall HxWxD (mm)	596 x 895 x 572
flush mount cut-out HxWxD (mm)	600 x 900 x 580
proud mount cut-out HxWxD (mm)	590 x 864 x 560

* IMPORTANT The above dimensions are a guide only. Depth excludes knobs and handles.
  For complete dimensions and installation requirements, refer to the information provided with the product or visit westinghouse.com.au

- Burner outputs shown above are for natural gas connection.

Gas cooktops

Our new range of Gas cooktops are built to give you the ultimate combination of peace of mind and flexibility. With FamilySafe™ trivets that enhance pot stability, and a FamilySafe™ Flame Failure Device that will immediately shut off the gas supply if a cooktop flame is unexpectedly extinguished, you can always cook without worry. There's also a high-powered wok burner so you can easily whip up tasty stir-fries and more. You'll get the high heat you need to unleash the wok star you always knew you had in you!

Model shown: Gas cooktop WHG646SA.

FamilySafe™ Trivets
Designed to cover the large flat surface area and enhance pot stability for added safety. Plus, being dishwasher friendly means less time cleaning.

FamilySafe™ Flame failure device
Created with safety in mind, the flame failure safety device will immediately shut off the gas supply if the flame on the cooktop is unexpectedly extinguished. (Selected models only).

Efficient two-piece burners
Designed to make cleaning easy, the two-piece burners lift straight off for fast and efficient cleaning. (Excludes wok burner).

High-powered wok burner
You can whip up tasty stir-fries and more with our high-powered 14MJ wok burner.

Bladed knob controls
Our cooktop knobs for maximum practicality. The bladed design makes them easy to grip plus the unique shape means you can tell at a glance if the cooktop's been left on. Talk about handy!

Fingerprint resistant stainless steel
Fingerprints have met their match. Keep your cooktop looking like new with our easy-to-clean, fingerprint resistant stainless steel.

Gas cooktops* 60cm

Features†

Model	WHG640SA/W	WHG642SA	WHG644SA	WHG646SA	WHG646WA
finish	stainless steel/white enamel	stainless steel	stainless steel	stainless steel	white glass
connection	10A plug & lead	10A plug & lead	10A plug & lead	10A plug & lead	10A plug & lead
gas rating (NG)	35.2MJ/h	40.6MJ/h	40.6MJ/h	40.6MJ/h	40.6MJ/h
burners					
left front	12.1MJ/h	14.4MJ/h	14.4MJ/h	14.4MJ/h	14.4MJ/h
left rear	9.0MJ/h	9.0MJ/h	9.0MJ/h	9.0MJ/h	9.0MJ/h
right front	5.1MJ/h	5.1MJ/h	5.1MJ/h	5.1MJ/h	5.1MJ/h
right rear	9.0MJ/h	12.1MJ/h	12.1MJ/h	12.1MJ/h	12.1MJ/h
features					
trivets	enamel	enamel	enamel	cast iron	cast iron
ignition type	electronic	electronic	electronic	electronic	electronic
flame failure safety			✓	✓	✓
dimensions^					
below bench WxDxH (mm)	600 x 535 x 38	595 x 530 x 44	595 x 530 x 44	595 x 530 x 44	620 x 530 x 58
cut out WxD (mm)	570 x 490	560 x 490	560 x 490	560 x 490	560 x 480

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

Gas cooktops* 70cm & 90cm

Features†

Model	WHG756SA	WHG952SA	WHG956SA/W
finish	stainless steel	stainless steel	stainless steel/white glass
connection	10A plug & lead	10A plug & lead	10A plug & lead
gas rating (NG)	49.6MJ/h	49.6MJ/h	49.6MJ/h
burners			
left front	14.4MJ/h	14.4MJ/h	14.4MJ/h
centre front	9.0MJ/h	9.0MJ/h	9.0MJ/h
centre rear	9.0MJ/h	9.0MJ/h	9.0MJ/h
right front	5.1MJ/h	5.1MJ/h	5.1MJ/h
right rear	12.1MJ/h	12.1MJ/h	12.1MJ/h
features			
trivets	cast iron	enamel	cast iron
ignition type	electronic	electronic	electronic
flame failure safety	✓		✓
dimensions^			
overall H (below bench) xWxD (mm)	44 x 745 x 530	44 x 895 x 530	44 x 895 x 530 (S) / 58 x 894 x 530 (W)
cut-out WxD (mm)	730 x 490	880 x 490	880 x 490 (S) / 830 x 480 (W)

* Gas Type: Configured for NG and supplied with an LPG conversion kit.

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

† Refer to the product information on the back page of this brochure

Chic white appliances as a design choice

Offering a timeless style statement, the white range of Westinghouse appliances has been designed for those people who value a clean, fresh look in their kitchen.

Westinghouse

Model shown: Gas cooktop WHG646WA.

Induction cooktops

Enjoy the safety and efficiency of induction cooking with Westinghouse. Almost twice as fast as gas or electric in transforming energy into heat, you'll save not only time but money too. What's more, induction cooking only generates heat in the cookware, so surfaces around the pot are cool to touch, making the cooking environment safer. The surface is also easy to clean, as any spills are simply wiped away – now that's practical.

When you're busy getting food on the table, flexibility is key. That's why Westinghouse offers an array of practical design features to make your life easier.

Model shown: Induction cooktop WHI645BA.

Pause when you need to

Just press the Pause icon on our induction cooktop and all operating zones will drop to a keep warm mode. And when ready to resume, touch the Pause icon again and all zones will return to their previous setting.

QuickCook™ Timer

This nifty timer counts down and even turns the zone off to cook the perfect steak or boiled eggs or any other meal exactly to your liking.

Touch on glass controls

With flat easy-clean touch on glass controls at your fingertips, you can easily control the heat. So all you need to do is concentrate on preparing the perfect meal.

FamilyFlex™ Induction for versatile cooking

FamilyFlex™ allows you to use two individual induction zones as well as link together two zones to provide a space for larger or irregularly shaped pots.
(Selected models only).

Boost up the power

Boost up power to cooking zones by more than 25% for maximum speed and cooking performance.

Complete control

Enjoy the safety, efficiency and unparalleled control of induction cooking. It's so easy to control, you can even melt chocolate right in the pan.

Induction cooktops

Features†

Model	WHI324BA	WHI634BA	WHI644BA
finish	black ceramic glass	black ceramic glass	black ceramic glass
connection	hardwired	hardwired	hardwired
maximum power rating	3.7KW	7.4KW	7.4KW
elements			
total	2	3	4
left front		2500/1400W	3200/2300W
left rear		2800/1800W	2500/1400W
center front	2500/1400W		
center rear	3200/2300W		
right front		5200/3600W	2500/1400W
right rear			2800/1800W
control	touch	touch	touch
features			
pause	✓	✓	✓
hot surface indicator	✓	✓	✓
child lock	✓	✓	✓
quickcook timer	✓	✓	✓
dimensions^			
below bench WxDxH (mm)	320 x 520 x 46	590 x 520 x 46	590 x 520 x 46
cut-out WxD (mm)	270 x 490	560 x 490	560 x 490

Model	WHI645BA	WHI744BA	WHI745BA	WHI954BA
finish	black ceramic glass	black ceramic glass	black ceramic glass	black ceramic glass
connection	hardwired	hardwired	hardwired	hardwired
maximum power rating	7.4KW	7.4KW	7.4KW	10.2KW
elements				
total	4	4	4	5
left front	3200/2300W	3200/2300W	3200/2300W	3200/2300W
left rear	3200/2300W	2500/1400W	3200/2300W	2500/1400W
center front				2800/1800W
center rear				
right front	3200/2300W	2500/1400W	3200/2300W	2500/1400W
right rear	2500/1400W	2800/1800W	2500/1400W	2800/1800W
control	touch	touch	touch	touch
features				
pause	✓	✓	✓	✓
hot surface indicator	✓	✓	✓	✓
child lock	✓	✓	✓	✓
quickcook timer	✓	✓	✓	✓
dimensions^				
below bench WxDxH (mm)	590 x 520 x 46	700 x 520 x 46	700 x 520 x 46	910 x 520 x 46
cut-out WxD (mm)	560 x 490	560 x 490	560 x 490	880 x 490

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

Frameless ceramic glass adds style

Frameless ceramic glass is stylish and so easy to clean.

Models shown: Electric ceramic cooktop WHC644BA.

Electric ceramic cooktops

The new range of Westinghouse Ceramic cooktops have been designed to showcase smart and practical features that will help you handle the little knocks of every day life. Our durable glass surface offers up to six multi-heat zones, hot surface indicators and provides a stylish yet practical solution to meet all your cooking demands.

Model shown: Electric ceramic cooktop WHC644BA.

Touch-on-glass controls
The flat touch-on-glass controls not only look great, but with no buttons, they're also easy to wipe clean. (Selected models only).

Practical features
The touch-on-glass models offer helpful functions for busy lives. Pause the cooktop if there are interruptions and the nifty QuickCook™ Timer counts down turns the zone off when finished. (Selected models only).

FamilySafe™ Child lock
Thanks to the practical inclusion of a handy child lock, You'll know the family is safe even if you need to walk away from the cooktop. (Selected models only).

More versatility with variable zones
Every recipe is different and so is every cook. That's why we designed not only four cooking positions, but also one hotplate as a triple zone. You'll gain the unrivalled flexibility of having three variable zones in one. (Selected models only).

Hot surface indicator
Avoid unnecessary accidents in the kitchen with hot surface indicators that clearly show if the hotplates are activated or still hot.
(Selected models only).

Easy clean ceramic glass surface
Not only aesthetically pleasing, the durable glass surface is easy to clean and maintain ensuring the kitchen is always looking at its best.

Electric ceramic cooktops

Features†

Model	WHC322BA	WHC642BA
finish	ceramic glass /black	ceramic glass /black
connection	hardwired	hardwired
maximum power rating	3.0KW	6.5KW
elements		
total	2	4
left front		2300W
left rear		1200W
center front	1200W	
center rear	1800W	
right front		1200W
right rear		1800W
control	knob	knob
features		
hot surface indicator	✓	✓
child lock		
quickcook timer		
dimensions^		
below bench WxDxH (mm)	320 x 520 x 46	590 x 520 x 46
cut-out WxD (mm)	300 x 490	560 x 490

Model	WHC644BA	WHC644SA	WHC742BA
finish	ceramic glass /black	ceramic glass /black, stainless steel	ceramic glass /black
connection	hardwired	hardwired	hardwired
maximum power rating	6.5KW	6.4KW	6.4KW
elements			
total	4	4	4
left front	2300W	2200W	2300W
left rear	1200W	1200W	1200W
center front			
center rear			
right front	1200W	1800W	1200W
right rear	1800W	1200W	1800W
control	touch	knob	knob
features			
hot surface indicator	✓	✓	✓
child lock	✓		
quickcook timer	✓		
dimensions^			
below bench WxDxH (mm)	590 x 520 46	590 x 520 x 46	700 x 520 x 46
cut-out WxD (mm)	560 x 490	560 x 490	560 x 490

Model	WHC744BA	WHC934BA
finish	ceramic glass /black	ceramic glass /black
connection	hardwired	hardwired
maximum power rating	6.5KW	5.3KW
elements		
total	4	3
left front	2300W	2300W
left rear	1200W	
center front		1200W
center rear		
right front	1200W	1800W
right rear	1800W	
control	touch	touch
features		
hot surface indicator	✓	✓
child lock	✓	✓
quickcook timer	✓	✓
dimensions^		
below bench WxDxH (mm)	700 x 520 x 46	900 x 410 x 46
cut-out WxD (mm)	560 x 490	825 x 360

Model	WHC942BA	WHC944BA	WHS642SA/WA
finish	ceramic glass /black	ceramic glass /black	stainless steel / white enamel
connection	hardwired	hardwired	hardwired
maximum power rating	6.4KW	6.5KW	6.5KW
elements			
total	4	4	4
left front	2200W	2300W	1500W
left rear	1200W	1200W	2000W
center front			
center rear			
right front	1800W	1200W	1500W
right rear	1200W	1800W	1500W
control	knob	touch	knob
features			
hot surface indicator	✓	✓	
child lock		✓	
quickcook timer		✓	
dimensions^			
below bench WxDxH (mm)	900 x 520 x 46	900 x 520 x 46	600 x 535 x 58
cut-out WxD (mm)	880 x 490	880 x 490	570 x 490

NOTE: A minimum 30mm air gap is recommended below ceramic cooktop for heat dissipation.

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

Rangehoods

Canopy rangehoods

Westinghouse canopy rangehoods provide a stunning visual statement and capture the grease, steam and heat build-up when cooking, drawing smells and residue away from your cooktop - proving that practical can be beautiful as well. The high performance canopy rangehood brings your kitchen appliances together whilst clearing the air with minimal noise.

Slide-out and integrated rangehoods

Now you see them, now you don't. Westinghouse slide-out rangehoods are designed to discreetly and conveniently slide away when not in use. Suitable for ducting or recirculating, they remove residue and smells from your cooking, ensuring a well-ventilated kitchen. An integrated rangehood works the same way, with the advantage of being able to design your kitchen cabinetry to house it – effectively hiding it from view and allowing greater flexibility for unique kitchen installations, where a clean, integrated look is required.

Fixed rangehoods

Westinghouse fixed rangehoods bring everyday practicality to your cooking. Eliminating steam, grease and unsavoury smells, they are also easy to install, with just four screws. The choice is yours - fix your rangehood to a wall or beneath the cupboard above your cooktop. The sleek, modern lines are flexible enough to suit any style of kitchen.

Installation

You can never be too careful when it comes to installation. When installing your rangehood there are two ways to direct the airflow. If you are able to move the air outside, through a flue or chimney, a ducted system is ideal. If clear exterior access is not an option, you simply install your rangehood to recirculate* (carbon filter required).

*Some models can only be recirculated through the cupboard.

Superior air movement

The powerful 3 speed fan efficiently removes fumes, smoke and vapour from the kitchen.

Light up your cooking

Two long life high out-put LED lights to enhance the lighting of your cooking space without adding heat or higher energy cost to the process.

Timed cleaning

When the cooking is finished the AutoOff fan delay will ensure that all kitchen odours and residual smoke are removed, automatically switching itself off after 5 minutes while you enjoy your meal straight away.

Quiet Operation

Superior air flow without the noise. Designed to operate at low noise levels even in the higher fan settings ensuring you and your family can enjoy conversation while cooking together.

Fresh air for cleaning

The Westinghouse rangehood is designed for easy maintenance with multi-layered micromesh filters to make catching the grease and residue more effective.

Easy to clean

Removable filters are dishwasher safe for easy cleaning with a filter saturation indicator on the control panel to notify you when cleaning is recommended. The resilient stainless steel construction also ensures that cleaning the body of the hood is as easy as possible.

Model shown: Canopy rangehood WRFG943S.
See westinghouse.com.au or phone 1300 363 640 for more information on ducting kit accessories.

Canopy rangehoods

Features†

NEW · NEW

Model	WRC613SB	WRC913SB
nominal width (mm)	600	900
finish	stainless steel	stainless steel
number of fans/speeds	1/3	1/3
max. airflow (m³/h)	850	850
noise level dB (high/low)	71/61	71/61
no. of filters	2	3
control	touch control	touch control
top or rear duct hole	top	top
lights	2 x 4W LED	2 x 4W LED
optional extension flue	1100mm	1100mm
dimensions^		
WxDxH (mm)	600 x 500 x 660-1160	900 x 500 x 660-1160

NEW · NEW

Model	WRCG933SB	WRCG943SB	WRF900CS
	900	900	900
	glass & stainless steel	glass & stainless steel	stainless steel
	1/3	1/3	2/3
	780	780	550
	71/61	71/61	55/48
	1	1	3
	touch control	touch control	push button
	top	top	top
	2 x 4W LED	2 x 4W LED	2 x 40W incandescent
	1100mm	1100mm	1100mm
	900 x 480 x 600-1100	900 x 480 x 600-1100	900 x 500 x 770-1240

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

† Refer to the product information on the back page of this brochure.

Fixed rangehoods

Features†

Model	WRJ603UW/ WRJ611US	WRJ600US/W	WRJ903UW/ WRJ911US	WRJ900US/W
nominal width (mm)	600	600	900	900
finish	white/stainless steel	white/stainless steel	white/stainless steel	white/stainless steel
number of fans/speeds	2/3	1/3	2/3	1/3
max. airflow (m³/h)	400	200	400	200
noise level dB (high/low)	64/57	62/51	64/57	62/51
number of filters	2	2	3	3
front re-circulating option	✓	✓	✓	✓
control	push button	push button	push button	push button
top or rear duct hole	both	both	both	both
lights	2 x 40W incandescent	2 x 40W incandescent	2 x 40W incandescent	2 x 40W incandescent
dimensions^				
WxDxH (mm)	598 x 500 x 160	598 x 500 x 160	898 x 500 x 160	898 x 500 x 160

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

Slide-out and integrated rangehoods

Features†

Model	WRH608IS/W	WRH605IS/W	WRH908IS/W	EFG750X/A	EFG540G/A
nominal width (mm)	600	600	900	702	524
finish	white/stainless steel	white/stainless steel	white/stainless steel	stainless steel	grey
number of fans/speeds	2/3	1/3	2/3	2/3	2/3
max. airflow (m³/h)	400	210	400	620	400
noise level dB (high/low)	66/59	62/59	66/59	68/52	67/61
number of filters	2	1	2	2	2
front re-circulating option	✓		✓		
control	auto-activated (pull/push)	auto-activated (pull/push)	auto-activated (pull/push)	slide switch	slide switch
top or rear duct hole	top	top	top	top	top
lights	2 x 40W incandescent	1 x 40W incandescent	2 x 40W incandescent	2 x 40W incandescent	2 x 40W incandescent
dimensions^					
WxDxH (mm)	599 x 300 x 175	599 x 300 x 175	899 x 300 x 175	702 x 284 x 307	524 x 289 x 150

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

† Refer to the product information on the back page of this brochure.

Microwave ovens

Surprisingly, one in four people are not satisfied with their microwave and one of the main reasons is because it doesn't complement other kitchen appliances as well as the overall kitchen decor.

Recognising this frustration and making a distinct move away from the 'white box on the benchtop', our range of countertop and built-in microwaves are designed to complement modern kitchens. With either white or fingerprint resistant stainless steel finishes and electronic touch controls, the stylish appliances integrate easily into your kitchen, creating a visually harmonised space.

New combi microwave
Our latest compact combination microwave features six cooking functions.

Crispy bacon is possible!
Our latest grill function can be used in isolation or combined with microwave power to give crispier results when cooking all kinds of dishes.

Hard wearing, stylish and easy to clean
Full fingerprint resistant stainless steel fascia on the oven is hard-wearing yet attractive and the seamless interior will be a breeze for your customers to clean.

FamilySafe™ touch control
An easy to use, easy to clean touch control with a FamilySafe™ child lock to keep small fingers from accidentally operating the oven.

Seamless design integration

The design perfectly integrates with the entire Westinghouse kitchen collection, allowing you to perfectly co-ordinate your kitchen design.

Model shown: Combination microwave WMB4425SA.

Microwave ovens

Features[†]

Model	WMB4425SA	WMS281SB	WMG281SB	WMS281WF	WMS281SF	WMG281SF
installation	built-in	built-in	built-in	countertop	countertop	countertop
fascia	fingerprint resistant stainless steel	fingerprint resistant stainless steel trims and trim kit	fingerprint resistant stainless steel trims and trim kit	white plastic, with UV protection	fingerprint resistant stainless steel trims	fingerprint resistant stainless steel trims
electronic controls	✓	✓	✓	✓	✓	✓
features						
microwave power	900W	900W	900W	900W	900W	900W
grill power/type	1750W	N/A	1100W	N/A	N/A	1100w
grill rack	✓		✓			✓
oven function						
microwave	✓	✓	✓	✓	✓	✓
grill	turbo		✓			✓
combination modes	4		2			2
microwave quick start		✓	✓	✓	✓	✓
delayed start		✓	✓	✓	✓	✓
defrost by weight	✓	✓	✓	✓	✓	✓
defrost by time	✓	✓	✓	✓	✓	✓
auto reheat	✓	✓	✓	✓	✓	✓
auto cook	✓	✓	✓	✓	✓	✓
oven programmed functions						
meat	✓	✓	✓	✓	✓	✓
fish	✓	✓	✓	✓	✓	✓
vegetables	✓	✓	✓	✓	✓	✓
pizza	✓	✓	✓	✓	✓	✓
pasta	✓	✓	✓	✓	✓	✓
potatoes	✓	✓	✓	✓	✓	✓
soup	✓	✓	✓	✓	✓	✓
included accessories						
grill rack	✓		✓			✓
dimensions						
product including handle HxWxD	462 x 593 x 570	460 x 594 x 422mm	460 x 594 x 422mm	305 x 513 x 422mm	305 x 513 x 422mm	305 x 513 x 422mm
product excluding handle HxWxD		460 x 594 x 392mm	460 x 594 x 392mm	305 x 513 x 390mm	305 x 513 x 390mm	305 x 513 x 390mm
built-in product HxWxD	450 x 560 x 550					
turntable diameter	360mm	315mm	315mm	315mm	315mm	315mm

NEW

† Refer to the product information on the back page of this brochure

Accessories & Upgrade Packs

Roasters Pack:
for all roasting essentials (ACC121)

With the tailor-made roasting dish, rack and telescopic runners, getting a family roast on the table might be the easiest thing you'll do all day.

Oven Runners Kit:
telescopic runners (ACC123)

With three additional sets of telescopic runners, you can safely pull the oven racks and trays all the way out of the oven. So not only is loading and unloading the oven more efficient, but it's also easier to check food.

Catalytic oven liners
(ACC041, ACC042, ACC043, ACC044)

The innovative catalytic oven liners absorb any grease produced during the cooking process. The grease is then vapourised by the heat of the oven to make cleaning a breeze.

(WVE626S, WVE626W, WVE636S and WVE636W come standard with catalytic liners).
Visit westinghouse.com.au or phone 1300 363 640 to confirm which set of catalytic liners are best suited for your oven.

Party Pack: multi-purpose
baking trays (ACC124)

The Party Pack includes three extra baking trays designed especially for the built-in ovens, providing you with additional cooking surfaces for entertaining.

Your oven, your way

You can have an oven with everything to suit your preferred cooking style. Thanks to Westinghouse's incredibly versatile upgrade packs, you can furnish your oven exactly the way you like with a range of must-have accessories.

Models shown: Electric oven WVE613S, gas cooktop WHG642SA, party pack ACC124.

The popular choice

White has always been a popular design choice for Australian kitchens. The striking new range of our white ovens and cooktops are timeless and comfortably classic, but don't compromise on practical yet surprisingly clever features.

White appliances create a feeling of space in your kitchen and will never look outdated. They are also extremely durable and clean effortlessly - those little fingerprint marks will be a thing of the past!

Stylish and clean, these appliances will complement your kitchen design and since they are also choc-full of practical features, this range is sure to please.

Models shown: Induction cooktop WHI634BA, pyrolytic electric oven WVEP615W, slide-out rangehood WRH605IW, french door fridge WHE5100WA.

Oven functions

Pyrolytic cleaning
Heats to high temperature and burns off splatters, accumulated dirt and grease from the oven liner. Simply wipe out ash when cooled.

Conventional bake (bake/pizza)
Heats from the top and bottom elements. Thermostat controlled, to maintain a constant temperature. Ideal for single trays e.g. biscuits, scones, cakes, casseroles, roasts.

Fan bake
Heats from elements surrounding the fan, circulating heat around the oven. Cooks at a lower temperature – faster than baking. Ideal for multi-shelf cooking and reheating.

Grill – electric
Uses a powerful upper element to grill the top of food such as tender meats, fish, cheese toasties and other quick cooking food. Preheat the grill for 3 minutes for best results.

Maxi grill – electric
Grill element and top element works like a normal grill but uses both the grill element and the boost element, so that more can be grilled.

Defrost
Uses the fan only to circulate the air in oven to accelerate defrosting of food.

Rapid heat/fast heat up
Uses a combination of elements to get the oven to the required temperature faster. Can also be used for drying herbs, craft items, etc.

Base heat
Uses the bottom element only. Excellent for where a crisp base is required.

Fan assist
Both top and bottom elements are used while a fan circulates air within the cavity.

Pizza
This function uses the bottom element and the element around the fan.

Fan Grill
The grill element and the fan are used in combination. Excellent for thicker cuts of meat, or to get a rotisserie style result.

Quick cook
Heat comes from the element surrounding the fan as well as the smaller element above the food. This allows you to preheat your oven 30% quicker than on standard 'Bake/Pizza'. 'Quick Cook' is ideal for cooking frozen pre-cooked foods such as savoury pastries, pizzas, mini meals (TV dinners), meat pies and fruit pies.

Steam cook
The hot air ensures the outside of the food is sealed whilst the steam keeps the inside tender. Steam comes from the outlet pipe and heat comes from the element surrounding the fan. The browning of meat or fish will be perfect, with the best cooking result at the core.

Pizza & steam
This function creates a great pizza in terms of crispy crust and uniform browning on top. "Pizza + Steam" is a combination of "Base heat", "Fan bake" and "Steam" and offers you the combined benefits of each of these functions.

Steam reheat
Steam comes from the outlet pipe and heat switches from between the element surrounding the fan and the clean heat element below the oven floor. This function has a set temperature of 130°C.

Oven functions

Main oven

	Electric ovens												Gas ovens			
	WVE645S	WVE655	WVE665	WVE626	WVE636	WVES613	WVE613	WVE615	WVEP615	WVE617	WVEP618	WVE916	WVG613	WVG615	WVG655	WVG665
Pyrolytic cleaning									✓		✓					
Conventional bake		✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓
Fan bake	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Grill – electric	✓			✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓
Maxi grill – electric				✓	✓			✓	✓	✓	✓	✓				
Defrost		✓	✓	✓	✓			✓	✓	✓	✓	✓			✓	
Rapid heat/fast heat up	✓	✓	✓	✓					✓			✓				
Base heat	✓	✓	✓	✓					✓	✓	✓	✓				
Fan assist										✓	✓	✓				
Pizza									✓	✓	✓	✓				
Fan Grill	✓			✓	✓	✓	✓		✓	✓	✓				✓	
Quick cook										✓	✓					
Steam cook											✓					
Pizza & steam											✓					
Steam reheat											✓					

Second oven

	WVE645S	WVE655	WVE665	WVE626	WVE636	WVES613	WVE613	WVE615	WVEP615	WVE617	WVEP618	WVE916	WVG613	WVG615	WVG655	WVG665
Conventional bake					✓	✓										
Fan bake					✓	✓										
Grill – electric	✓	✓			✓										✓	✓
Maxi grill – electric					✓											
Defrost					✓	✓										
Rapid heat/fast heat					✓											
Base heat					✓	✓										
Fan assist					✓	✓										
Pizza																
Fan Grill					✓											

Westinghouse

For more information on all Westinghouse appliances, or for dimension and installation information, call into your retailer, phone or email our customer care team or visit our website:

phone: 1300 363 640
fax: 1800 350 067
email: customercare@electrolux.com.au
web: westinghouse.com.au

**Westinghouse. We are part of the Electrolux family.
Share more of our thinking at electrolux.com.au**

We invite you to follow Westinghouse and get involved in the conversation.

Top service
Electrolux Top Service encompasses the after sales service including Delivery, Home Service and Spare Parts.

Spare Parts and Accessories:
Westinghouse offers an extensive range of genuine spare parts and accessories to purchase across our entire range of products. With purchasing options to suit your shopping style, you can be sure we are always thinking of you. To view and purchase genuine spare parts and accessories online visit shop.westinghouse.com.au

To discuss and purchase genuine spare parts and accessories with one of our friendly staff call 1300 363 640. To find your nearest Electrolux spare parts retailer call 13 13 50.