

iQ700, Built-in warming drawer, 60 x 14 cm, Black BI830CNB1B



The warming drawer is perfect for preheating crockery, for keeping foods warm and for gentle cooking.

- ✓ push&pull – No-handle drawer that's easy to open and close.
- ✓ The 14 cm high drawer is ideally combined with a 45 cm compact appliance.
- ✓ The heated sheet admits a regulation in four temperature levels from 40°-80°C glass surface temperature

Features

Technical Data

Built-in / Free-standing : Built-in
 Color / Material Front : Black
 Maximum number of plates : 12
 Maximum number of espresso cups : 64
 Dimensions of the packed product (HxWxD) : 210 x 660 x 660 mm
 Required niche size for installation (HxWxD) : 140 x 560 x 550 mm
 EAN code : 4242003788509
 Electrical connection rating : 810 W
 Fuse protection : 10 A
 Voltage : 220-240 V
 Frequency : 60; 50 Hz
 Plug type : GB plug



**iQ700, Built-in warming drawer, 60 x
14 cm, Black
BI830CNB1B**

Features

- Heating plate made of toughened glass
- Temperature control with 4 levels: 40 °C - 80 °C (glass surface temperature)

Convenience

- Max weight up to 25 kg
- Max. loading espresso cups: 64 PC or Max. loading plates: 12 PC

Technical Info

- Length of mains cable: 150 cm
- Appliance dimensions (HxWxD): 140 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 140 mm x 560 mm - 568 mm x 550 mm

Design

- Black Steel Design
- Rotary Control
- User-friendly electronics: extremely
- easy and comfortable operation
- Cavity volume: 20 l usable litres
- Suitable for: Pre-warming of crockery, Keeping drinks and food warm, Dough proving, Defrosting, Slow cooking
- Handleless push&pull opening mechanism

Safety and Environment


- Door contact switch
-
- Total connected load electric: 0.81 KW
- Nominal voltage: 220 - 240 V

Dimensions

- Please reference the built-in dimensions provided in the installation drawing


**iQ700, Built-in warming drawer, 60 x
14 cm, Black
BI830CNB1B**

Dimensioned drawings



Compact ovens with an appliance height of 455 mm can be installed above a warming drawer. An intermediate floor is not required.

measurements in mm



measurements in mm