

iQ700, Built-in warming drawer,
60 x 29 cm, Black
BI630DNS1B



HZ6WCC0	Cookbook

- ✓ push&pull – No-handle drawer that’s easy to open and close.
- ✓ The heated sheet admits a regulation in four temperature levels from 30°- 80°C glass surface temperature

Color / Material Front: Black
Built-in / Free-standing: Built-in
Dimensions (HxWxD): 290x594x548 mm
Dimensions of the packed product: 350 x 640 x 660 mm
Min. required niche size for installation (HxWxD): .. 290 x 560 x 550 mm
Maximum number of espresso cups: 192
Net weight: 18.6 kg
Gross weight: 20.9 kg
EAN code: 4242003676639
Fuse protection: 10 A
Voltage: 220-240 V
Frequency: 60; 50 Hz



iQ700, Built-in warming drawer, 60 x 29 cm, Black BI630DNS1B

Design

Convenience

- Rotary Control
- User-friendly electronics: extremely easy and comfortable operation
- Heating plate made of toughened glass
- Cavity volume: 52 l usable litres
- Max weight up to 25 kg
- Max. loading espresso cups: 192 PC or Max. loading plates: 40 PC
- Suitable for: Pre-warming of crockery, Keeping drinks and food warm, Dough proving, Defrosting, Slow cooking
- Temperature control with 4 levels: 40 °C - 80 °C (glass surface temperature)
- Handleless push&pull opening mechanism



Technical Info

- Length of mains cable: 150 cm
- Total connected load electric: 0.81 KW
- Nominal voltage: 220 - 240 V

Dimensions

- Appliance dimensions (HxWxD): 290 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 290 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing

**iQ700, Built-in warming drawer,
60 x 29 cm, Black
BI630DNS1B**



Ovens with an appliance height of 595 mm can be installed above a warming drawer. An intermediate floor is not required.

measurements in mm