

iQ700, Built-in compact oven with added steam and microwave function , Stainless steel CN678G4S1B



Included accessories

- 2 x combination grid
- 1 x universal pan

Optional accessories

- | | |
|----------|--|
| HZ636000 | Glass pan |
| HZ632070 | Multipurpose pan, anthracite enamelled |
| HZ631070 | Baking tray, anthracite enamelled |
| HZ625071 | Grill tray, anthracite enamelled |
| HZ617000 | Pizza pan, anthracite enamelled |
| HZ327000 | Baking stone |

The compact oven with a height of 45 cm and a built-in microwave, pulseSteam function and sensors for optimum results.

- ✓ Microwave and pulseSteam functions: for a maximum of options.
- ✓ TFT Touchdisplay Plus: optimum readability and intuitive operation.
- ✓ roastingSensor and bakingSensor: detect the exact moment when your food is done.
- ✓ activeClean: the automatic system for effortless cleaning.
- ✓ Meals (automatic programs): guaranteed success for numerous dishes.

Features

Technical Data

Type of micro-wave oven : MW-Combi
 Type of control : Electronic
 Color / Material Front : Stainless steel
 Dimensions of the product (mm) : 455 x 594 x 548
 Cavity dimensions (mm) : 237.0 x 480 x 392.0
 Length electrical supply cord (cm) : 150
 Net weight (kg) : 41.729
 Gross weight (kg) : 44.0
 EAN code : 4242003681213
 Maximum micro-wave power (W) : 900
 Connection Rating (W) : 3600
 Current (A) : 16
 Voltage (V) : 220-240
 Frequency (Hz) : 60; 50
 Plug type : no plug



4 242003 681213

iQ700, Built-in compact oven with added steam and microwave function , Stainless steel CN678G4S1B

Features

Heating Functions

- Compact oven with microwave with 15 heating methods:
- 4D HotAir
- 4D HotAir Eco
- Top/ bottom heating
- Top/bottom heating Eco
- Hot air grilling
- Full width grill
- Half width grill
- Pizza setting
- coolStart (deep-frozen food special)
- Bottom heating
- Intensive heat
- Low temperature cooking
- Plate warming setting
- Drying
- Keep Warm
- Additional heating methods with steam: Reheating, Dough Proving
- Additional heating methods with microwave: Pure microwave, Combination microwave and conventional oven
- Temperature range 30 °C - 300 °C
- Max. Power: 900 W; 5 Microwave power settings (90 W, 180 W, 360 W, 600 W, 900 W) with Inverter (MW)
- Cavity volume: 45 net usable litres

Design

- Rotary Control
- Anthracite enamel cavity with 3 shelf levels

Cleaning

- activeClean® – automatic self-cleaning function with automatic safety door lock
- Microwave top door

Convenience

- 5.7" TFT touchDisplay Plus
- Temperature proposal
- Actual temperature display
- Actual temperature display
- Sabbath setting
- Additional functions:
- Descaling program
- Drying function
- Meals (automatic programs)
- roastingSensor with three measuring points
- bakingSensor
- Electronic clock and timer
- Rapid heating-up
- LED lighting
- Large 1 litre water tank
- Water tank empty indicator
- Location of the steam generator is outside of the cavity
- Integrated cooling fan
- Stainless-steel fan
- Info button
- Bar handle

Hook-in racks / rails

- Cavity with shelf support rails, 1 level telescopic shelf, partially extendable, pyrolytic proof

Accessories

- 2 x combination grid, 1 x universal pan

Safety and Environment



- Maximum door temperature 30° C
- door lock electronical
- Child lock for settings
- Automatic safety switch-off function
- Residual heat indicator
- start button
- door contact switch

Technical Info

- Length of mains cable: 150 cm
- Total connected load electric: 3.6 KW
- Appliance dimensions (HxWxD): 455 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 450 mm - 455 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing


iQ700, Built-in compact oven with added steam and microwave function ,
Stainless steel
CN678G4S1B

Dimensioned drawings



If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm



Installation with a hob.

