

iQ700, Built-in oven with steam function, 60 x 60 cm, Matt Black HS938GDM1



HZ629070	Air Fry & Grill tray
HZ631070	Baking tray, enamelled
HZ638D00	Full ext rails, level independent, steam

The intelligent fullSteam Plus oven with Cooking Assistant for intuitive programme setting and roastingSensor Plus for excellent results.

- ✓ Matt Edition – The understated elegance of black matt appliances.
- ✓ fullSteam Plus with sous-vide – For healthy and great-tasting meals.
- ✓ Cooking Assistant – Intuitively set the right programme via the Home Connect app.
- ✓ humidClean Plus – Steam softens baked on dirt so it wipes away easily. Fast, effortless cleaning.
- ✓ bakingSensor Plus and roastingSensor Plus – Perfect baking and roasting results.

Color / Material Front: Matt Black
Built-in / Free-standing: Built-in
Door opening: Drop down
Cleaning system:ecoClean®
self-cleaning function (rear, sides and ceiling), Hydrolytic
Control Panel Material:Glass
Door Material:Glass
Dimensions (HxWxD):595x594x548 mm
Dimensions of the packed product:670x670x680 mm
Required niche size for installation (HxWxD): ..585-595 x 560-568 x 550 mm
Cavity dimensions:355.0 x 480 x 415.0 mm
Usable volume of cavity:71 l
Number of interior lights:1
Net weight:42.2 kg
Gross weight:44.9 kg
EAN code:4242003982433
Power supply:3600 W
Fuse protection:16 A
Voltage:220-240 V
Frequency:50; 60 Hz
Length electrical supply cord:120 cm



iQ700, Built-in oven with steam function, 60 x 60 cm, Matt Black HS938GDM1

Heating Functions

- Combi-steam oven with 25 heating methods: 4D hotAir, Top/ bottom heating, Hot air grilling, Full width grill, Half width grill, Pizza setting, coolStart (deep-frozen food special), Bottom heating, Intensive heat, Low temperature cooking, Plate warming setting, Drying, Keep Warm, hotAir gentle, Conventional heat gentle, Air fry, FullSteam, Reheating, Dough Proving, Defrost, sous-vide cooking, hotair grilling + steam, keep warm + steam, 4D hotAir + steam, Top/bottom heat + steam
- Combi-steam oven with 25 heating methods: FullSteam, Reheating, Dough Proving, Defrost, sous-vide cooking
- Heating methods only via Home Connect App: let rest, preheating
- Temperature range 30 °C - 250 °C.
- fullSteam Plus 120 °C
- Cavity volume: 71 net usable litres
- Cavity: smooth

Racks and Rails

- Number of shelf levels: 5
- varioClip rails Plus, full extension, with Stop function

Design

- Matt Surface
- Touch control
- Cavity inner surface: enamel

Cleaning

- ecoClean: coating of back panel
- humidClean Plus program - easy cleaning of a lightly soiled cooking cavity
- Full glass inner door

Convenience

- Cooking Assistant
- TFT-Touchdisplay Pro
- Electronic clock and timer
- Temperature proposal, Residual heat indicator, Actual temperature display, Meat probe function
- Oven door with SoftOpen and SoftClose door
- cookControl Pro
- roastingSensor with three measuring points, bakingSensor
- roastingSensor Plus multipoint meat probe
- bakingSensor Plus
- Automatic rapid heat up
- coolStart - eliminates preheating for frozen foods
- steamBoost - add for 3min intensive steam with a touch of a button.
- There are different steam intensities selectable: steam level high, steam level middle, steam level low
- LED light
- Water tank empty indicator
- Location of the steam generator is outside of the cavity
- Integrated cooling fan

- HomeConnect
- 4D hotAir: even heat distribution on any level, also simultaneously
- Bottom hinged door

Accessories

- 1 x air fry & grill tray, 1 x enamel baking tray, 1 x steam container, punched, size XL, 1 x steam container, unpunched, size M, 1 x grid, 1 x sponge, 1 x universal pan

Safety Features

- Triple glazed door with heat reflective glass
- Child lock , Automatic safety switch-off function, Residual heat indicator, Start button, Door contact switch
- Door temperature 40 degrees

Technical Information


- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW

Dimensions


- Appliance dimensions (HxWxD): 595 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing

iQ700, Built-in oven with steam function, 60 x 60 cm, Matt Black HS938GDM1

Installing two appliances on top of each other
Air exchange



A: Air inlet $\geq 200\text{ cm}^2$



Measurements in mm
Worktop thickness when installing underneath a hob
(incl. substructure, if required)

Hob type	raised	flush
Induction hob	≥ 37	≥ 38
Full surface induction hob	≥ 47	≥ 48
Gas hob	≥ 30	≥ 38
Electric hob	≥ 27	≥ 30

