

## Series 6, French Door Bottom freezer, multiDoor, 183 x 91 cm, Black stainless steel KFN96AXEAA









# Included accessories

3 x egg tray 1 x ice cube tray

# The NoFrost bottomfreezer with VitaFresh plus: Keeps your fresh foods fresh and vitamin-rich longer.

- VitaFresh XXL Pro 0°C: climate-controlled compartments lock in freshness and nutrients for longer.
- NoFrost: you'll never have to defrost your fridge-freezer again.
- Metal backwall with MultiAirflow: evenly circulates cool, fresh air to maintain consistent temperatures.
- **Connectivity:** Remotely monitor and control your fridge from your smartphone or tablet.
- **XXL capacity:** extra space to store more food items due to the slightly wider build.

#### **Technical Data**

Energy Efficiency Class: E

Annual energy consumption AU: 395 kWh

Freezer Net capacity: 200 I Refrigerator Net capacity: 405 I

Airborne acoustical noise emissions: 38 dB(A) re 1 pW

Noise level class: C

Built-in / Free-standing: Freestanding Door panel options: Not possible

Height: 1830 mm

Width of the appliance: 910 mm Depth of the product: 731 mm

Net weight: 118.8 kg Fuse protection: 10 A Door hinge: left and right Voltage: 220-240 V Frequency: 50 Hz

Approval certificates: Australia Standards Length electrical supply cord: 240 cm

Storage Period in Event of Power Failure (h): 15 h

Number of compressors: 1

Number of independent cooling systems: 1

Interior ventilator: Yes Reversible Door Hinge: No

Number of Adjustable Shelves in fridge compartment: 3

Shelves for Bottles: No Installation typology: N/A Type of hinge: Flush-folding

Annual energy consumption AU: 395 kWh





### Series 6, French Door Bottom freezer, multiDoor, 183 x 91 cm, Black stainless steel KFN96AXEAA

# The NoFrost bottomfreezer with VitaFresh plus: Keeps your fresh foods fresh and vitamin-rich longer.

- No Frost, French door fridge freezer
- Freestanding Freezer with Black inox-antifingerprint

#### **Performance & Consumption**

- Multiairflow system Minimises fluctuating temperatures by ensuring optimal and uniform air circulation in the fridge
- Total Volume: 605 l
- Net Fridge Volume : 405 l
- Net Freezer Volume: 200 l
- Annual Energy Consumption: 395 kWh
- Climate Class: SN-T
- Fast Freeze
- Noise Level: 38 dB

# Finish

- Black inox-antifingerprint doors and cast iron look side panels

#### Design

- LED interior light in fridge section
- Metal backwall
- Interior design with metal trims

#### Convenience & Safety

- Remote Monitoring and Control with Home Connect
- Electronic temperature control with independent controls for fridge and freezer
- SuperCooling Function Automatically brings down the temperature of the refrigerator to cool new groceries rapidly
- Automatic defrost in fridge section
- Child lock
- Acoustic door open alarm, Optical warning system Door open
- Acoustic Warning System, Optical Warning System by Temperatur increase

#### **Shelving & Compartments**

- FrostFree MultiAirflow system
- 4 safety glass shelves of which 3 are height adjustable, Standard 2 shelves extendable
- 2 door bin(s) large, 2 door bin(s) small
- LED interior light lighting
- Egg rack
- 1 VitaFresh **◄**0°C► drawer Fish and meat stay fresh
- 1 VitaFresh drawer on rails with humidity control Fruits and vegetables retain vitamins and stay fresh for longer.

#### **Freezer Compartment**

- Freezer: 2 transparent drawers with telescopic rails
- Ice cube tray

#### **Dimensions**

- Dimensions ( H x W x D): 1830 mm x 910 mm x 731 mm

#### **Technical Information**

- 4 wheels for easier transport, 3 of them height adjustable.
- Voltage 220 240 V

#### **Accessories**


- 3 x egg tray, 1 x ice cube tray

#### Comfort


- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.



# Series 6, French Door Bottom freezer, multiDoor, 183 x 91 cm, Black stainless steel KFN96AXEAA



Front is adjustable from 1830 to 1847, with front levelling feet fully extended
B: Add 25 for fixed spacers on back



A: Front is adjustable from 1830 to 1847, with front levelling feet fully extended

#### Measurements in mm

