












Power entry location is the same for all MURRAY models.



| Model                  | MUR 1000L-2 | MUR 1300L-3 | Model                        | MUR 1000L-2            | MUR 1300L-3   |
|------------------------|-------------|-------------|------------------------------|------------------------|---------------|
| Body Width             | 1000mm      | 1300mm      | Filter Size                  | 290mm x 422mm          | 290mm x 422mm |
| Motor Box / Flue Width | N/A         | N/A         | Conversion Top/Back Back/Top | YES                    | YES           |
| Motor Qty              | 2           | 3           | Electrical Connection        | Junction Box           | Junction Box  |
| LED Light              | Cool        | Cool        | Minimum Height (H =)         | N/A                    | N/A           |
| Nightlight             | YES         | YES         | Maximum Height (H =)         | N/A                    | N/A           |
| Light Qty              | 4           | 4           | PowderKote® Available        | N/A                    | N/A           |
| Light Centres          | 580mm       | 580mm       | All-thread Fixing Centres    | N/A                    | N/A           |
| Filter Qty             | 3           | 4           | Corner Type                  | Square                 | Square        |
| WM-xy** Series         |             |             | Condari Pty Ltd.             | Version: D 07/04/2021F | Page 1 of 3   |



| Model                  | MUR 1600L-3 | Model                                           | MUR 1600L-3   |
|------------------------|-------------|-------------------------------------------------|---------------|
| Body Width             | 1600mm      | Filter Size                                     | 290mm x 422mm |
| Motor Box / Flue Width | N/A         | Conversion Top/Back Back/Top                    | YES           |
| Motor Qty              | 3           | Electrical Connection                           | Junction Box  |
| LED Light              | Cool        | Minimum Height (H =)                            | N/A           |
| Nightlight             | YES         | Maximum Height (H =)                            | N/A           |
| Light Qty              | 4           | PowderKote® Available All-thread Fixing Centres | N/A           |
| Light Centres          | 872mm       | Corner Type                                     | Square        |
| Filter Qty             | 5           |                                                 |               |
| WM-xy** Series         |             | Condari Pty Ltd. Version: D 07/04/2021F         | Page 2 of 3   |


**MUR 1000L-2 SHROUD**

**MUR 1300L-3 SHROUD**

**MUR 1600L-3 SHROUD**

| Model                 | MUR 1000L-2 SHROUD | MUR 1300L-3 SHROUD | MUR 1600L-3 SHROUD |
|-----------------------|--------------------|--------------------|--------------------|
| Minimum Height (H =)  | 25mm               | 25mm               | 25mm               |
| Maximum Height (H =)  | 1400mm             | 1400mm             | 1400mm             |
| Powderkote® Available | N/A                | N/A                | N/A                |