

H 7660 BP 60 cm Oven



Model and design	
Built-in oven	•
Design line	VitroLine
Colour	Brilliant White
Convenience features	
TasteControl	•
Rapid heat-up	•
Pre-heat	•
Food probe	•
Keeping warm	•
Crisp function	•
Operating modes	
Defrost	•
Automatic programmes	•
Country-specific automatic programmes	•
Auto roast	•
Eco Fan plus	•
Grill	•
Economy grill	•
Fan plus	•
Intensive bake	•
Moisture plus	•
Moisture plus with Fan plus	•
Moisture plus with Conventional heat	•
Moisture plus with Intensive bake	•
Moisture plus with Auto roast	•
Low temperature cooking	•
Conventional heat	•
Top heat	•
Bottom heat	•
Fan grill	•
Special applications	
User convenience	
	M Touch S
Display Mation Peaget light comes on when movement is detected	• IVI IOUCITS
MotionReact: light comes on when movement is detected MotionReact: display comes on when movement is detected	•
MotionReact: audible signal is acknowledged when movement	•
is detected	•
MotionReact: detection of cabinet fronts	•
SoftOpen	•
SoftClose	•
MultiLingual	•
MyMiele	•
Help function	•
Timed steam bursts programmable	•
Time display	•
Clock synchronisation	•
Date display	•
Minute minder	•
	•
Programmable start of cooking duration Programmable and of cooking duration	_ `
Programmable end of cooking duration	



H 7660 BP 60 cm Oven



User convenience	
Programmable cooking duration	•
Actual temperature display	•
Desired temperature display	•
Audible signal when desired temperature is reached	•
Recommended temperature	•
User programmes	20
Sabbath programme	•
Individual settings	•
Efficiency and sustainability	
Residual heat utilisation	•
Cleaning and care	
Pyrolytic self-cleaning	•
Heated catalyser	•
Hinged grill element	•
CleanGlass door	•
Appliance networking	
Miele@home	•
MobileControl	•
SuperVision display	•
WiFiConn@ct	•
Safety	
Appliance cooling system and touch-cool front	•
Safety switch-off	•
System lock	•
Door lock during pyrolytic cleaning	•
Sensor lock	•
Technical data	
Oven compartment volume in I	76
No. of shelf levels	5
Shelf level labelling	•
Oven light	_ BrilliantLight
Temperature regulation in °C	30-300
Niche width in mm	_560-568
Niche height in mm	590-595
Niche depth in mm	550
Appliance width in mm	554
Appliance height in mm	579
Appliance depth in mm	547
Accessories supplied	
Baking tray with PerfectClean	1
Universal tray with PerfectClean	1
Grilling and roasting insert	1
Wire rack with PyroFit	2
FlexiClip runners with PyroFit	1 pair
Removable side racks with PyroFit	1 pair
Descaling tablets	2

Miele

H 7660 BP 60 cm Oven









