

## iQ700 Warming drawer BI830CNB1A



The warming drawer is perfect for preheating crockery, for keeping foods warm and for gentle cooking.

- ✓ The handleless warming drawer is easy to open thanks to the push/pull function.
- ✓ The warming drawer can be installed separately or in combination with a traditional oven or 45 cm compact appliance.
- ✓ The heated sheet admits a regulation in four temperature levels from 40°-80°C glass surface temperature

### Features

#### Technical Data

Built-in / Free-standing : Built-in  
 Color / Material Front : Black  
 Maximum number of plates : 12  
 Maximum number of espresso cups : 64  
 Dimensions of the product (mm) : 140 x 595 x 548  
 Dimensions of the packed product (HxWxD) (mm) : 210 x 660 x 660  
 Required niche size for installation (HxWxD) : 140 x 560 x 550  
 Power output heating : 0.810  
 Power Level : high, low, medium, plate  
 Type of control setting and signalling devices : Rotary knob  
 Temperature control : electronic  
 Time control : No  
 Electrical connection rating (W) : 810  
 Current (A) : 10  
 Voltage (V) : 220-240  
 Frequency (Hz) : 50; 60  
 Plug type : AU plug  
 Color / Material Front : Black  
 Approval certificates : Australia Standards, CE, VDE  
 Required cutout/niche size for installation (in) : x x  
 Appliance Dimensions (h x w x d) (in) : x x  
 Dimensions of the packed product (in) : 8.26 x 25.98 x 25.98  
 Net weight (lbs) : 35  
 Gross weight (lbs) : 39  
 Length electrical supply cord (cm) : 150  
 Required niche size for installation (HxWxD) : 140 x 560 x 550  
 Dimensions of the product (mm) : 140 x 595 x 548  
 Dimensions of the packed product (HxWxD) (mm) : 210 x 660 x 660  
 Net weight (kg) : 16.0  
 Gross weight (kg) : 18.0



**iQ700**  
**Warming drawer**  
**BI830CNB1A**

#### Features

##### Heating Functions

- Heating plate made of toughened glass
- Temperature control with 4 levels: 40 °C - 80 °C (glass surface temperature)
- Cavity volume: 20 net usable litres

##### Design

- black Steel Design

##### Convenience

- Max weight up to 25 kg

##### Max. loading espresso cups: 64 PC or Max. loading plates: 12 PC

- Suitable for:
  - Pre-warming of crockery
  - Keeping drinks and food warm
  - Dough proving
  - Defrosting
  - Slow cooking
- 140 mm height
- Handleless push&pull opening mechanism

##### Safety and Environment

- Door contact switch

##### Technical Info

- Length of mains cable: 150 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 0.81 KW
- Appliance dimensions (HxWxD): 140 mm x 595 mm x 548 mm
- Installation dimensions (HxWxD): 140 mm - 140 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing

iQ700  
Warming drawer  
BI830CNB1A

Dimensioned drawings

