


90cm 5 zone induction cooktop with ProCook function, DoubleBridge, touch slide controls, XL zone and Hob2Hood.



Product Details

FEATURES

DoubleBridge

Two bridge zones allow you to join cooking areas together to fit large pots or long pans.

Hob2Hood

Hob2Hood automatically adjusts your hood settings so you can focus on creating delicious dishes.

Heat memory

If cooking is interrupted, Heat Memory retains your hob settings for 120 seconds.

PowerBoost

PowerBoost provides quick, intense heat

Individual zone controls

Individual Zone Controls with separate timers and independent functions including PowerBoost and ActiveTouch.

Pause Function

The pause function sets zones to the lowest setting to keep dishes warm and prevent overcooking.

Child lock

BENEFITS

DOUBLE THE FLEX AND FLAVOUR

DoubleBridge means this cooktop has two Bridge zones, one on each side, which allows you to join cooking areas together in order to fit large pots or long pans. Sharing the same temperature and time setting, the linked zones are ideal when you're experimenting with a plancha or fish kettle.

A FRESHER KITCHEN. HANDS-FREE.

The wireless Hob2Hood function automatically adjusts your hood settings based on how you are cooking, leaving your hands free to focus on the food. The hood lights will automatically illuminate when your hob turns on and the fan speed will adjust depending on how powerfully you are cooking.

INTUITIVE, CONTINUOUS COOKING

Keep your cooking on course with Heat Memory. If the pot is lifted from the hob, or if spills occur, the intuitive user interface retains your current heat settings for 120 seconds, preventing the need to reset power. With Heat Memory, precise heat is continuously maintained to help create memorable meals.

INSTANT BOIL

No more waiting around for pots to boil. PowerBoost provides an instant burst of heat that boils water in under 90 seconds, even faster than an electric kettle. Its perfect for high-heat tasks like boiling potatoes or searing steak.

SIMULTANEOUS TIMER CONTROL

Individual zone timers allow you to set the duration of your cooking zones independently of one another. When a cooking zone is in use, the control panel provides quick and easy access to its timer. No need to go through menus to find it. And since each dish can be precisely timed, absolute control of the cooking process is assured.

WHY NOT HIT PAUSE

The pause function is useful if your cooking is interrupted. At the touch of a button all cooking zones will be reduced to the lowest heat setting to ensure dishes stay warm, but don't overcook.

CHILD PROOF

Activate the child lock function to prevent accidental operation of the hob when it's not in use.

Specifications

PRODUCT PROFILE

| | |
|---------------------------------|---------------------|
| Domestic warranty details (yrs) | 5 |
| Cooktop type | induction |
| Materials/Colour | black ceramic glass |
| Trim finish | bevelled sides only |
| Removable trim (for cleaning) | No |

DIMENSIONS

| | |
|---------------------------|-----|
| Total product height (mm) | 48 |
| Total product width (mm) | 910 |
| Total product depth (mm) | 520 |
| Cut out width (mm) | 880 |
| Cut out depth (mm) | 490 |
| Cut out height (mm) | 44 |

CONTROLS

| | |
|-----------------------|--|
| Controls of Cooktops | Touch and Slide controls |
| Position of controls | front |
| Functions of Cooktops | automatic switch off,acoustic signal,booster,Hob2Hood,timer,pause,MaxiZone,Child-lock,Individual zone timers,auto heat up,Bridging |
| Indicators/display | fault indicator,3 level residual heat indicator |

ELEMENTS/BURNERS

LEFT FRONT ZONE

| | |
|------------------------|--------|
| Left front zone | Bridge |
| Left front Watts | 2300 |
| Left front boost watts | 3200 |
| Left front diameter mm | 210 |

CONTROLS

Features of Cooktop minute minder,function lock,sound off,pot sensors,Hob2Hood Connectivity,MaxiZone,Bridge zone,safety child lock,key lock function

Timer of Cooktop CountUp,Minute minder

LEFT REAR ZONE

Left rear zone Bridge

Left rear watts 2300

Left rear diameter mm 210

CENTRE REAR ZONE

Centre rear zone MaxiZone

Centre rear Watts 1800

Centre rear diameter mm 280

RIGHT FRONT ZONE

Right front zone Bridge

Right front Watts 2300

Right front diameter mm 210

RIGHT REAR ZONE

Right rear zone Bridge

Right rear watts 2300

Right rear diameter mm 210

ELECTRICAL SPECIFICATIONS

Connected load KW 7.35

Type of connection hardwired

SHIPPING

Shipping Volume (m3) 0.093

Shipping Weight (Kg) 19.4

SHIPPING

Pack Dimensions Height 135
(mm)

Pack Dimension Width 1110
(mm)

Pack Dimension Depth 620
(mm)

Dimensions

AEG


DIMENSION AND INSTALLATION GUIDE

9000 SERIES

NIK95N00FB

90CM BUILT-IN INDUCTION COOKTOP

| Dimensions | Width (mm) | Height (mm) | Depth (mm) |
|--------------|------------|-------------|------------|
| Cut-out (mm) | 880 | 44 | 490 |
| Product (mm) | 910 | 48 | 520 |

**IMPORTANT**

These dimensions are a guide only. All measurements are in millimetres (mm).
For complete installation instructions, refer to the manual provided with product.

© 2024 Electrolux S.E.A PTE LTD. AEG_DIM_NIK95N00FB_Oct24

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

Electrolux Home Products warrants that for domestic applications the AEG appliances featured are free from defects in materials and workmanship for 5 years (3 months warranty for commercial applications). All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 664

fax: 1800 350 067

email: customercare@aegaustralia.com.au

web: www.aeg.com/au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 0800 10 66 10

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.aeg.com/au