
### ASSEMBLY INSTRUCTIONS

### TABLE ONE BY MANUEL AIRES MATEUS



#### PARTS

1x Tabletop

2x Leg frames

2x Side beams

#### HARDWARE

(6x) Universal connector

(6x) Metal dowel





(8x) M8x65 Caphead screw

(8x) M8 Washer





## YOU WILL NEED

-6mm Allen Key

-The help of 3 or 4 friends

### NOTES

NOTE 1: Be certain that all assembly is carried out on a flat and stable surface. This will ensure a good final result. Reverse the steps to disassemble the piece.

NOTE 2: Your furniture arrives packed in numerous layers that protect it during transport. It is important that you remove the packaging carefully to avoid damaging your furniture. Refer to our information sheet "Unpacking Your Furniture" for further details.

NOTE 3: Great care is required when assembling our products. Use blankets to soften the assembly surface - hard surfaces such as wood or stone flooring may damage the furniture if in direct contact.

NOTE 4: We advise that assembly and disassembly is undertaken by a minimum of 4 people.

NOTE 5: When screwing in bolts, tighten well, but be sure NOT TO OVERTIGHTEN. This can cause the thread to strip thus resulting in a poor connection.

NOTE 6: While you work, be sure all connections are flush with no gaps.

NOTE 7: After assembly, ensure that the table is resting on a level surface.

0

1

<u>м</u> <u>а</u>

N

<u>U</u>

E L

<u>A</u>

I

R E

<u>s</u>

M

<u>A</u>

Ē


<u>U</u>

## ASSEMBLY INSTRUCTIONS CONTINUED


### TABLE ONE

### INSTRUCTIONS

- 1) REMOVE TRANSPORT BRACES FROM UNDERSIDE OF TABLETOP
- a) Place the tabletop face down onto a clean, soft surface such
- as blanket or carpet on the floor.
- b) Locate the transport braces located at either end of the tabletop.



c) Using an Allen Key, unscrew each of the caphead screws securing the transport braces in place. Remove the caphead screws, washers, and the transport braces and place them to one side.



0

2

M

<u>A</u>

N

<u>U</u>

E

ᆫ

A

I

<u>R</u>

E

<u>s</u>

M


A

T


E

<u>U</u>

d) The tabletop should now look like this.



- 2) ATTACH LEG FRAMES TO TABLETOP
- a) Insert Universal Connectors into the rebates in the sidebeams and central beam.



0

3

M

<u>A</u>

N

<u>U</u>

E

ഥ

A

<u>I</u>

<u>R</u>

E

<u>s</u>

M


A

T

E

<u>U</u>

b) Screw metal dowels into the pre-drilled holes in each leg frame, as indicated below.



<u>N</u>

<u>E</u>

<u>L</u>

A

<u>I</u> <u>R</u>

<u>E</u> <u>S</u>

<u>M</u>


<u>A</u> <u>T</u>


E

<u>U</u> <u>s</u>

# ASSEMBLY INSTRUCTIONS CONTINUED

TABLE ONE





<u>N</u>

<u>U</u> <u>E</u>

ഥ

<u>A</u>

<u>R</u>

<u>s</u>

E


<u>M</u>

<u>A</u> <u>T</u>


E

<u>u</u>

- 3) ATTACH SIDE BEAMS
- a) Place the sidebeams into position between the legs at either end of the table, aligning the pre-drilled holes with those in the tabletop. Insert the caphead screws with washers into each of the pre-drilled holes and tighten firmly with an Allen key.



- 4) TURN THE TABLE INTO AN UPRIGHT POSITION
- a) With the help of 3 or 4 friends, carefully turn the table over into an upright position, taking care not to place any weight/force on the table legs while turning.



0

6

M

<u>A</u>

N

<u>U</u>

E

ᆫ

<u>A</u>

I

<u>R</u>

E

<u>s</u>

M

A

T


E

<u>U</u>

## ASSEMBLY INSTRUCTIONS CONTINUED

# TABLE ONE

b) Assembly is now complete and the table is ready for use.



<u>U</u>

E

ഥ

<u>A</u>

<u>R</u> <u>E</u>

<u>s</u>

<u>M</u>

<u>A</u> <u>T</u>

E

<u>U</u>