QUICK REFERENCE GUIDE > OB60SM16PLG1

60cm Series 7 Minimal Pyrolytic Oven, 16 Function

Series 7 | Minimal

Grey Glass




With refined Minimal styling and generous capacity, this built-in oven helps to ensure that every dish you create is cooked to perfection.

- 16 oven functions including Pastry Bake, Roast, Dehydrate and Rapid Proof
- Even heat circulation with AeroTech[™], ideal for multi-shelf cooking
- Pyrolytic self-cleaning function breaks down food residue for an easy clean

Designed to match our Minimal style family of cooking appliances

DIMENSIONS

Height 598 mm
Width 596 mm
Depth 565 mm



FEATURES & BENEFITS

Multi-Function Flexibility

Each function has been perfected to ensure that no matter what you're cooking, you've got the right heat to match. This built-in oven has 16 functions including Pastry Bake, Roast, Aero Broil, Dehydrate and Rapid Proof, allowing you to use a variety of cooking styles.

Generous Capacity

With a generous 85L total capacity, you can create several perfectly cooked dishes at once using multiple shelves.

Cook With Confidence

The 2.4" screen provides an intuitive guided cooking experience that helps to deliver perfect results, whether you've been cooking all your life or are just starting out. Cook by food type and allow your oven to guide you through the steps, or change temperature and heat type automatically, depending on your selection.

Exceptional Performance

Our unique cooking technologies were developed to deliver perfect results. ActiveVent ensures optimized moisture levels, while AeroTech™ circulates heat evenly for a consistent temperature.

Self-Cleaning

Pyrolytic self-clean breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth. The enamel coated side racks don't need to be removed when using this function.

Complementary Design

Designed to blend seamlessly into the kitchen, this Minimal style oven features subtle textural and tonal contrasts.

Available in a black or grey finish to support a considered kitchen design.

Safe And Sound

The CoolTouch door features triple glazing and a cooling system that ensures it's safe to touch from the outside – protecting both your hands and the surrounding cabinetry.

SPECIFICATIONS

Accessories (included)

Full extension sliding shelves

1 set

QUICK REFERENCE GUIDE > OB60SM16PLG1 Date: 07.02.2025 > 2

Grill rack	1 set	Electronic oven control	•	Roast	•
Pyrolytic proof shelf runners	•	Food probe	•	Slow cook	•
Roasting dish	1	Guided cooking by food types	•	Vent bake	•
Smokeless grill tray	1	Halogen lights	•	Warm	•
Step down wire shelf	1	Intuitive touchscreen display	•		
Wired temperature sensor	1	Multi-language display	UK English, US English, Simplified	Performance	
			Chinese, Français, Español	ActiveVent™ system	•
Capacity		Sabbath mode with Mehadrin certification	•	AeroTech™ technology	•
Shelf positions	6	Smart appliance	•	Automatic rapid pre-heat	•
Total capacity	85 L	Soft close doors	•	Grill power	3000 W
Usable capacity	72 L	True convection oven	•	Temperature range	35°C - 280°C⊠
		Turned stainless steel dials with illuminated halos	•	Whisper Quiet Cooking	•
Cleaning		Wireless temperature sensor compatible	•		
Acid resistant graphite enamel	•	, , , , , , , , , , , , , , , , , , ,		Power requirements	
Pyrolytic proof shelf runners	•			Amperage	15 A
Pyrolytic self-clean	•	Functions		Rated current	15 A
Removable oven door	•	Air fry	•	Supply frequency	50 Hz
Removable oven door inner glass	•	Bake	•	Supply voltage	220-240 V
Removable shelf runners	•	Classic bake •			
		Dehydrate	•		
		Fan bake	•	Product dimensions	
Controls		Fan forced	•	Depth	565 mm
Adjustable audio and display settings	•	Fan grill	•	Height	598 mm
Audio feedback	•	Grill	•	Width	596 mm
Automatic cooking/minute timer	•	Number of functions	16		
Automatic pre-set temperatures	•	Pastry Bake	•		
Celsius/Fahrenheit temperature	•	Pizza bake	•	Safety	
Delay start	•	Pyrolytic self-clean	•	Balanced oven door	•
Electronic clock	•	Rapid proof	•	Catalytic venting system	•

QUICK REFERENCE GUIDE > OB60SM16PLG1 Date: 07.02.2025 > 3

Control panel key lock	•
CoolTouch door	•
Non-tip shelves	•
Safety thermostat	•

Warranty

Parts and labour	2 years

SKU		82544

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

↓ 2D-DWG Oven

2D-DXF Oven

Service & Warranty

L Installation Guide Wall Oven

↓ Revit 19

Rhino Wall Oven

SketchUp Wall Oven

User Guide Oven

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1300 650 590 Wwww.fisherpaykel.com