

AEG

F78601VI1P

60cm fully integrated dishwasher with 6 programs, extra tall XXL tub and ProClean™ satellite spray arm to deliver a perfect wash result, regardless of your load.



Product Details

FEATURES

| | | | |
|----------------------|--------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|--------------------|
| 14 place setting | TimeSaver To decrease selected wash program duration by approximately 50%, without sacrificing the wash result. | XtraDry | LightBeam-on-floor |
| Extra silent program | Quick 30 minutes 60 C program | FlexiLift basket Adjusting the upper basket position is easy, even when fully loaded. | Extra Hygiene |
| Aqua Control | AutoOff | | |

BENEFITS

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| A perfect wash The ProClean™ powerful, double rotating satellite spray arm, with 5 spray levels, ensures maximum water coverage over your entire load for a perfect wash result. | Auto program with Sensorlogic This advanced function uses multiple sensors to measure the size and soil level of dishes and gives the best possible wash performance ensuring efficient time, water and electricity consumption. |
| Extra tall tub for large items With an XXL tall tub, you'll find an extra 4cm of internal height to load larger and unconventional shaped items. | Beam on the floor A two coloured beam is projected onto the floor to provide an indication of the wash cycles progress. Red indicating the dishwasher is running, and green when it is ready to unload. |

Specifications

PRODUCT PROFILE

| | |
|---------------------------------|------------------|
| Domestic warranty details (yrs) | 5 |
| Type of Dishwashers | fully integrated |
| Design family (eline) | Neue Kollektion |
| Place settings | 14 |
| Drying system | condensing |
| Number of spray arms | 3 |
| Top shower | Yes |

DIMENSIONS

| | |
|-------------------|-----|
| Total height (mm) | 818 |
| Total width (mm) | 596 |
| Total depth (mm) | 550 |

SPECIFICATION

| | |
|-----------------------------------------|------|
| Water Efficiency Star Rating | 5 |
| Water consumption (litres) | 11.5 |
| Energy Efficiency Star Rating | 3 |
| Energy consumption cold water (kWhr/yr) | 318 |
| Noise level dBA | 48 |
| Water supply | cold |
| Basket colour | grey |
| Service cord length | 1.6 |

BUILT-IN DIMENSIONS

| | |
|--------------------------------|-----|
| Door panel minimum weight (kg) | 1.5 |
| Door panel maximum weight (kg) | 10 |

DIMENSIONS

| | |
|------------------------------------------------|---------|
| Height adjustment (mm) | 80 |
| Cabinet requirement excluding worktop (height) | 820-900 |
| Cabinet requirement excluding worktop(width) | 600 |
| Cabinet requirement excluding worktop (depth) | 570 |

WASH PROGRAMS

| | |
|-----------------------|-------------------------------------------------------------------------------------------|
| Number of Programs | 6 |
| Programs | PRO 70 (Intensive Care 70°),Auto 45-70,Extra Silent,30 minute 60°,Eco 50°C,GlassCare 45°C |
| Wash option | TimeSaver,Delay start (1-24 hours),XtraDry,ExtraHygiene |
| Range of temperatures | 4 |

FEATURES

| | |
|----------------|----------------------------------------------------------------------|
| Other Features | load sensing,delay start,Auto Off,soiled sensing ,LightBeam-on-floor |
|----------------|----------------------------------------------------------------------|

BUILT-IN DIMENSIONS

| | |
|--------------------------------|-----|
| Door panel minimum height (mm) | 670 |
| Door panel maximum height (mm) | 820 |
| Plinth height minimum (mm) | 40 |
| Plinth height maximum (mm) | 140 |

CONTROL PANEL

| | |
|---------------------------|------------------------------------------------------------------------------------------|
| Control panel type | Push button electronic,LED Display |
| Top mounted control panel | Yes |
| Control panel finish | black |
| Display indicators | program selected,delay start,ExtraHygiene,rinse aid,fault display,TimeSaver,end ,XtraDry |

EXTERIOR

| | |
|----------------------|----------------|
| Door finish | your cabinetry |
| Counter-balance door | Yes |

FEATURES

| | |
|------------------------|-----------------------|
| Water safety system | anti-flood protection |
| Filter system | 3 stage |
| Dispenser | detergent,rinse aid |
| Number of spray levels | 5 |

UPPER BASKET

| | |
|-----------------------|-----------------------------------------------------------|
| Upper basket features | height adjustable on full load,soft spikes for tall glass |
| Foldable cup shelves | 4 |
| Foldable Racks | 2 |

HOSES

| | |
|-------------------|------------|
| Inlet hose length | 150 |
| Drain hose length | 150 |
| extension hose | spare part |

EXTERIOR

| | |
|---------------------------|--------------------|
| Plinth colour (kickboard) | no plinth supplied |
|---------------------------|--------------------|

LOWER BASKET

| | |
|-----------------------|----------------|
| Lower Basket Features | cutlery basket |
| Foldable Racks | 2 |

SHIPPING

| | |
|-----------------------------|-------|
| Shipping Volume (m3) | 0.376 |
| Shipping Weight (Kg) | 41 |
| Pack Dimensions Height (mm) | 870 |
| Pack Dimension Width (mm) | 635 |

SHIPPING

| | |
|---------------------------|-----|
| Pack Dimension Depth (mm) | 680 |
|---------------------------|-----|

| | |
|------------------------|-------|
| Total shelf area (m^2) | 0.432 |
|------------------------|-------|


STUFFING QUANTITIES

| | |
|------|----|
| 20ft | 54 |
|------|----|

| | |
|------|-----|
| 40ft | 108 |
|------|-----|

| | |
|---------|-----|
| 40ft HC | 150 |
|---------|-----|

Dimensions



Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

Electrolux Home Products warrants that for domestic applications the AEG appliances featured are free from defects in materials and workmanship for 5 years (3 months warranty for commercial applications). All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 664
fax: 1800 350 067
email: customercare@aegaustralia.com.au
web: www.aeg.com/au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 0800 10 66 10
fax: 09 573 2221
email: customercare@electrolux.co.nz
web: www.aeg.com/au