

90cm Stainless steel canopy rangehood with maximum airflow of 745m³/h, electronic touch control and delay off function.

RRP AUS \$1,059.00



Product Details

FEATURES

Max airflow of 745m3/h	Operation noise as low as 53dB(A)	3 speeds	Delay off function
------------------------	-----------------------------------	----------	--------------------

Dishwasher safe filters	Multi-layer filters	Filter clean reminder
-------------------------	---------------------	-----------------------

BENEFITS

Maximise your airflow Remove odours and vapours quickly and efficiently with a high airflow rate of 745m3/h	Keep the noise down With noise levels as low as 53dB(A), keep the conversation going smoothly when entertaining guests.
--	--

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Type of Rangehood	wall mounted canopy
Nominal width	900
Finish of Rangehood	stainless steel with black glass panel

DIMENSIONS

Total product height (mm)	1200
Total product width (mm)	900
Total product depth (mm)	500

MOTOR/FAN

Number of fans	1
Number of fans speeds	3
Auto off	Yes
Type of motor	centrifugal
Perimeter extraction	No
Auto fan timer	Yes
Maximum airflow M3/Hr	745
Noise level dB high	67
Noise level dB low	53

POWER

Connection plug	7.5
-----------------	-----

DIMENSIONS

Diameter of ducting (mm)	150
Minimum installation height from cooking surface Gas (mm)	650
Minimum installation height from cooking surface Electric (mm)	650
Maximum canopy chimney height (mm)	1200
Flue cover depth (mm)	290
Flue cover width (mm)	320
Telescopic flue	Yes

CONTROLS

Control panel	electronic touch
Safety/ display indicators	auto thermal cutout safety switch,clean filter indicator
LED speed display	Yes

LIGHTS

FILTERS

Number of filters	3
Type of filter	multilayer aluminum micromesh filters
Dishwasher safe	Yes

DUCTING / RECIRCULATION

LIGHTS

Number of lights	2
Wattage of light	50
Type of light	halogen

DUCTING / RECIRCULATION

Ducting	optional accessory
Top or rear duct hole	top
Recirculation option	Yes
Recirculation kit	optional accessory
Optional extension flue	Yes
Model number of extension flue	AR610FS
Length of extension flue	1200
Ducting accessory available	Yes
Type of filter	Carbon
Filter	AR610CF
Number of optional filters required	two
Ducting diameter (mm)	150

SHIPPING

Shipping Volume (m3)	0.20
----------------------	------

STUFFING QUANTITIES

20ft	134
------	-----

SHIPPING


Shipping Weight (Kg)	20.9
Pack Dimensions Height (mm)	980
Pack Dimension Width (mm)	350
Pack Dimension Depth (mm)	570
Total shelf area (m^2)	19.95

STUFFING QUANTITIES

40ft	279
40ft HC	326

Dimensions

Model:
ERC9025SD



*Unless specified in rangehood installation details.

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz