# **CONTENTS**

## INTRODUCTION

## CLEAN TECHNOLOGY

## **CLEANSING TECHNOLOGY**

## COMFORT TECHNOLOGY

## SUSTAINABILITY

## SMART TOILETS

## NEOREST<sub>®</sub> SERIES

## **ICON GUIDE**

#### **TOILET & LAVATORY**

EWATER-



Mists the wand, toilet bowl and the underneath of the seat with electrolyzed wate keeping them clean to reduce the need for harsh chemicals.

CEFIONTECT



Ultra-smooth ceramic glaze leaves nowhere for waste to cling

**PREMIST** 



A film of water keeps waste from clinging onto the toilet bow

TORNADO FLUSH



360° cleaning power reaches every spot using less water

RIMLESS



The RIMLESS design not only leaves no place for waste and germs to hide

AIR-IN WONDER-WAVE



The precise, pleasant, air rich stream keeps you clean.

LINEARCERAM



Material used for lavatories that achieves an extremely thin design yet two times a strong as standard fireclay.

#### COMFORT TECHNOLOGY

**AUTO FUNCTIONS** 



Product featuring integrated and automated sensor-activated functions.

HEATED SEAT



The moment you approach the toilet, the seat begins to rapidly warm up to a comfortable temperature.

DEODORIZER



Highly- effective deodorizing automatically takes place inside the toilet boy both during and immediately after use, eliminating unwanted odors.

WARM AIR DRYING



The individually adjustable dryer follows the warm water spray to ensure a dry clean overall feeling.

#### **FAUCET**

SOFT FLOW



Elegant streams of water gently touch skin.

A premium calming experience. Soft and soothing.

#### **BATH TUB**

ZERO DIMENSION



ZERO DIMENSION bathing offers freedom from gravity, releasing stress on joints and encouraging ultimate relaxation.

HYDROHANDS



Deeply stimulating water massage gives the feeling of real hands kneading tired muscles.

## **DESIGN AWARDS**



The Red Dot is an award for high-quality design an international jury only awards this sought-after seal of quality to products that feature outstanding design



The iF DESIGN AWARD has long been a symbol of excellent form and aesthetic quality, as well as user-focused, ergonomic and efficient design in all disciplines among companies around the world







# CLEAN TECHNOLOGY

Ensuring lasting cleanliness for your peace of mind

## **CLEAN SYNERGY**





## **EWATER+**

## WASHES THE TOILET BOWL, WHERE WASTE TENDS TO ACCUMULATE AND PRODUCE STAINS THAT CAN BECOME PERMENANT.

Using no chemicals or cleaning agents, EWATER+ leaves microscopic waste no place to hide and provides everyday peace of mind.



#### **How EWATER+ Cleans**

PREMIST, a fine mist of water is sprayed inside the toilet





Since waste is less able to adhere to a wet surface, it is more easily washed away









EWATER+ is applied to



EWATER+ automatically

Before use

→ During use -



→ After use — → During standby







## **EWATER+**

AFTER EACH USE,
THE WAND AUTOMATICALLY WASHES ITSELF WITH EWATER+.

This thorough cleaning occurs inside thewand as well as all around the exterior.

Even when the toilet is not being used, the wand periodically washes itself to ensure constant clean conditions.



## Self-Cleaning Mechanism



## **Always Keeping Conditions Clean**

Made of high-quality, waste-resistant resin and automatically sprayed with EWATER+ after each use, the wand is extremely resistant to waste and stains. What's more, the wand attaches to the seat, not the bowl, so waste is less likely to even reach it. Though the wand is self cleaning, you will appreciate how easily you can reach it and wipe it spotless.



WASH

TOILETS

TORIES

IINGS & OWERS

THTUBS


ACCESSORIES


PUBLIC

## **EWATER+**

## EWATER+ IS SPRAYED ON THE EASILY FOULED FRONT SECTION OF THE BACKSIDE OF THE TOILET SEAT.

This helps suppress urine and other waste from becoming yellow stains, for long-lasting cleanliness. A quick manual spray before cleaning allows you to remove waste with a light wipe.





Survey: Evaluation of waste on the front section of the backside of the toilet seat with and without use of EWATER+

Usage conditions: A number of uses equivalent to usage for two weeks by a family of four (without cleaning)

\*Results vary according to usage and environmental conditions. All data collected by TOTO. The dotted lines in the figure show the area over with EWATER+ is sprayed.

#### **How EWATER+ Cleans**

PREMIST, a fine mist of water is sprayed inside the toilet

Since waste is less able to adhere to a wet surface, it is more easily washed away

automatically closes

After you step away from the toilet, EWATER+ is sprayed in the toilet bowl and underneath the toilet seat, after which the lid

EWATER+ is automatically sprayed 8 hours after the last use














→ During use

→ After use -

## **EWATER+** reaches underneath the toilet seat.

EWATER+ is sprayed throughout the toilet bowl, with large droplets covering the bowl surface and small droplets carried by air currents reaching the front section of the backside of the toilet seat







# Forces waste to slide down. Prevents waste from clinging. Ultra-smooth ceramic leaves A film of water keeps waste nowhere for waste to cling. from clinging onto the toilet bowl.

## **CEFIONTECT**

#### IS AN ULTRA SMOOTH CERAMIC GLAZE THAT COATS THE TOILET BOWL.

Its microscopic surface ridges are far smaller than waste particles, leaving no place for waste to gain a foothold. Extremely durable, CEFIONTECT is designed for enduring beauty and cleanliness.

# Eliminating the microscopic gaps where waste hides

Conventional ceramic may appear perfectly smooth to the eye, but it has gaps where waste particles can hide.

At just one millionth of a millimeter,


CEFIONTECT's surface ridges are much tinier than waste particles.





#### What makes CEFIONTECT so durable?

A glass layer is burned over the conventional glaze layer, making CEFIONTECT an extremely durable material.




CEFIONTECT toilet micrograph \*1Qm=0.001mm

#### Water has a strong affinity to CEFIONTECT

Hydrophilic describes organisms and materials that attract water. CEFIONTECT is hydrophilic. Water spreads easily over the toilet bowl, so waste particles easily wash away.





## **PREMIST**

To ensure waste washes away easily, a film of water keeps waste from clinging onto the toilet bowl.

PREMIST automatically sprays water over the surface of the inner toilet bowl before every use.

Due to the ceramic's hydrophilic nature, waste washes away more easily.










PUBLIC





RIMLESS



## **TORNADO FLUSH**

NOT ONLY CLEANS MORE EFFECTIVELY, IT DOES SO QUIETLY USING LESS WATER.



Powerful streams of water merge and swirl 360 degrees, washing every spot inside the RIMLESS toilet bowl.

Powerful washing where waste can easily accumulate


TORNADO FLUSH's dynamic waterjet discharges from near the front of the toilet bowl, travels in a narrow channel along a hairpin curve, and with sustained water pressure thoroughly cleanses the areas where waste accumulates most easily to wash the entire bowl clean. The exquisitely-designed, high-quality ceramic bowl makes this innovative design possible.

## **RIMLESS**

The RIMLESS design not only leaves no place for waste to hide, it also makes it much easier to clean the toilet.








## **AIR-IN WONDER-WAVE**

AIR RICH WATER DROPLETS TO PRODUCE A MORE COMFORTABLE WASHING SENSATION AND DELIVER MORE THOROUGH CLEANSING WITH LESS WATER CONSUMPTION.

Even more, water is warmed instantly as needed, so you need never worry about running out of warm water.

#### How AIR-IN WONDER-WAVE works

AIR-IN WONDER-WAVE technology is a precise and pleasant air-rich stream that keeps you clean. As water droplets are fired at different speeds, small droplets collide with larger ones, combining and expanding as they fill with more air. The injection of air enlarges the water droplets by approximately 30%



Select the type of cleansing you desire.



NEOREST® NX2, NX1, LE, AH and RH Remote Control



#### REAR CLEANSING

Large air-filled water droplets pr ovide a comfortable sensation and complete cleansing with minimal water use.



#### SOFT REAR CLEANSING

Plentiful showers of water provide a gentle sensation and complete cleansing over a wide area.



#### FRONT CLEANSING

A gentle dispersion of large water droplets ensures intimate cleansing in the most comforting way.



#### WIDE FRONT CLEANSING

Showers of small water drioplets reach a wide area, ensuring a gentle sensation for sensitive skin.

WASHLET

TOILETS

ORIES

HTTINGS & SHOWERS

ATHTUBS


ACCESSORIES

VUBLIC

# **CLEANSING SPRAY PATTERNS**


#### **HOW AIR-IN WONDER-WAVE WORK**


As water is fired at different speeds, small droplets collide with larger ones, combing and expanding as the droplets fill with more air. The injection of air englarges water droplet by around 30%



















Gentle dispersion of large water droplets ensure intimate cleansing in the most comforting way



Shower of small water droplets reaches a wider area giving a gentle coddling sensation to sensitive skin.







#### **Oscillating Cleansing**

The back-and-forth movement of the wand ensures thorough cleansing of the entire area.



#### **Pulsating Cleansing**


Rhythmically pulsating stream of cleansing





#### **Wand Position Adjustment**

You can easily set the wand position according to your preference.



**Wand Pressure Adjustment** 

Select from five levels of water pressure





## **COMFORT TECHNOLOGY**

For greater performance and hygiene in the bathroom



# AUTO OPEN / CLOSE LID



Eliminating the need to touch the toilet surfaces, the lid automatically opens and closes when the toilet is approached and departed.



## **SOFT LIGHT**

Subdued lighting switches on when the toilet is approached, so users don't have to be exposed to bright bathroom lights at night.



#### **HEATED SEAT**



The moment you approach the toilet, the seat begins to rapidly warm up to a comfortable temperature.



## **DEODORIZER**



Highly-effective deodorizing automatically takes place inside the toilet bowl both during and immediately after use, eliminating unwanted odors.



## **AUTO FLUSH**



No need to touch buttons or the handle and never worry about someone forgetting to flush — it's automatic after each use.



# WARM AIR DRYING




Enjoy the ease and comfort of the temperature-adjustable warm-air dryer.



Ultra-powerful water conservation.
Flushes waste completely
every time—no matter where
the toilet is located.

**HYBRID ECOLOGY SYSTEM** 

HYBRID ECOLOGY SYSTEM combines two innovative water streams—one from the plumbing system and one from a small tank inside the toilet—to maximize flushing efficiency. Using minimal water, HYBRID ECOLOGY SYSTEM is so effective at removing waste that a second flush is never required. What's more, the flushing power remains strong regardless of how high up in a building the toilet is located.



#### **CLEAN SYNERGY means eco-friendly**

CLEAN SYNERGY technologies offer a sustainable way to maintain sanitary conditions inside your toilet. Since waste does not accumulate and create stains, there is less need for manual cleaning with detergents.






#### Sustainable cleaning

WASHLET sprays the non-porous ceramic bowl with EWATER+, to help prevent the buildup of microscopic waste. Free of chemicals and cleaning agents, EWATER+ returns to the water cycle as pure  $\rm H_2O$ .

PUBI






# NEOREST. NX

# CS902VC CS902KVC







Rough-in: 305mm 4.5L / 3L Water Use:

Body Color: White with Silver

Remote Control: Nickel Color



Size:






















NEOKE

1LET

TOILETS

LAVATORIES

FITTINGS & SHOWERS

SGOILLIS

SOCNES

2

## **NEOREST**®

## LS







#### CS911VC / TCF87320GAU CS911VC / TCF87220GAU CS911VC / TCF87120GAU

Flush system: Tornado Flush Water Use: 4.5L / 3.0L Rough-in: 305mm (S-Trap)

#### CS911PVC / TCF87320GAU CS911PVC / TCF87220GAU CS911PVC / TCF87120GAU

Flush system: Tornado Flush 4.5L / 3.0L Water Use:

120~130mm (P-Trap) Rough-in:

Bowl Shape: D-Shape

Size: 411W\*725D\*497H mm Body Color with: White with Nickel, Frame Cover White with Black,

White with Silver

Remote Control: Nickel, Color Black, Silver





















| CS911PVC / TCF87320GAU



CS911VC / TCF87220GAU

CS911PVC / TCF87220GAU



CS911VC / TCF87120GAU | CS911PVC / TCF87120GAU

# An expression of refined elegance



# An impression of contemporary sophistication



## NEOREST.

# AS







#### CS921VC / TCF85510GAU

Flush system: Tornado Flush Water Use: 4.5L / 3.0L Rough-in: 305mm (S-Trap)

#### CS921PVC / TCF85510GAU

Flush system: Tornado Flush 4.5L / 3.0L Water Use:

120~155mm (P-Trap) Rough-in:

Bowl Shape: Elongated

Size: 386W\*692D\*512H mm

White Body Color: Remote Control: Silver

Color





















## NEOREST.

# RS





## CS921VC / TCF83410GAU

Flush system: Tornado Flush Water Use: 4.5L / 3.0L Rough-in: 305mm (S-Trap)

#### CS921PVC / TCF83410GAU

Tornado Flush Flush system: Water Use: 4.5L / 3.0L

120~155mm (P-Trap) Rough-in:

Bowl Shape: Elongated

Size: 386W\*690D\*515H mm

Body Color: White Remote Control: White

Color





















## **NEOREST**.

WX

COMING SOON







#### CW927PZC / TCF95380GAU

Tornado Flush Flush system: 4.5L / 3.0L Water Use: H=220mm Rough-in:

Bowl Shape: Elongated

449W\*675D\*447H mm Size:

White Body Color: Remote Control: Silver

Color





















NEOREST

WASHLET

TOILETS

LAVATORIES

SHOWERS

BAIHIUBS


ESSOCIES

PUBL

Easy and Convenient to Use.

MEOREST. NX, LS, WX and AS models





- 1) **Full flush** Performs a full flush.
- 2 **Light flush** Performs a light flush.
- (3) **Wand clean** Cleans the wand with "EWATER+".
- 4 **Personal setting lock** Store your preferred "Water pressure", "Wand position" and "Warm water temperature" settings.
- 5 Opening and closing the toilet seat Opens and closes the toilet seat.
- 6 Opening and closing the toilet lid Opens and closes the toilet lid.
- 7 **Stopping** Stops operation.
- 8 Rear cleansing Cleanses your rear.
- 9 **Soft rear cleansing** Cleanses your rear with a soft, embracing water flow.
- (10) Front cleansing Serves as a bidet for ladies.
- 11) Wide front cleansing Gently cleanses a wide area.
- (2) Water pressure adjustment You can make a selection from 5 different water pressure levels.
- 13 Wand position adjustment You can make a selection from 5 different wand position levels.
- (4) Warm air drying Dries your rear.
- (15) **Oscillate** The wand moves back and forth for a thorough cleanse.

**Pulsate** Water pressure alternates between soft and strong for a massage effect.

# TOILET PAPER HOLDER (STAND TYPE)

YH63SDT1 YH63SDV1BN

Size: 290W × 260D × 830H mm

Color: Brushed Nickel

Chrome



VASHLEI

TOILETS

LAVATORIES

FITTINGS & SHOWERS

BATHTUBS


ACCESSORIES

UBLIC

# **HOW THE REMOTE CONTROL WORKS**

Easy and Convenient to Use.

## NEOREST. RS models



- 1) **Full flush** Performs a full flush.
- 2 **Light flush** Performs a light flush.
- 3 Wand clean Cleans the wand with "EWATER+".
- 4 **Personal setting lock** Store your preferred "Water pressure", "Wand position" and "Warm water temperature" settings.
- 5 Opening and closing the toilet seat Opens and closes the toilet seat.
- 6 Opening and closing the toilet lid Opens and closes the toilet lid.
- Topping Stops operation.
- 8 Rear cleansing Cleanses your rear.
- 9 **Soft rear cleansing** Cleanses your rear with a soft, embracing water flow.
- (10) Front cleansing Serves as a bidet for ladies.
- 11) Water pressure adjustment You can make a selection from 5 different water pressure levels.
- Wand position adjustment You can make a selection from 5 different wand position levels.
- (3) Warm air drying Dries your rear.
- (14) Oscillate The wand moves back and forth for a thorough cleanse.
  - **Pulsate** Water pressure alternates between soft and strong for a massage effect.

FST

SHLET

TOILETS

AVATORIES

HOWERS


BATHTUBS

ACCESSORIE

UBLIC

NIEODEST		NEOREST NX		NEOREST LS		
	MEOREST.  OMPARISON CHART					
REMOTE CONTROL		Silver	Nickel	Nickel	Black	Silver
PRODUCT CODE		CS902VC	CS902KVC	CS911VC / TCF87320GAU CS911PVC / TCF87320GAU	CS911VC / TCF87220GAU CS911PVC / TCF87220GAU	CS911VC / TCF87120GAU CS911PVC / TCF87120GAU
	AIR-IN WONDERWAVE	•	•	•	•	•
	REAR CLEANSING	•	•	•	•	•
	SOFT REAR CLEANSING	•	•	•	•	•
	FRONT CLEANSING	•	•	•	•	•
<u>o</u>	WIDE FRONT CLEANSING	•	•	•	•	•
CLEANSING	OSCILLATING CLEANSING	•	•	•	•	•
	PULSATING CLEANSING	•	•	•	•	•
	INSTANTANEOUS WATER HEATING	•	•	•	•	•
	WATER PRESSURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WATER TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WAND POSITION ADJUSTMENT	•	•	•	•	•
	AIR PURIFIER (DEODORIZER)	•	•	•	•	•
AIR	WARM AIR DRYING	•	•	•	•	•
	AIR TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	HEATED SEAT	•	•	•	•	•
4	HEATED SEAT - TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
SEAT	INSTANT HEATED SEAT	•	•	•	•	•
	SoftClose® SEAT AND LID	•	•	•	•	•
	SEAT SENSOR	•	•	•	•	•
SENSOR	AUTOMATIC LID OPEN & CLOSE	•	•	•	•	•
SEN	AUTOMATIC FLUSH	•	•	•	•	•
	SOFT LIGHT	•	•	•	•	•
REMOTE	REMOTE-CONTROLLED SEAT	•	•	•	•	•
	CEFIONTECT®	•	•	•	•	•
	EWATER+® For Bowl	•	•	•	•	•
	EWATER+® For Wand	•	•	•	•	•
	EWATER+® Under Seat	•	•	•	•	•
ENE	PREMIST®	•	•	•	•	•
HYGIENE	¶ RIMLESS	•	•	•	•	•
	BOWL CLEANING MODE	•	•	•	•	•
	WAND CLEANING MODE	•	•	•	•	•
	SELF-CLEANING WAND	•	•	•	•	•
	ANTIBACTERIAL SURFACE	•	•	•	•	•
ISH	FLUSHING TYPE	TORNADO FLUSH	TORNADO FLUSH	TORNADO FLUSH	TORNADO FLUSH	TORNADO FLUSH
FLUSH SYSTEM	WATER USE	4.5L/3.0L	4.5L/3.0L	4.5L/3.0L	4.5L/3.0L	4.5L/3.0L
	ENERGY- SAVING TIMER	6, 9 HOURS	6, 9 HOURS	6, 9 HOURS	6, 9 HOURS	6, 9 HOURS
ENERGY SAVING	AUTO ENERGY SAVER	•	•	•	•	•
	ON/OFF BUTTON	•	•	•	•	•

NEOREST AS	NEOREST RS	NEOREST WX
		COMING SOON
· ∀.4«» =	· ÿ, å, d 8	· ∀.8
Silver CS921VC / TCF85510GAU	White  CS921VC / TCF83410GAU CS921PVC / TCF83410GAU	Silver  CW927PZC / TCF95380GAU
CS921PVC / TCF85510GAU	——————————————————————————————————————	•
•	•	•
•	•	•
•	•	•
•	_	•
•	•	•
•	•	•
•	•	•
5 SETTINGS	5 SETTINGS	5 SETTINGS
5 SETTINGS	5 SETTINGS	5 SETTINGS
•	•	•
•	•	•
•	•	•
5 SETTINGS	5 SETTINGS	5 SETTINGS
•	•	•
5 SETTINGS	5 SETTINGS	5 SETTINGS
_	_	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	_	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
TORNADO FLUSH	TORNADO FLUSH	TORNADO FLUSH
4.5L/3.0L	4.5L/3.0L	4.5L/3.0L
6, 9 HOURS	6, 9 HOURS	6, 9 HOURS
•	•	•
•	•	•



74

#### NEOREST NX CS902VC

Smart Toilet

Hybrid Ecology System Flush System: Tornado Flush (4.5L / 3.0L) Bowl Shape: Elongated

305mm (S-Trap) Rough-in: Remote Controller Color:

468W\*800D\*565H mm









#### NEOREST

## CS911VC / TCF87120GAU

Tornado Flush (4.5L / 3.0L) Rough-in: 305mm (S-Trap)

#### CS911PVC / TCF87120GAU Flush system:

Tornado Flush (4.5L / 3.0L) Rough-in: 120 - 130mm (P-Trap)

Color:

Hybrid Ecology System Bowl Shape: D-Shape

Remote Controller: WASHLET Frame Cover:

411W\*725D\*497H mm





#### NEOREST NX CS902KVC

Smart Toilet

Hybrid Ecology System Flush System: Tornado Flush (4.5L / 3.0L)

Bowl Shape: Elongated 305mm (S-Trap) Rough-in: Color: Remote Controller -Nickel

468W\*800D\*565H mm Size:







#### NEOREST AS

CS921VC / TCF85510GAU

Flush system Tornado Flush (4.5L / 3.0L) Rough-in: 305mm (S-Trap)

#### CS921PVC / TCF85510GAU

Flush system: Tornado Flush (4.5L / 3.0L) Rough-in: 120 - 155mm (P-Trap) Smart Toilet

Hybrid Ecology System Bowl Shape: Elongated
Color: Remote Controller -Silver

386W\*692D\*512H mm





#### NEOREST

CS911VC / TCF87320GAU

Flush system Tornado Flush (4.5L / 3.0L) Rough-in: 305mm (S-Trap)

CS911PVC / TCF87320GAU Flush system:

Tornado Flush (4.5L / 3.0L) Rough-in: 120 - 130mm (P-Trap) Smart Toilet

Size:

Hybrid Ecology System Bowl Shape: D-Shape

Remote Controller: WASHLET Frame Cover: Nickel

411W\*725D\*497H mm







#### NEOREST RS

CS921VC / TCF83410GAU Flush system

Tornado Flush (4.5L / 3.0L) Rough-in: 305mm (S-Trap)

#### CS921PVC / TCF83410GAU

Flush system: Tornado Flush (4.5L / 3.0L) Rough-in: 120 - 155mm (P-Trap) Smart Toilet

Hybrid Ecology System Bowl Shape: Elongated Remote Controller -Color: White

386W\*690D\*515H mm





CS911VC / TCF87220GAU

Flush system: Tornado Flush (4.5L / 3.0L) Rough-in: 305mm (S-Trap)

CS911PVC / TCF87220GAU Flush system:

Tornado Flush (4.5L / 3.0L) Rough-in: 120 - 130mm (P-Trap) Smart Toilet

Hybrid Ecology System Bowl Shape: D-Shape Remote Controller:

WASHLET Frame Cover: 411W\*725D\*497H mm Size:





#### **COMING SOON**

NEOREST WX

CW927PZC / TCF95380GAU Concealed Tank:

WH175AUAT Flush Panel:

MB177M

Wall Hung Smart Toilet

Flush System: Tornado Flush (4.5L / 3.0L) Bowl Shape: Elongated 220mm (P-Trap) Rough-in: Remote Controller -Color:

449W\*675D\*447H mm



## NEOREST



LW3716HY Console Lavatory Size : 596W x 397D x 50H mm





LW3717HY Console Lavatory Size : 746W x 448D x 50H mm





78