

60cm multi-function 10 dark stainless steel PyroClean oven with AirFry, telescopic runners, programmable timer, and 80L gross capacity.



Product Details

FEATURES

AirFry	Fast Heat Up	PyroClean	Programmable oven timer
Telescopic Runners One set of telescopic runners	Easy guide side racks	Cooler to Touch Doors	Fingerprint resistant stainless steel
80L gross capacity oven			

BENEFITS

<p>AirFry for that perfect, crunch</p> <p>When a food craving hits, make healthier and delicious food right in your oven with minimal oil. Deliver all the flavour and none of the guilt. AirFry allows you to make healthier, tasty meals for the entire family right in your oven.</p>	<p>Dinner's done sooner with our fast heat up oven</p> <p>Why wait longer? Our fast oven heat up means you can get on with the job of getting dinner on the table sooner.</p>
<p>Designed for ease and safety</p> <p>Telescopic runners are another piece of thoughtful design that makes it easy to draw racks out and safely check on your dishes during cooking.</p>	<p>Place your shelves in with ease</p> <p>Our easy guide side racks allow you to place your oven shelves in with ease.</p>
<p>Ovens that clean up after themselves</p> <p>Even cleaning up is easier with Westinghouse. Choose a PyroClean oven and with the press of a button you can keep your oven shiny and clean. The oven turns on to an extremely high temperature, turning grease and grime into ash. All you need to do is simply wipe the residue away. No nasty chemicals, no greasy mess just a sparkling clean oven with minimal effort.</p>	<p>Built in Australia</p> <p>Westinghouse, has been the heart of the home for generations and the kitchen appliance brand we have always known and trusted to build reliable products. This oven is built in a local factory in Adelaide.</p>

Family meals made easy

With room for the family roast or a delicious dessert, our 80L capacity in our 60cm oven range allows you to make every mealtime easy and full of flavour.

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Type of Oven	single pyrolytic oven
Oven fuel	electric
Materials/Colour	Dark stainless steel
Controls of Oven	control knob,touch control LED
Cooling fan	Yes

FLUSH FIT CUT OUT

Flush fit cut out height (mm)	600
Flush fit cut out width (mm)	600
Flush fit cut out depth (mm)	581

MAIN OVEN

DIMENSIONS

PRODUCT DIMENSION

Total height (mm)	597
Total width (mm)	596
Total depth (mm)	573

PROUD FIT CUT OUT

Proud fit cut out height (mm)	590
Proud fit cut out width (mm)	565
Proud fit cut out depth (mm)	560

ELECTRICAL CONNECTION

MAIN OVEN

Gross capacity litres	80
Useable capacity litres	68
Oven function	multifunction
Number of functions	10
Oven Functions	fan grill,defrost,maxi grill,traditional bake,pizza,grill,base heat,pyro clean ,AirFry,fan forced cooking
Oven liner	pyrolux high temperature enamel
Timer functions	minute minder,Cook time,End time,Time of day,24 hour clock
Light wattage	25

OTHER FEATURES

Cleaning	pyrolytic
Pyrolytic functions	2
Type of Pyrolytic functions	pyrolytic light clean,pyrolytic medium clean

ELECTRICAL CONNECTION

Connected load KW	3.6
Maximum current rating (amps)	15
Type of connection	hardwired

SHIPPING

Shipping Volume (m3)	0.278
Shipping Weight (Kg)	42.5
Pack Dimensions Height (mm)	655
Pack Dimension Width (mm)	635

OTHER FEATURES

Door	drop down,removable door,removable inner glass panes
Timer	3 button touch control programmable timer
Lights	1
Light wattage	25
Light position	rear
Telescopic runners	one
Shelf support	Easy glide side racks
Number of shelves	2
Safety features	cool door
Closed door grilling	Yes
Included accessories	grill/oven pan,2 x chromed wire shelf,wire grill insert,baking tray,side racks,telescopic runners (1 set) ,AirFry tray
Layers of glass in door	4
Number of shelf positions	5

SHIPPING

Pack Dimension Depth (mm)	670
---------------------------	-----


STUFFING QUANTITIES

40ft	153
------	-----

Dimensions

60cm ovens

WVE6313SDA, WVE6313WDA, WVE6515SDA,
WVE6515DDA, WVES6314SD-L/R, WVE6314SD,
WVE6314WD, WVE6314DD, WVE6515SD,
WVE6515DD, WVE6516SD, WVE6516DD, WVEP6716SD,
WVEP6716DD, WVEP6717DD, WVEP6918DD



IMPORTANT

These dimensions are a guide only. All measurements are in millimetres (mm).
For complete installation instructions, refer to the manual provided with product.

NOTE:

For proper ventilation there must be a gap at the bottom rear of the cabinet. This can be a full width opening 20mm deep.

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz