

Series 8, Built-in oven, 60 x 60 cm, Black HBG7341B1A









Included accessories

2 x combination grid 1 x universal pan 1 x Air-Fry grid

Optional accessories

HEZ327000 : Pizza stone HEZ530000 : Half tray

HEZ531010: Baking tray, non-stick ceramic coated HEZ532010: Universal pan, non-stick ceramic coated HEZ538000: Ifold telescopic rail, level independent HEZ631070: Baking tray, anthracite enamelled HEZ633001: Lid for professional pan, enamelled anth HEZ633073: Professional pan, anthracite enamelled HEZ634000: Baking and roasting grid (standard)

HEZ636000 : Glass pan

The built-in oven with Digital Control Ring and TFT-touchdisplay. Assist function for meals, Air Fry, Home Connect for control via the App.

- TFT Touch Display: easy control thanks to an innovative Digital Control Ring and TFT touchscreen.
- Air Fry Function with tray: for perfectly fried foods, such as vegetables and chips.
- Eco Clean Direct: less cleaning effort thanks to a special coating of the rear wall that automatically absorbs grime.
- Recipe World: delicious inspirations that match your taste.
- Automatic Switch-off: cooking process automatically stops as soon as the dish is done.

Technical Data

Color / Material Front : Black Built-in / Free-standing : Built-in Door opening : Drop down

Cleaning : catalytic partial, Hydrolytic Control Panel Material : Glass

Door Material: Glass

Dimensions (HxWxD) : 595 x 594 x 548 mm

Dimensions of the packed product (HxWxD) : 670 x 680 x 670 $\,$

mn

Min. required niche size for installation (HxWxD): 585-595 x

560-568 x 550 mm

Cavity dimensions: 357 x 480 x 415 mm

Usable volume of cavity: 71 |
Number of interior lights: 1
Net weight: 34.8 kg
Gross weight: 37.2 kg
EAN code: 4242005326341
Connection Rating: 3600 W
Fuse protection: 16 A
Voltage: 220-240 V

Frequency: 50; 60 Hz Length electrical supply cord: 120.0 cm





Series 8, Built-in oven, 60 x 60 cm, Black HBG7341B1A

The built-in oven with Digital Control Ring and TFT-touchdisplay. Assist function for meals, Air Fry, Home Connect for control via the App.

Heating Functions

- Oven with 14 heating methods: 3D Hotair, Top/bottom heating, Hot air grilling, Full width grill, Half width grill, Pizza setting, Bottom heating, Slow cooking, Defrost, Preheat ovenware, Keep warm, Hotair gentle, Conventional heat gentle, AirFry
- Temperature range 30 °C 300 °C
- Cavity volume: 71 net usable litres

Hook-in racks / rails

- Number of shelf levels: 5
- Telescopic rails available as optional accessory

Design

- Anthracite enamel cavity with 5 shelf positions
- Touch control
- Digital Control Ring

Cleaning

- EcoClean Direct: coating of back panel
- Cleaning Assistance (HydroClean program)

Convenience

- TFT-touchdisplay
- Automatic temperature proposal, Residual heat indicator, Actual temperature display
- Air Fry Function
- Bosch Assist a menu of dishes for automatic cooking
- HomeConnect
- Oven Assistant with Voice Control
- Automatic rapid heat function
- Drop down door
- Oven door with SoftOpen and SoftClose
- Integrated cooling fan
- Halogen lighting
- Electronic clock/timer with end time programming

Accessories

- 1 x Air-Fry grid, 2 x combination grid, 1 x universal pan

Safety and Environment

- Child lock, Automatic safety switch off function, Residual heat indicator, Start button, Door contact switch
- Triple glazed door
- Full glass inner door

Technical Info

- Length of mains cable: 120 cm
- Nominal voltage: 220 240 V
- Total connected load electric: 3.6 KW


Dimensions

- Appliance dimensions (HxWxD): 595 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm 595 mm x 560 mm 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing



Series 8, Built-in oven, 60 x 60 cm, Black HBG7341B1A

Installing two appliances on top of each other Air exchange



If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm

