

Dreams – Wash L

Sink module

with sink, retractable tap and pull-out waste system.



- Stainless steel double sink with retractable tap
- Practical, pull-out waste management system
- Water connection for hot and cold water
- Perfectly tailored to the outdoor cooking accessories – PerfectFit
- Endless possibilities – Create Your Dream

EAN: 4002517033485 / Material number: 13003780 /
Old Material Number: 331B3DWWAUS

General information	
Model identifier	Dreams – Wash L
Manufacturer material number	13003780
EAN number	4002517033485
Marketing class	Gold
Construction type	
Number of doors	2
Construction type and design	
Freestanding appliance	•
Coating	Powder coating
Number of base inserts	1
Number of sinks	2
Number of bins	2
Bin volume in l	14
Door hinging	Left and right
Number of plinths	2
Colour	Lava Black
User convenience	
360° castors	•
Magnetic door lock	•
SoftClose	•
Individually adjustable base insert	•
Sink with retractable premium tap	•
Pull-out waste separation system	•
Hot/Cold water connection	•
Door opening aid	Recessed grip
Modularity	
PerfectFit	•
Create Your Dream	•
Storage Management System	•
Plug & Cook	•
Efficiency	
WELS star rating	5
WELS registration number	T47468
Quality	
Stainless steel double bowl sink	•
Weather-resistant materials	•
RainProtect	•
Sink cover	•
Technical data	
Width in mm	818
Height in mm	945
Depth in mm	604
Dimensions in mm (H x W x D)	945 x 818 x 604
Min. working surface height in mm	945
Max. working surface height in mm	980
Infinite height adjustment in mm	35
Sink width, left, in mm (internal dimension)	310

Dreams – Wash L

Sink module

with sink, retractable tap and pull-out waste system.




EAN: 4002517033485 / Material number: 13003780 /

Old Material Number: 331B3DWWAUS

Sink height, left, in mm (internal dimension)	144
Sink depth, left, in mm (internal dimension)	335
Sink dimensions, left, in mm (H x W x D) (internal dimensions)	144 x 310 x 335
Sink width, right, in mm (internal dimension)	422
Sink height, right, in mm (internal dimension)	144
Sink depth, right, in mm (internal dimension)	335
Sink dimensions, right, in mm (H x W x D) (internal dimensions)	144 x 422 x 335
Weight in kg	70
Max. load per base insert in kg	20
Length of the fresh water hoses in mm	550
Flexible drain hose length in mm	550
Recommended operating pressure in kPa	300
Maximum operating pressure in kPa	500
Minimum operating pressure in kPa	100
Recommended water temperature (hot water) in °C	60
Maximum water temperature in °C	70
Flow rate in l/min	5.0
Accessories supplied	
Cold fresh water hose	•
Hot fresh water hose	•

Dreams – Wash L
Sink module
with sink, retractable tap and pull-out waste system.



Wash L

