


**Series 8, Built-in compact oven with microwave function, 60 x 45 cm, Black
CMG7241B1A**



HEZ327000 Pizza stone, HEZ530000 Half tray, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ617000 Pizza pan, anthracite enamelled, HEZ629070 Air Fry & Grill tray, anthracite, HEZ631070 Baking tray, anthracite enamelled, HEZ632070 Multipurpose pan, anthracite enamelled, HEZ634000 Baking and roasting grid (standard), HEZ636000 Glass pan, HEZ660050 Cover Strip, HEZ660060 Strip, HEZ664000 Baking and roasting grid (steam), HEZ915003 Glass roasting dish, 5,4 L

The compact microwave oven with Digital Control Ring and TFT-touchdisplay: enables you to achieve perfect baking and roasting results very quickly. Home Connect for control via the App.

- **TFT Touch Display:** easy control thanks to an innovative Digital Control Ring and TFT touchscreen.
- **Air Fry Function with tray:** for perfectly fried foods, such as vegetables and chips.
- **Recipe World:** delicious inspirations that match your taste.
- **Inverter Magnetron:** constant microwave power for heating food gradually.
- **Automatic Switch-off:** cooking process automatically stops as soon as the dish is done.

Additional function: Microwave combination
Color / Material Front: Black
Built-in / Free-standing: Built-in
Door opening: Handle
Colour.Material door: Black
Cleaning :Hydrolytic
Control Panel Material: Glass
Dimensions (HxWxD): 455 x 594 x 548 mm
Dimensions of the packed product (HxWxD): 540 x 680 x 650 mm
Min. required niche size for installation (HxWxD): 450-455 x 560-568 x 550 mm
Cavity dimensions: 237.0 x 480 x 392.0 mm
Cavity capacity:45 l
Max. microwave power level:900 W
Number of interior lights: 1
Net weight:35.3 kg
Gross weight: 37.6 kg
EAN code:4242005325931
Connection rating: 3600 W
Fuse protection:16 A
Voltage: 220-240 V
Frequency: 50 Hz
Length electrical supply cord: 150.0 cm



4 242005 325931

**Series 8, Built-in compact oven with microwave function, 60 x 45 cm, Black
CMG7241B1A**

The compact microwave oven with Digital Control Ring and TFT-touchdisplay: enables you to achieve perfect baking and roasting results very quickly. Home Connect for control via the App.

- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW

Dimensions

- Appliance dimensions (HxWxD): 455 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 450 mm - 455 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing

Heating Functions

- Compact oven with microwave with 16 heating methods: Top/bottom heating, Hot air grilling, Full width grill, Half width grill, Bottom heating, Preheat ovenware, Hotair gentle, Conventional heat gentle, Circulating Air, AirFry, Pure microwave, Circulating air, Top/bottom heat + microwave, grill + microwave, half width grill + microwave, hotair grilling + microwave
- Max. Power: 900 W; 5 Microwave power settings (90 W, 180 W, 360 W, 600 W, boost) with Inverter (MW)
- Intelligent inverter technology: maximum output power will be regulated to 600 W when used in longer operation
- Temperature range 30 °C - 230 °C
- Cavity volume: 45 net usable litres

Hook-in racks / rails

- Number of shelf levels: 3

Design

- Anthracite enamel cavity with 3 shelf positions
- Touch control
- Digital Control Ring

Cleaning

- Cleaning Assistance (HydroClean program)

Convenience

- TFT-touchdisplay
- Automatic temperature proposal, Residual heat indicator, Actual temperature display
- Air Fry Function
- Bosch Assist - a menu of dishes for automatic cooking
- HomeConnect
- Oven Assistant with Voice Control
- Drop down door
- Oven door with SoftOpen and SoftClose
- Integrated cooling fan
- LED lighting
- Electronic clock/timer with end time programming

Accessories

- 1 x Air Fry & Grill tray, 1 x combination grid, 1 x universal pan

Safety and Environment

- Child lock, Automatic safety switch off function, Residual heat indicator, Start button, Door contact switch
- Triple glazed door

Technical Info

- Length of mains cable: 150 cm

© 2014 Pearson Education, Inc. or its affiliate(s). All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage or retrieval system, without prior written permission from Pearson Education, Inc.

A: 19.5 mm

B: Space for appliance connection
320 x 115 mm

C: Ventilation space in the base $\geq 200 \text{ cm}^2$

(A)

560⁺⁸

180

min. 460

min. 550

min. 20

19,5

405

455

442

407

max. 45

594

548

Space for
appliance
connection
320 x 115


measurements in mm

Technical drawing of a mechanical part with the following dimensions:

- Overall width: 548
- Overall height: 455
- Top edge offset from right: 19.5
- Top edge offset from left: 13
- Bottom edge offset from right: 7.5
- Maximum height of the bottom edge: max. 347.5

3 /

Installation with a hob.



measurements in mm

If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm