

DG 6401

Built-in steam oven

Intuitive and easy to use with plain text display and touch control.




- Perfect results thanks to MultiSteam technology
- Simultaneous cooking on 3 levels without flavour transfer
- Very versatile and efficient thanks to extra-large tray size
- Success guaranteed – intelligent Automatic programmes
- Intuitive and simple – DirectSensor

Construction type	
Built-in steam oven	•
Design	
PureLine	•
Colour	Stainless steel/Clean Steel
Display	DirectSensor
Convenience features	
Electronic steam oven temperature regulation in °C	40 - 100
External steam generation	•
Menu cooking without transfer of taste	•
Automatic programmes with programmable settings for cooking results	•
Keeping warm	•
Operating modes	
Defrosting	•
Automatic programmes	More than 75
Steam cooking	•
Sous-vide	•
Reheat	•
Special applications	•
User convenience	
MultiLingua	•
DirectSelection of operating modes	•
Steam cooking on up to 3 levels at the same time	•
Quantity-independent cooking	•
Steam reduction before end of programme	•
Time of day display	•
Date display	•
Minute minder	•
Clock buffer in h	200
Start-stop programming	•
Safety switch-off	•
Actual temperature display	•
Recommended temperature	•
Buzzer when desired temperature is reached	•
User programmes	20
Individual settings	•
Door	
CleanGlass door	•
Door with viewing screen	•
Door hinge	Bottom
Oven compartment	
Oven compartment volume in l	38
Stainless steel oven compartment	•
No. of shelf levels	4
Tray size per shelf level	1/3 GN + 1/2 GN
Removable stainless-steel side racks	•
MultiSteam module with LED lighting	•

DG 6401

Built-in steam oven

Intuitive and easy to use with plain text display and touch control.




Cleaning convenience	
Stainless steel front with CleanSteel finish	•
Floor heater for condensate reduction	•
External steam generator	•
Quick-release side racks	•
Automatic descaling	•
Steam technology and water supply	
MultiSteam	•
Water reserve for approx. 90 min cooking	•
Fresh water container	•
Safety	
Appliance cooling system and touch-cool fronts	•
Safety switch-off	•
System lock	•
Vapour cooling system	•
Door contact switch	•
Technical data	
Niche width in mm	560
Niche height in mm	450
Niche depth in mm	550
Appliance width in mm	595
Appliance height in mm	456
Appliance depth in mm	572
Weight in kg	29.1
Total rated load in kW	3.4
Voltage in V	230
Fuse rating in A	16
Number of phases	1
Standard accessories	
Stainless-steel side racks	•
No. of perforated stainless-steel cooking containers	3
Wire rack	•
Condensate tray	•
Cookbook	•
Mains plug	•
Descaling tablets	•

DG 6401


Built-in steam oven

Intuitive and easy to use with plain text display and touch control.




DG 6000 in combination with H 6000 (Installation drawing)

* Appliances with glass front
** Appliances with metal front



DG 6000 (Installation drawing)

* Appliances with glass front
** Appliances with metal front



DG 6000 - detail drawing PureLine (Installation drawing)

* Appliances with glass front
** Appliances with metal front