

## DG 6401

Built-in steam oven

Intuitive and easy to use with plain text display and touch control.



- Perfect results thanks to MultiSteam technology
- Simultaneous cooking on 3 levels without flavour transfer
- Very versatile and efficient thanks to extra-large tray size
- Success guaranteed – intelligent Automatic programmes
- Intuitive and simple – DirectSensor

| Construction type                                                   |                 |
|---------------------------------------------------------------------|-----------------|
| Built-in steam oven                                                 | •               |
| Design                                                              |                 |
| PureLine                                                            | •               |
| Colour                                                              | Havana brown    |
| Display                                                             | DirectSensor    |
| Convenience features                                                |                 |
| Electronic steam oven temperature regulation in °C                  | 40 - 100        |
| External steam generation                                           | •               |
| Menu cooking without transfer of taste                              | •               |
| Automatic programmes with programmable settings for cooking results | •               |
| Keeping warm                                                        | •               |
| Operating modes                                                     |                 |
| Defrosting                                                          | •               |
| Automatic programmes                                                | More than 75    |
| Steam cooking                                                       | •               |
| Sous-vide                                                           | •               |
| Reheat                                                              | •               |
| Special applications                                                | •               |
| User convenience                                                    |                 |
| MultiLingua                                                         | •               |
| DirectSelection of operating modes                                  | •               |
| Steam cooking on up to 3 levels at the same time                    | •               |
| Quantity-independent cooking                                        | •               |
| Steam reduction before end of programme                             | •               |
| Time of day display                                                 | •               |
| Date display                                                        | •               |
| Minute minder                                                       | •               |
| Clock buffer in h                                                   | 200             |
| Start-stop programming                                              | •               |
| Safety switch-off                                                   | •               |
| Actual temperature display                                          | •               |
| Recommended temperature                                             | •               |
| Buzzer when desired temperature is reached                          | •               |
| User programmes                                                     | 20              |
| Individual settings                                                 | •               |
| Door                                                                |                 |
| CleanGlass door                                                     | •               |
| Door with viewing screen                                            | •               |
| Door hinge                                                          | Bottom          |
| Oven compartment                                                    |                 |
| Oven compartment volume in l                                        | 38              |
| Stainless steel oven compartment                                    | •               |
| No. of shelf levels                                                 | 4               |
| Tray size per shelf level                                           | 1/3 GN + 1/2 GN |
| Removable stainless-steel side racks                                | •               |
| MultiSteam module with LED lighting                                 | •               |

## DG 6401

Built-in steam oven

Intuitive and easy to use with plain text display and touch control.




| Cleaning convenience                                 |      |
|------------------------------------------------------|------|
| Floor heater for condensate reduction                | •    |
| External steam generator                             | •    |
| Quick-release side racks                             | •    |
| Automatic descaling                                  | •    |
| Steam technology and water supply                    |      |
| MultiSteam                                           | •    |
| Water reserve for approx. 90 min cooking             | •    |
| Fresh water container                                | •    |
| Safety                                               |      |
| Appliance cooling system and touch-cool fronts       | •    |
| Safety switch-off                                    | •    |
| System lock                                          | •    |
| Vapour cooling system                                | •    |
| Door contact switch                                  | •    |
| Technical data                                       |      |
| Niche width in mm                                    | 560  |
| Niche height in mm                                   | 450  |
| Niche depth in mm                                    | 550  |
| Appliance width in mm                                | 595  |
| Appliance height in mm                               | 456  |
| Appliance depth in mm                                | 571  |
| Weight in kg                                         | 29.2 |
| Total rated load in kW                               | 3.4  |
| Voltage in V                                         | 230  |
| Fuse rating in A                                     | 16   |
| Number of phases                                     | 1    |
| Standard accessories                                 |      |
| Stainless-steel side racks                           | •    |
| No. of perforated stainless-steel cooking containers | 3    |
| Wire rack                                            | •    |
| Condensate tray                                      | •    |
| Cookbook                                             | •    |
| Mains plug                                           | •    |
| Descaling tablets                                    | •    |

## DG 6401


Built-in steam oven

Intuitive and easy to use with plain text display and touch control.




DG 6000 in combination with H 6000 (Installation drawing)

\* Appliances with glass front  
\*\* Appliances with metal front



DG 6000 (Installation drawing)

\* Appliances with glass front  
\*\* Appliances with metal front



DG 6000 - detail drawing PureLine (Installation drawing)

\* Appliances with glass front  
\*\* Appliances with metal front