

## DGC 6800

XL steam combination oven with fully-fledged oven operating mode

- The multi-talented Miele for the highest demands.



- Perfect results thanks to MultiSteam technology
- Sets new standards for brilliance & user convenience – M Touch
- Highest convenience – roasting with the wireless food probe
- Convenient – water container is behind a motorised control panel
- Plenty of space to be creative – the XL cooking compartment

| Construction type                                                   |               |
|---------------------------------------------------------------------|---------------|
| Steam combination oven                                              | •             |
| Design                                                              |               |
| PureLine                                                            | •             |
| Colour                                                              | Havana brown  |
| Display                                                             | M Touch       |
| Convenience features                                                |               |
| Electronic oven temperature regulation in °C                        | 30 - 225      |
| Electronic steam oven temperature regulation in °C                  | 40 - 100      |
| External steam generation                                           | •             |
| Oxygen sensor                                                       | •             |
| Individual humidity settings in combination cooking                 | •             |
| Menu cooking without transfer of taste                              | •             |
| Wireless food probe                                                 | •             |
| Automatic programmes with programmable settings for cooking results | •             |
| Keeping warm                                                        | •             |
| Operating modes                                                     |               |
| Defrosting                                                          | •             |
| Automatic programmes                                                | More than 200 |
| Combination cooking                                                 | •             |
| Steam cooking                                                       | •             |
| Sous-vide                                                           | •             |
| Reheat                                                              | •             |
| Economy grill                                                       | •             |
| Fan plus                                                            | •             |
| Intensive bake                                                      | •             |
| Cake plus                                                           | •             |
| Conventional heat                                                   | •             |
| Top heat                                                            | •             |
| Bottom heat                                                         | •             |
| Fan grill                                                           | •             |
| Special applications                                                | •             |

## DGC 6800

XL steam combination oven with fully-fledged oven operating mode

- The multi-talented Miele for the highest demands.



| User convenience                                   |        |
|----------------------------------------------------|--------|
| MultiLingua                                        | •      |
| MyMiele                                            | •      |
| Help function                                      | •      |
| Automatic programme search function                | •      |
| Steam cooking on up to 3 levels at the same time   | •      |
| Motorised opening and closing Lift panel           | •      |
| Automatic menu cooking with steam                  | •      |
| Quantity-independent cooking                       | •      |
| Steam reduction before end of programme            | •      |
| Polyphonic buzzers                                 | •      |
| Time of day display                                | •      |
| Date display                                       | •      |
| Minute minder                                      | •      |
| Clock buffer in h                                  | 200    |
| Start-stop programming                             | •      |
| Safety switch-off                                  | •      |
| Actual temperature display                         | •      |
| Recommended temperature                            | •      |
| Buzzer when desired temperature is reached         | •      |
| User programmes                                    | 20     |
| Sabbath programme                                  | •      |
| Individual settings                                | •      |
| Door                                               |        |
| CleanGlass door                                    | •      |
| Door with viewing screen                           | •      |
| Door hinge                                         | Bottom |
| Oven compartment                                   |        |
| XL oven compartment                                | •      |
| Oven compartment volume in l                       | 48     |
| PerfectClean stainless-steel oven compartment      | •      |
| No. of shelf levels                                | 3      |
| Numbered shelf levels                              | •      |
| Removable side racks with PerfectClean             | •      |
| No. of halogen lamps                               | double |
| Cleaning convenience                               |        |
| Oven compartment with PerfectClean                 | •      |
| External steam generator                           | •      |
| Soak programme                                     | •      |
| Rinse programme                                    | •      |
| Oven compartment drying programme                  | •      |
| Quick-release side racks                           | •      |
| Automatic descaling                                | •      |
| Steam technology and water supply                  |        |
| MultiSteam                                         | •      |
| Water reserve for approx. 90 min cooking           | •      |
| Fresh water container                              | •      |
| Condensate container behind motorised fascia panel | •      |
| Drain filter                                       | •      |

## DGC 6800

XL steam combination oven with fully-fledged oven operating mode

- The multi-talented Miele for the highest demands.




| Efficiency and sustainability                        |      |
|------------------------------------------------------|------|
| Energy-saving lighting                               | •    |
| Rapid heat-up                                        | •    |
| Safety                                               |      |
| Appliance cooling system and touch-cool fronts       | •    |
| Safety switch-off                                    | •    |
| System lock                                          | •    |
| Vapour cooling system                                | •    |
| Door contact switch                                  | •    |
| Technical data                                       |      |
| Niche width in mm                                    | 560  |
| Niche height in mm                                   | 450  |
| Niche depth in mm                                    | 555  |
| Appliance width in mm                                | 595  |
| Appliance height in mm                               | 456  |
| Appliance depth in mm                                | 572  |
| Weight in kg                                         | 41.5 |
| Total rated load in kW                               | 3.4  |
| Voltage in V                                         | 230  |
| Fuse rating in A                                     | 16   |
| Number of phases                                     | 1    |
| Standard accessories                                 |      |
| Number of universal trays with PerfectClean          | 1    |
| Combi rack with PerfectClean                         | 1    |
| Side racks with PerfectClean                         | •    |
| No. of perforated stainless-steel cooking containers | 2    |
| No. of solid stainless-steel cooking containers      | 1    |
| Grease filter                                        | •    |
| Cookbook                                             | •    |
| Mains plug                                           | •    |
| Descaling tablets                                    | •    |

# Steam Combination Ovens



## DGC 6800

XL steam combination oven with fully-fledged oven operating mode  
- The multi-talented Miele for the highest demands.




DGC 6500, DGC 6600, DGC 6800, in a tall unit, CLST  
(Installation drawing)

\* Appliances with glass front  
\*\* Appliances with metal front

Only for DGC 6805:

Important building-in information:

To operate the DGC 6805 a plumbed water connection and water drainage is required. To plan the installation, refer to the connection requirements in advance of the sketch for water inlet and outlet.




DGC 6500, DGC 6600, DGC 6800, in a floor unit, CLST  
(Installation drawing)

\* Appliances with glass front  
\*\* Appliances with metal front

Only for DGC 6805:

Important building-in information:

To operate the DGC 6805 a plumbed water connection and water drainage is required. To plan the installation, refer to the connection requirements in advance of the sketch for water inlet and outlet.



DGC 6600, DGC 6800, DGC 6805 detailed installations  
drawing for PureLine (Installation drawing)

\* Appliances with glass front  
\*\* Appliances with metal front