

H 6267 BP

Ovens

with Moisture Plus and automatic programmes for perfect cooking results.



- 7-segment display with rotary selector – EasyControl
- Perfect baking and roasting results – Moisture Plus
- Minimal cleaning effort – Pyrolytic cleaning
- Easy to use on any level – FlexiClip fully telescopic runners
- Fewer fingerprints and easy to clean – CleanSteel

Construction type	
Built-in oven	•
Design	
PureLine	•
Colour	Stainless steel/Clean Steel
Display	EasyControl
Retractable dials	•
Convenience features	
Precise temperature regulation	30 - 300°C
Operating modes	
Automatic programmes	More than 20
Auto roast	•
Gentle bake	•
Grill	•
Fan plus	•
Intensive bake	•
Moisture plus	•
Conventional heat	•
Bottom heat	•
Fan grill	•
User convenience	
Time of day display	•
Minute minder	•
Clock buffer in h	200
Start-stop programming	•
Safety switch-off	•
Programmable cooking duration	•
Actual temperature display	•
Recommended temperature	•
Buzzer when desired temperature is reached	•
Individual settings	•
Door	
CleanGlass door	•
Door contact switch	•
Door hinge	Bottom
Oven compartment	
Oven compartment volume in l	76
No. of shelf levels	5
Numbered shelf levels	•
No. of halogen lamps	1
Cleaning convenience	
Stainless steel front with CleanSteel finish	•
Pyrolytic self-cleaning	•
Unheated catalyser	•
Hinged grill heater element	•
Efficiency and sustainability	
Rapid heat-up	•
Safety	
Appliance cooling system and touch-cool fronts	•
Safety switch-off	•
System lock	•
Door lock during pyrolytic cleaning	•

H 6267 BP

Ovens

with Moisture Plus and automatic programmes for perfect cooking results.

**Technical data**

Niche width in mm	560
Niche height in mm	593
Niche depth in mm	550
Appliance width in mm	554
Appliance height in mm	579
Appliance depth in mm	547
Weight in kg	47.0
Total rated load in kW	3.5
Voltage in V	230
Fuse rating in A	16
Number of phases	1



Standard accessories

Universal tray with PerfectClean	1
Baking tray with PerfectClean	1
Perforated gourmet baking tray with PerfectClean	1
Baking and roasting rack PyroFit	2
FlexiClip runners PyroFit	1 pair
Recipe booklet	•
Mains cable	•
Descaling tablets	•

H 6267 BP

Ovens

with Moisture Plus and automatic programmes for perfect cooking results.



H 5000 EP/BP - 60 cm (Installation drawing)

* Appliances with glass front

** Appliances with metal front


Detailed installation drawing H 6000, H 5000, H 4000, E/B, EP/BP, 76 litres, (Installation drawing)

A = Design "ContourLine": 45 mm

Design "PureLine": 42 mm

B = Appliances with glass front: 2,2

Appliances with metal front: 1,2



H 5000 BP; H 6000 BP; H 2000 BP; 60 cm (Installation drawing)

* Appliances with glass front

** Appliances with metal front