Speed Ovens



H 6400 BM

Speed oven

with automatic programmes and combination modes for perfect results.



- TFT text display with rotary selector DirectControl
- Easy clean Cook compartment has PerfectClean & linen structure
- Quick cooking combined microwave modes
- The simple way to perfect results Automatic programmes
- Fresh popcorn at your fingertips thanks to the Popcorn button

Construction type	
Built-in microwave combination oven	•
Design	
PureLine	<u> </u>
Colour	Brilliant white
Display	DirectControl
Retractable dials	•
Convenience features	
Precise temperature regulation	30 - 250°C
Power levels in W	80/150/300/450/600/850/ 000
Keeping warm	<u>•</u>
Operating modes	
Defrosting	<u>•</u>
Automatic programmes	More than 60
Auto roast	<u> </u>
Gentle bake	<u> </u>
Grill	<u> </u>
Fan plus	<u> </u>
Microwave	<u> </u>
Microwave + Auto roast	<u> </u>
Microwave + Grill	<u> </u>
Microwave + Fan plus	•
Microwave + Fan grill	<u> </u>
Fan grill	•
Special applications	•
User convenience	
MultiLingua	<u> </u>
Popcorn function	
Time of day display	<u> </u>
Date display	<u> </u>
Minute minder	<u> </u>
Clock buffer in h	200
Start-stop programming	<u> </u>
Safety switch-off	<u> </u>
Programmable cooking duration	•
Actual temperature display	•
Recommended temperature	•
Buzzer when desired temperature is reached	•
Recommended microwave output for each operating	•
mode Quick microwave	•
User programmes	
· · ·	20
Sabbath programme	_ `
Individual settings Door	
CleanGlass door	•
Ologi Miggs GOOI	
Door contact switch	<u> </u>

Speed Ovens



H 6400 BM

Speed oven

with automatic programmes and combination modes for perfect results.



Oven compartment	
Oven compartment volume in I	43
No. of shelf levels	3
No. of halogen lamps	1
Cleaning convenience	
Stainless-steel oven compartment with linen-weave pattern PerfectClean finish	•
Hinged grill heater element	•
Efficiency and sustainability	
Energy-saving lighting	•
Residual heat utilisation	•
Rapid heat-up	•
Safety	
Appliance cooling system and touch-cool fronts	•
Safety switch-off	•
System lock	•
Technical data	
Niche width in mm	560
Niche height in mm	450
Niche depth in mm	550
Appliance width in mm	559
Appliance height in mm	446
Appliance depth in mm	542
Weight in kg	43.0
Total rated load in kW	2.2
Voltage in V	230
Fuse rating in A	16
Number of phases	1
Standard accessories	
Baking and roasting rack with PerfectClean	1
Glass tray	1
Cookbook	•
Mains cable	•




H 6400 BM

Speed oven


with automatic programmes and combination modes for perfect results.





- H 5000 BM, H 6000 BM 45 cm (Installation drawing)
- * Appliances with glass front ** Appliances with metal front

- H 6000 BM 45 cm (Installation drawing)
- * Appliances with glass front ** Appliances with metal front



Detailed drawing H 6000 BM, PureLine and ContourLine (Installation drawing)

A Design "ContourLine": 45 mm Design "PureLine": 42 mm

B Appliances with glass front: 1,5 mm Appliances with metal front: 0,5 mm