



iQ300  
EH675LDC1E  
60 cm Induction cooktop



Induction cooktop with innovative features that enable highly flexible cooking in any situation.

- ✓ dual lightSlider: lets you easily and intuitively operate the cooktop.
- ✓ fryingSensor: maintains the desired pan temperature automatically after heating up to avoid scorching.
- ✓ Space for extra-large pots and pans thanks to the extendable 32 cm three-ring cooking zone.

Features

Technical Data

Product name/family : Cooking zone ceramic  
Construction type : Built-in  
Energy input : Electric  
Total number of positions that can be used at the same time : 3  
Required niche size for installation (HxWxD) : 51 x 560-560 x 490-500  
Appliance width (mm) : 602  
Dimensions of the product (mm) : 51 x 602 x 520  
Net weight (kg) : 14.0  
Gross weight (kg) : 15.0  
Residual heat indicator : Separate  
Location of control panel : Hob front  
Basic surface material : Ceramic  
Color of surface : Alu, Black  
Color of frame : Alu  
Approval certificates : AENOR, CE  
Length electrical supply cord (cm) : 110  
EAN code : 4242003697962  
Electrical connection rating (W) : 7400  
Voltage (V) : 220-240  
Frequency (Hz) : 60; 50



**iQ300**  
**EH675LDC1E**  
**60 cm Induction cooktop**

#### Features

##### Cooktop Type and Special Features

- 3 induction cooking zones
- Ring zone triple
- Cooking zone with special 5.5kW powerBoost
- powerBoost function for all cooking zones
- panBoost
- fryingSensor Plus with 5 temperature settings

##### Design

- Black ceramic glass with stainless steel side profiles and beveled front
- New design (of printing)
- Can be combined with Domino cooktops

##### Comfort & Convenience

- Dual LightSlider
- LED display and timer with auto switch off for all cooking zones
- Count up timer per cooktop
- ReStart - Quickly reinstates previous settings
- QuickStart - Quick and automatic first pot detection

##### Size & Power

- 17 power levels for each cooking zone
- Cooking zone rear left:
  - 260 mm, 210 mm, 320 mm
  - 2.2 KW, 3.3 kW, 2.6 KW / 3.7 KW, 5.5 KW, with powerBoost
- Cooking zone rear right:
  - 145 mm
  - 1.4 KW / 2.2 KW with powerBoost
- Cooking zone front right:
  - 210 mm
  - 2.2 KW / 3.7 KW with powerBoost
- 7.4 kW total connected load

##### Safety and Environment

- Automatic pan recognition
- Automatic safety switch-off
- childproof lock
- 2-stage (h/H) digital residual heat indicator for each cooking zone
- Energy efficiency display

##### Dimensions (WxD)

- Installation measurements: 560 mmx490 mm
- Length wire connection: 110 cm
- Min. worktop thickness: 30 mm

iQ300

EH675LDC1E

60 cm Induction cooktop

## Dimensioned drawings

